

MONOCULUS Copepod Newsletter

The Newsletter of the World Association of Copepodologists

Number 49 – Supplement

May 2005

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recent Publications	1

MONOCULUS Editor: Janet W. Reid

Research Associate, Division of Science & Learning
Virginia Museum of Natural History
Martinsville, Virginia 24112, U.S.A.
Tel. +1 276 656 6719; Fax. +1 276 656 6701
E-mail jwrassociates@sitestar.net

*Deadline for submissions to the next number of
MONOCULUS: 15 September 2005*

Material in *MONOCULUS* is reviewed only by the Editor. This newsletter is not part of the scientific literature and is not to be cited, abstracted, or reprinted as a published document. Using the cartoons or text for other purposes requires previous agreement by the Editor.

ISSN 1543-0731 (On-line version)

ISSN 0722-5741 (Printed version)

WAC Homepage

<http://www.copepoda.uconn.edu>

MONOCULUS Homepage

<http://www.copepoda.uconn.edu/newsletter>

MONOCULUS Homepage – University of Oldenburg

<http://www.uni-oldenburg.de/monoculus>

Lo, Federico Marrone, Iskandar Mirabdullayev, Bill Poly, Kurt Schminke, Sybille Seifried, and Grace Wyngaard all graciously provided literature references and, in some cases, reprints. Translations of titles from languages other than English (if not given by the source) are provided by the management.

— Jan Reid
Martinsville, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!

Address of the Monoculus-Library:

C/o Prof. Kurt Schminke
Fachbereich 7
Universität Oldenburg
D-26111 Oldenburg, Germany

Mail to the C. B. Wilson Library should be sent to the address below. Mail sent to other (older) addresses may be irradiated, which will severely damage the paper.

C/o T. Chad Walter
Smithsonian Institution
PO Box 37012
NMNH, MRC-163
Washington DC 20013-7012, U.S.A.

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*. Grateful thanks to the donors of reprints to the Monoculus and Wilson libraries.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different.

This supplement will be posted in pdf format on the WAC website. For their convenience, WAC members may request a copy of the file from me. I will send it as an e-mail attachment in Word97 (DOS).

Apostol Apostolov, George Benz, Ron Burton, Hans Dahms, Hans Dam, Susan Dippenaar, Jens T. Høeg, Slava Ivanenko, Kunihiko Izawa, Wim Klein Breteler, Wen-Tseng

Recent Publications on Copepoda

Compiled by Chad Walter
(National Museum of Natural History, Washington, D.C., U.S.A.) and Jan Reid

Older publications that were recently listed in the "World of Copepoda" bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and "gray literature"), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the "World of Copepoda" database.

1995 and before

Allen, D.M., W.S. Johnson & V. Ogburn-Matthews. 1995. Trophic relationships and seasonal utilization of salt-marsh creeks by zooplanktivorous fishes. *Environmental Biology of Fishes* 42:37-50.

- Anonymous. 1995. Crustaceans cruise across our ocean planet. Quest, National Museum of Natural History Annual Report 1994, 4(1):13.
- Apostolov, A. 1981. Contribution à l'étude des Copépodes harpacticoïdes de la mer Adriatique (Côte yougoslave). 2. Sur le méiobenthos du Cap Piran. Acta Zoologica Bulgarica 18:23-30.
- Apstein, C. 1891. Über die quantitative Bestimmung des Plankton im Süßwasser. Pp. 255-294 In: Zacharias, O. (ed.). Die Tier- und Pflanzenwelt des Süßwassers, Vol. 2. J.J. Weber, Leipzig. 369 pp.
- Basamakov, I. & A. Apostolov. 1977. A contribution to the study of harpacticoid fauna in Strandja Mountain. Bulletin of the Museums of South Bulgaria 3:27-42.
- Begg, G.W. 1967. Notes on the plankton fauna of Lake Kariba from net collections made in 1967. Lake Kariba Fisheries Research Project Report 2:1-35. [Mimeographed.]
- Berkeley, S.A. & E.D. Houde. 1978. Biology of two exploited species of halfbeaks, *Hemiramphus brasiliensis* and *H. balao* from southeast Florida. Bulletin of Marine Science 28:624-644.
- Brook, I.M. 1977. Trophic relationships in a seagrass community (*Thalassia testudinum*), in Card Sound, Florida. Fish diets in relation to macrobenthic and cryptic faunal abundance. Transactions of the American Fisheries Society 106:219-229.
- Bullock, L.H. & G.B. Smith. 1991. Memoirs of the *Hourglass* cruises. Seabasses (Pisces: Serranidae). Marine Research Laboratory, Florida Department of Natural Resources, St. Petersburg, Florida. Volume 8:1-243.
- Bundy, M.H. 1994. The influence of patterns of movement, sensory physiology, and small-scale fluid dynamics on the feeding ecology of calanoid copepods. Ph.D. Dissertation, University of Georgia, Athens, Georgia, U.S.A.
- Carr, W.E.S. & C.A. Adams. 1973. Food habits of juvenile marine fishes occupying seagrass beds in the estuarine zone near Crystal River, Florida. Transactions of the American Fisheries Society 102:511-560.
- Chen, Celia. 1994. The effect of food quality on behavior, growth and population dynamics of herbivorous copepods. Ph.D. Thesis, Dartmouth College, Hanover, New Hampshire, U.S.A.
- De la Cruz, E. 1985. Algunos aspectos cuantitativos de la meiofauna en la playa fangosa de Punta Morales, Puntarenas: un estudio preliminar. [Some quantitative aspects of the meiofauna in the muddy beach of Punta Morales, Puntarenas: a preliminary study.] Licenciatura en Biología, Universidad de Costa Rica, San Pedro, Costa Rica. 59 pp. [In Spanish.]
- Demirhindi, Ü. 1990. A preliminary study on the plankton of the barrage lake Demirköprü. Istanbul University, Faculty of Sciences, Journal of Biology 54:51-78.
- Duke, S.P. 1985. Some aspects of copepod dynamics at the Mississippi River Plume Front: species composition and egg production. M.Sc. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 46 pp.
- Fay, C.W., R.J. Neves & G.B. Pardue. 1983. Species profiles: life histories and environmental requirements of coastal fish and invertebrates (Mid Atlantic) – Atlantic silverside. U. S. Fish and Wildlife Service Division of Biological Services, RWS/OBS-82/11.10 U. S. Army Corps of Engineers TR EL-82-4. 15 pp.
- Forrester, D.J. 1992. Parasites and Diseases of Wild Mammals in Florida. University Press of Florida, Gainesville, Florida.
- González, H.E. & S. Lofnes. 1995. Die Verteilung, Häufigkeit und Freßraten des Zooplanktons und die Rolle ihrer Kotballen im vertikalen Partikelfluß in der Grönlandsee. [The distribution, frequency and feeding rate of zooplankton and the role of their fecal pellets in vertical particle flux in the Sea of Greenland.] Berichte zur Polarforschung 181:56-59. [In German.]
- Grice, G.D. 1978. Copepods of the Florida West Coast. Ph.D. Dissertation, Florida State University, Tallahassee, Florida, U.S.A.
- Grigorovich, I.A. 1989. Ecological conditions of the development of zooplankton in the main Kakhovka Canal. In: 8 Conf: molodykh uchenykh: Ekologicheskoye voprosy ratsional' nogo prirodopol' zovaniya: Tez. dold., Riga, 1989 G. (Abstracts of the Eighth Conference of Young Scientists: Ecological Problems of Rational Natural Resources Use, Riga, 1989). Riga, p. 10. [In Russian.]
- Grigorovich, I.A. & T.V. Frinovskaya. 1991. Effect of some factors on the distribution of zooplankton in the main Kakhovka Canal. In: Hidroekologicheskoye problemy vnutrennikh vodoemov Ukrainy (Hydroecological problems of Inner Water Bodies of Ukraine). Naukova Dumka Press, Kiev. Pp. 35-41. [In Russian.]
- Guerne, J. de & J. Richard. 1892. Sur la faune des eaux douces de l'Islande. Annals and Magazine of Natural History, Series 6, 10(58):340-342.
- Haberyan, K.A. 1984. Copepod fecal pellets and microfossil deposition in Lake Tanganyika. M.S. Thesis, University of Georgia, Athens, Georgia, U.S.A. 151 pp.
- Hachler, E.M. 1962. Pruvodce po statni prirodni rezervaci Lednicke rybniky. [A guide through the Lednicke rybniky State Nature Reserve Lednicke Fishponds.] Okr. vlastived. muz. Mikulov, Odb. skol. a kult. ONV Breclav and Okr. archiv Mikulov 27:1-29. [In Czech.]
- Hansen, D.J. 1969. Food, growth, migration, reproduction, and abundance of pinfish, *Lagodon rhomboides*, and Atlantic croaker, *Micropogon undulatus*, near Pensacola, Florida. 1963-65. Fishery Bulletin 68:135-146.
- Hassett, R.P. & G.W. Boehlert. 1995. Seasonal vertical and horizontal distributions of four species of copepods around Oahu, Hawaii: data report. NOAA Technical Memorandum NMFS-SWFSC-215, 21 pp.

- Hastings, P.A. & A. Bortone. 1980. Observations on the life history of the belted snfish, *Serranus subligarius* (Serranidae). *Environmental Biology of Fishes* 5:365-374.
- Hastings, R.W. 1973. Biology of the pygmy seabass, *Serraniculus pumilio* (Pisces: Serranidae). *Fishery Bulletin* 71:235-242.
- Herdman, W.A. 1897. Appendix - Note on dredging and tow-netting in Puget Sound, Pacific coast. *Transactions of the Liverpool Biological Society* 12:84-90, pl.3.
- Horvath, M.L., C.B. Grimes & G.R. Huntsman. 1990. Growth, mortality, reproduction and feeding of knobbed porgy, *Calamus nodosus*, along the southeastern United States coast. *Bulletin of Marine Science* 46:677-687.
- Huh, S.-H. & C.L. Kitting. 1985. Trophic relationships among concentrated populations of small fishes in seagrass meadows. *Journal of Experimental Marine Biology and Ecology* 92:29-43.
- Kaftannikova, O.G. 1975. Bespozvonochnyye kanalov yuga SSSR. (Invertebrates of Canals of the Southern USSR.) Naukova Dumka Press, Kiev 164 pp. [In Russian.]
- Kjelson, M.A., D.S. Peters, G.W. Thayer & G.N. Johnson. 1975. The general feeding ecology of postlarval fish in the Newport River estuary. *Fishery Bulletin* 73:137-144.
- Kraul, S., H. Ako, K. Brittain, A. Ogasawara, R. Cantrell & T. Nagao. 1991. Comparison of copepods and enriched *Artemia* as feeds for larval mahimahi, *Coryphaena hippurus*. Pp. 45-47 In: Lavens, P. et al. (eds.). Larvi '91, Fish and Crustacean Larviculture Symposium, Gent, Belgium, 1991.
- Lewis, V.P. & D.S. Peters. 1994. Diet of juvenile and adult Atlantic menhaden in estuarine and coastal habitats. *Transactions of the American Fisheries Society* 123:803-810.
- Ley, J.A., C.L. Montague & C.C. McIvor. 1994. Food habits of mangrove fishes: a comparison along estuarine gradients in northeastern Florida Bay. *Bulletin of Marine Science* 54:881-899.
- Lindquist, D.G., L.B. Cahoon, I.E. Clavijo, M.H. Posey, S.K. Bolden, L.A. Pike, S.W. Burk & P.A. Cardullo. 1994. Reef fish stomach contents and prey abundance on reef and sand substrata associated with adjacent artificial and natural reefs in Onslow Bay, North Carolina. *Bulletin of Marine Science* 55:308-218.
- Loudon, C., B.A. Best & M.A.R. Koehl. 1994. When does motion relative to neighboring surfaces alter the flow through arrays of hairs? *Journal of Experimental Biology* 193:233-254.
- Luque, J.L., M. Bruno & L. Covarrubias. 1989. Tres especies del género *Lernanthropus* (Copepoda: Lernanthropidae) parasitando a peces marinos del Perú; con descripción de *L. paralonchuri* n. sp. y dos nuevos registros. *Parasitologia al Día* 13:93-96.
- Manooch, C.S., III. 1977. Foods of the red porgy, *Pagrus pagrus* Lineaus (Pisces: Sparidae), from North Carolina and South Carolina. *Bulletin of Marine Science* 27:776-787.
- Marvan, P. & V. Sladeczek. 1974. Zdroje znečistení rybníku Nesyt. [Sources of pollution of Nesyt Fishpond.] In: Nove poznatky z technické hydrobiologie III. [New knowledge from technical hydrobiology III.] *Bul. metod. stred. vodohosp. lab., Prague*. Pp. 100-110. [In Czech.]
- Masundire, H.M. 1992. Bionomics and production of zooplankton and its relevance to the pelagic fishery in Lake Kariba. Ph.D. Thesis, University of Zimbabwe, Harare, Zimbabwe. 276 pp.
- Masundire, H.M. 1994. Seasonal trends in zooplankton densities in Sanyati basin, Lake Kariba, multivariate analysis. *Hydrobiologia* 272:211-230.
- Mian, L.S., M.S. Mulla & B.A. Wilson. 1986. Studies on potential biological control agents of immature mosquitoes in sewage wastewater in Southern California. *Journal of the American Mosquito Control Association* 2:329-335.
- Miller, D.C., M. Marcy, W. Berry, C. Deacutis, S. Lussier, A. Kuhn, M. Heber, S. Schimmel & E. Jackim. 1988. The acute toxicity of sewage sludge to marine fish, mysids, and copepods. In: Wolfe, D.A. & T.P. O'Connor (eds.). *Oceanic Processes in Marine Pollution*. Vol V. R.E. Krieger Publ. Co., Malabar, Florida. Pp. 103-113.
- Motta, P.J., K.B. Clifton, P. Hernandez, B.T. Eggold, S.D. Giordano & R. Wilcox. 1995. Feeding relationships among nine species of seagrass fishes of Tampa Bay, Florida. *Bulletin of Marine Science* 56:185-200.
- Odum, W.E. & E.J. Heald. 1972. Trophic analyses of an estuarine mangrove community. *Bulletin of Marine Science* 22:671-738.
- Oshima, T. 1995. Species succession of copepod assembly in the wintering warm core ring in the Sanriku waters. M.Agr. Thesis, Tohoku University, Sendai, Japan. 42 pp. [In Japanese.]
- Overstreet, R.M. & R.W. Heard. 1982. Food contents of six commercial fishes from Mississippi Sound. *Gulf Research Reports* 7:137-149.
- Paul, A.J., J.M. Paul & K.O. Coyle. 1989. Energy sources for first-feeding zoeae of king crab *Paralithodes camtschatica* (Tilesius) (Decapoda, Lithodidae). *Journal of Experimental Marine Biology and Ecology* 130:55-69.
- Primak, A.B. 1988. Effect of construction peculiarities of the Tatarbunary irrigation system on zooplankton. In: *Voprosy gidrobiologii vodoyemov Ukrainy* (Hydrobiological Problems of Water Bodies of Ukraine). Naukova Dumka Press, Kiev. Pp. 82-89. [In Russian.]
- Richard, J. 1892. *Grimaldina brazzai*, *Guernella raphaelis*, *Moinodaphnia macquersyi*, cladocères nouveaux du Congo. *Mémoires de la Société Zoologique de France* 5:213-226.
- Richard, J. 1887. De la récolte & de la conservation des entomostracés d'eau douce: Cladocères & Copépodes. *Feuille des Jeunes Naturalistes* 17:1-7.
- Robbins, E.I., K.G. Porter & K.A. Haberyan. 1985. Pellet microfossils: possible evidence for metazoan life in Early

- Proterozoic time. Proceedings of the National Academy of Sciences 82:5809-5813.
- Roelofs, E.W. 1954. Food studies of young sciaenid fishes, *Micropogon undulatus* and *Leiostomus xanthurus* from North Carolina. Copeia 1954:151-153.
- Ross, S.T. 1978. Trophic ontogeny of the leopard searobin, *Prionotus scitulus* (Pisces: Triglidae). Fishery Bulletin 76:225-234.
- Ross, S.W. & M.L. Moser. 1995. Life history of juvenile gag, *Mycteroperca microlepis*, in North Carolina estuaries. Bulletin of Marine Science 56:222-237.
- Saito, H. & S. Taguchi. 1995. The influence of solar UV-B radiation on copepods in the lagoon at Coconut Island, Hawaii. Pp. 43-50 In: Gulko, D. & P.L. Jokiel. Workshop on Measurement of Ultraviolet Radiation in Tropical Coastal Ecosystems, Honolulu, Hawaii, August 3-5, 1994. HIMB Technical Report 41. 240 pp. http://nsgl.gso.uri.edu/hawau/hawauw94005/hawauw94005_part2.pdf
- Sánchez-Osuna, L. 1980. Variaciones estacionales del zooplancton en el estero El Verde, Sinaloa, México, con especial referencia a los Copepoda Calanoidea y Cladocera. (Seasonal variations of the zooplankton in the El Verde estuary, Sinaloa, Mexico, with special reference to the Copepoda Calanoidea and Cladocera.) Tesis de Licenciatura, Centro Interdisciplinario de Ciencias Marinas - CICIMAR, Instituto Politécnico Nacional, La Paz, Baja California Sur, Mexico. 54 pp. [In Spanish.]
- Schulze, P.C. 1989. The effects of food resources and conspecifics on the foraging, survivorship, and reproduction of the omnivorous copepod, *Epischura lacustris*. Ph.D. Thesis, Dartmouth College, Hanover, New Hampshire, U.S.A.
- Sedberry, G.R. 1985. Food and feeding of the tomteate, *Haemulon aurolineatum* (Pisces, Haemulidae) in the South Atlantic Bight. Fishery Bulletin 83:461-466.
- Sedberry, G.R. & N. Cuellar. 1993. Planktonic and benthic feeding by the reef-associated vermilion snapper, *Rhomboplites aurorubens* (Teleostei, Lutjanidae). Fishery Bulletin 91:699-709.
- Segerstråle, S.G. 1957. Baltic Sea. In: Hedgpeth, J.W. (ed.). Treatise on Marine Ecology and Paleocology I. Ecology. Geological Society of America Memoir 67:751-800.
- Stickney, R.R., G.L. Taylor & R.W. Heard, III. 1974. Food habits of Georgia estuarine fishes I. Four species of flounder (Pleuronectiformes: Bothidae). Fishery Bulletin 72:515-525.
- Stickney, R.R., G.L. Taylor & D.B. White. 1975. Food habits of five species of young southeastern United States estuarine Sciaenidae. Chesapeake Science 16:104-114.
- Sutter, F.C., R.S. Waller & T.D. McIlwain. 1986. Species profiles: Life histories and environmental requirements of coastal fish and invertebrates (Gulf of Mexico) – Black Drum. U. S. Fish and Wildlife Service Biological Report 82 (11.51). U.S. Army Corps of Engineers TR EL-82-4. 119 pp.
- Vavra, V. 1905. Rotatorien und Crustaceen. Annalen des KK Naturhistorischen Hofmuseums, Vienna 20.
- Vu, S.N. 1995. Bio-ecology characteristics and control measures of *Aedes aegypti*, the main vector of DF/DHF in Vietnam. Ph.D. Thesis, Hanoi University, Hanoi, Vietnam.
- White, J.R. 1986. Some effects of suspended sediment on the egg production rate of the calanoid copepod *Acartia tonsa*. M.Sc. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 41 pp.
- Wooten, R., J.W. Smith & E.A. Needham. 1982. Aspects of the biology of the parasitic copepods *Lepeophtheirus salmonis* and *Caligus elongatus* on farmed salmonids, and their treatment. Proceedings of the Royal Society of Edinburgh 81B:185-197.
- Zschokke, Fr. 1891. Die Parasiten unserer Süßwasserfische. Pp. 209-254 In: Zacharias, O. (ed.). Die Tier- und Pflanzenwelt des Süßwassers, Vol. 2. J.J. Weber, Leipzig. 369 pp.

1996

- Perez-Serna, S.M., H. Quiroz-Martinez, N. Ornelas-Nava, M.H. Badee, M.F. Suarez & M.L. Rodriguez-Tovar. 1996. Prey selectivity of three aquatic predators of mosquito larvae. Southwestern Entomologist 21:471-475.
- Prikryl, I. 1996. Vytvoření hospodářství na českých rybnících a jeho odraz ve struktuře zooplanktonu jako možného kritéria biologické hodnoty rybníku. [Historical development of Bohemian fishpond management and its reflection in zooplankton structure as a possible criterion of biological value of ponds.] In: Flajshans, M. (ed.). Sborník Vedeckých Prací k 75. vyr. založení VURH. Výzkumný ústav rybářský a hydrobiologický JU, Vodňany, pp. 151-164. [In Czech.]
- Saito, H. 1996. Study on the seasonal variability in the productivity of lower trophic levels and diel feeding rhythm of copepods in the Oyashio Region. D.Agr. Thesis, Tohoku University, Sendai, Japan. 186 pp. [In Japanese with English abstract.]

1997

- Ikuta, K. & T. Makioka. 1997. Structure of the adult ovary and oogenesis in *Argulus japonicus* Thiele (Crustacea: Branchiura). Journal of Morphology 231(1):1-19.
- Leveille, J.-C. 1997. Flux de matière en milieu pelagique lacustre: utilisation des acides gras comme marqueurs organiques naturels du transfert dans la chaîne trophique phytoplancton - zooplancton - alevins d'omble chevalier (*Salvelinus alpinus*). [Matter flux in the lacustrine pelagic environment: use of fatty acids as natural organic

- markers of the transfer in the food chain phytoplankton-zooplankton-larvae of the Arctic char (*Salvelinus alpinus*).] Thèse de Doctorat: Sciences biologiques fondamentales et appliquées, Université Clermont Ferrand 2 - Blaise Pascal, Clermont-Ferrand, France. 229 pp. [In French.]
- Masundire, H.M. 1997. Spatial and temporal variations in the composition and density of crustacean plankton in the five basins of Lake Kariba, Zambia-Zimbabwe. *Journal of Plankton Research* 19(1):43-62.
- Peterson, W.T. 1997. The food environment of juvenile salmonids: year-to-year variations in zooplankton abundance over the inner-middle shelf off central Oregon—1969-78. In: Emmett, R.L. & M.H. Schiewe (eds.). *Estuarine and Ocean Survival of Northeastern Pacific Salmon. Proceedings of the Workshop, March 20-22, 1996, Newport, Oregon.* U.S. Department of Commerce, NOAA Technical Memorandum, NMFS-NWFSC TM-29. 313 pp. <http://www.nwfsc.noaa.gov/publications/techmemos/tm29/Papers/Peterson.htm>
- Suzuki, H. 1997. Standing stock and ammonia excretion rate of copepod *Acartia* spp. populations in Onagawa Bay in summer. M.Sc. Thesis, Tohoku University, Sendai, Japan. 51 pp. [In Japanese with English abstract.]
- 1998**
- Bakke, T.A. & P.D. Harris. 1998. Diseases and parasites in wild Atlantic salmon (*Salmo salar*) populations. *Canadian Journal of Fisheries and Aquatic Sciences* 55(Supplementary 1):247-266.
- Buckel, J.A., M.J. Fogarty & D.O. Conover. 1998. Foraging habits of bluefish, *Pomatomus saltatrix*, on the U. S. east coast continental shelf. *Fishery Bulletin* 97:758-775.
- Haji, T., O.K. Ben Hassine & H. Farrugio. 1998. Impact du copepode parasite *Peroderma cylindricum* Heller, 1868 sur la croissance et la fécondité des stocks exploités de la sardine *Sardina pilchardus* (Walbaum, 1792). Impact of the parasite copepod *Peroderma cylindricum* Heller, 1868 on growth and fertility of fished stocks of *Sardina pilchardus* (Walbaum, 1792). *Cahiers Options Méditerranéennes* 35:79-86. [In French.]
- Mitsuka, P.M. 1998. Empobrecimento da comunidade zooplanctônica após a passagem pela barragem da Represa de Jurumirim (Rio Paranapanema, SP). [Impoverishment of the zooplankton community after passage through the dam of the Jurumirim Reservoir (Rio Paranapanema, SP).] M.Sc. Thesis, Universidade Estadual Paulista Júlio de Mesquita Filho, Botucatu, São Paulo, Brazil. 237 pp. [In Portuguese.]
- Mouny, P. 1998. Structure spatio-temporelle du zooplancton et du suprabenthos de l'estuaire de la Seine. Dynamique et rôle des principales espèces dans la chaîne trophique pelagique. [Spatio-temporal structure of the zooplankton and the epibenthos of the estuary of the Seine. Dynamics and rôle of the principal species in the pelagic trophic chain.] Thèse de doctorat: Sciences biologiques fondamentales et appliquées, Museum national d'Histoire naturelle, Paris, France. 406 pp. [In French.]
- Mustafa, A., J. Bowers, C. MacWilliams, N. Fernandez, C. Conboy & J. Burka. 1998. Effects of sea lice infestation on macrophage functions in Atlantic salmon. *Bulletin of the Aquaculture Association of Canada* 98-2:90-92.
- Pérez, M.T. 1998. Relations trophiques au sein du réseau microbien en Méditerranée nord-occidentale: importance de la prédation et des ressources. [Trophic relationships in the microbial web in the northwestern Mediterranean: importance of predation and resources.] Thèse de Doctorat: Sciences biologiques fondamentales et appliquées, Université Paris 6, Paris, France. 225 pp. [In French.]
- Vassilev, V.P. & A.S. Konsulov. 1998. Zooplankton in the lake Pomoriysko composition, dynamics, trophic interactions and secondary assimilation. *Trudove na Instituta po Okeanologiya* 2:146-153. [In Bulgarian.]
- 1999**
- Apostolov, A. 1999. Copepodes harpacticoides cavernicoles de Bulgarie: 7. *Neoelaphoidella intermedia* n.sp. un nouveau représentant du genre *Neoelaphoidella* Apostolov, 1985. *Bollettino del Museo Civico di Storia Naturale di Verona* 23:211-219.
- Ezenwaji, H.M.G. 1999. The abundance and trophic biology of *Clarias albopunctatus* Nichols & LaMonte, 1953 (Osteichthyes: Clariidae) in a tropical floodriver basin. *Hydrobiologia* 392(2):159-168.
- Forró, L. 1999. The Cladocera and Copepoda fauna of the Aggtelek National Park. Pp. 47-48 In: Mahunka, S. (ed.). *The Fauna of the Aggtelek National Park. Volume I. Natural History of the National Parks of Hungary* 10. Hungarian Natural History Museum, Budapest. 371 pp.
- Onischik, N.A. 1999. The distribution and some ecological features of the main species of copepods in the South Pacific in the Spring-winter period. *Okeanologiya* 39(1):87-92. [In Russian.]
- Strayer, D.L., N.F. Caraco, J.J. Cole, S. Findlay & M.L. Pace. 1999. Transformation of freshwater ecosystems by bivalves. *BioScience* 49(1):19-27.
- Wang, Y. & H.Y. Zhang. 1999. Ingestion of copepods on *Prorocentrum micans* in seawater experimental enclosures. *Yingyong Shengtai Xuebao* 10(4):489-491.
- 2000**
- Apostolov, A. 2000. Contribution à l'étude de la faune harpacticoidienne d'eau douce de l'Argentine (Terre de Feu). 1. Genre *Antarctobiotus* Cappuis, 1930 avec description d'une nouvelle espèce des mousses humides. *Rivista di Idrobiologia* 39(1/2/3):153-163.

- Burdloff, D., S. Gasparini, J. Castel, H. Etcheber & F. Villate. 2000. Particulate food value and its biological implication in estuarine ecosystems: effects on *Eurytemora affinis* copepod. *Oceanografika* 3:203-215.
- Carli, A., L. Pane & C. Stocchino. 2000. Planktonic copepods in Terra Nova Bay (Ross Sea): distribution and relationship with environmental factors. Pp. 309-321 In: Faranda, F., L. Guglielmo & A. Ianora (eds). *Ross Sea Ecology: Italianartide Expeditions (1987-1995)*. Springer-Verlag, Berlin, Heidelberg etc. 604 pp.
- Culver, D.C., L.L. Master, M.C. Christman & H.H. Hobbs, III. 2000. Obligate cave fauna of the 48 contiguous United States. *Conservation Biology* 14(2):386-401.
- Gubanova, A.D. 2000. *Acartia tonsa* Dana in the Sebastopol Bay: appearance, seasonal dynamic, size structure. *Ekologiya Morya* 51:55-58.
- Hall, R.O., Jr., J.B. Wallace & S.L. Eggert. 2000. Organic matter flow in stream food webs with reduced detrital resource base. *Ecology* 81(12):3445-3463.
- Hsu, C.-H. 2000. Effects of food types and temperature on the development and reproduction of *Apocyclops royi* (Copepoda, Cyclopoida). Master's Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Kikuchi, Y. 2000. Terrestrial harpacticoid copepods from the forests in the Imperial Palace, Tokyo. *Memoirs of the National Science Museum, Tokyo* 35:99-101.
- Liu, Z. 2000. Contribution to the ecology of the icefish *Neosalanx pseudotaihuensis* Zhang, a commercially exploited zooplanktivorous fish, in the Xujiahe Reservoir (Central China). Ph.D. Thesis, Institute of Zoology, University of Vienna, Vienna, Austria. 106 pp.
- Macdonald, M. 2000. Building partnerships for dengue control: The challenges and opportunities: Experiences from other disease control programmes. *Dengue Bulletin* 24:83-91.
- Marten, G.G. 2000. Dengue hemorrhagic fever, mosquitoes, and copepods. *Journal of Policy Studies* 9:131-141.
- Samchishina, L.V. 2000. Assumed recent invasion of *Eurytemora velox* (Lill.) (Copepoda, Calanoida) in the Dnieper River and its large tributaries. *Ekologiya Morya* 52:52-55.
- Stone, J., I.H. Sutherland, C. Sommerville, R.H. Richards & K.J. Varma. 2000. Commercial trials using emamectin benzoate to control, *Lepeophtheirus salmonis* (Krøyer) and *Caligus elongatus* (Nordmann), infestations in Atlantic salmon, *Salmo salar* L. *Diseases of Aquatic Organisms* 41:141-149.
- Stone, J., I.H. Sutherland, C. Sommerville, R.H. Richards & K.L. Varma. 2000. Field trials to evaluate the efficacy of emamectin benzoate in the control of sea lice *Lepeophtheirus salmonis* (Krøyer) and *Caligus elongatus* Nordmann, infestations in Atlantic salmon *Salmo salar* (L.). *Aquaculture* 186:205-219.
- Takeda, M., T. Shimazu, S. Urawa, J. Araki, T. Kuramochi & M. Machida. 2000. Ectoparasitic crustaceans of shrimps and fishes from the inside moats of the Imperial Palace, Tokyo. *Memoirs of the National Science Museum, Tokyo* 35:75-78.
- Tanaka, M. & M. Takeda. 2000. Protozoans, rotifers, cladocerans and copepods from the inside moats of the Imperial Palace, Tokyo. *Memoirs of the National Science Museum, Tokyo* 35:233-244.
- Vargas, L., J.A. Povh, R.P. Ribeiro & H.L.M. Moreira. 2000. Prevalência de ectoparasitos en tilápias del Nilo (*Oreochromis niloticus*) de origen tailandesa, de Maringá - Paraná. [Prevalence of ectoparasites in Nile tilapias (*Oreochromis niloticus*) originating from Thailand, from Maringá - Paraná.] *Arquivos de Ciências Veterinárias e Zoologia da Unipar, Umuarama* 3(1):32-37. [In Portuguese.]
- Willen, E. 2000. Phylogeny of the Thalestridimorpha Lang, 1944 (Crustacea, Copepoda). *Cuvillier Verlag, Göttingen*. 233 pp.
- Zunini-Sertorio, T., P. Licandro, C. Ossola & A. Artegiani. 2000. Copepod communities in the Pacific sector of the Southern Ocean in early summer. Pp. 291-307 In: Faranda, F., L. Guglielmo & A. Ianora (eds). *Ross Sea Ecology: Italianartide Expeditions (1987-1995)*. Springer-Verlag, Berlin, Heidelberg etc. 604 pp.

2001

- Akbulut, N.(E.) & A. Akbulut. 2001. Phytoplankton and zooplankton structure of Sultan Marshes in Central Anatolia. 2nd Symposium for European Freshwater Sciences SEFS-2, Toulouse, France, 8-12 July. 185 pp.
- Akmirza, A. 2001. Istavrit Baliginda (*Trachurus trachurus* (Linnaeus, 1758)) Rastlanan Parazitlerdeki Mevsimsel Degisimler. Seasonal variations in the parasites of horse mackerel (*Trachurus trachurus* (Linnaeus, 1758)). *Su Urunleri Dergisi* 8(1-2):33-37.
- Apostolov, A. 2001. Harpacticoides (Crustacea, Copepoda) des eaux souterraines de France. *Mémoires de Biospéologie* 28:1-8.
- Calbet, A. 2001. Mesozooplankton grazing impact on primary production: a global comparative analysis in marine ecosystems. *Limnology and Oceanography* 46(7): 1824-1830.
- Calbet, A., S. Garrido, E. Saiz, A. Alcaraz & C.M. Duarte. 2001. Annual zooplankton succession in coastal NW Mediterranean waters: the importance of the smaller size fractions. *Journal of Plankton Research* 23(3):319-331.
- Cengizler, I., N. Aytac, A. Sahan-Azizoglu, A.A. Ozak & E. Genc. 2001. Ecto-endo parasite investigation on mirror carp (*Cyprinus carpio* L., 1758) captured from the River Seyhan, Turkey. *Su Urunleri Dergisi* 18(1-2):87-90.
- Chung, C.-L. 2001. Temporal and spatial distribution and feeding of copepods in Tapeng Bay, southwestern

- Taiwan. Master's Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. 76 pp. [In Chinese.]
- Gardner, T. 2001. The copepod/*Artemia* tradeoff in the captive culture of *Hippocampus erectus*, a vulnerable species in Lower New York State. Pp. 297-303 In: Cato, J.C. & C.L. Brown (eds.). Marine ornamental species: collection, culture and conservation. Conference proceedings, Orlando, Florida, November 2001. 395 pp.
- Garno, Y.S. 2001. Dinamika kualitas perairan di muara Jangari-Bendungan Cirata. Jurnal Sains dan Teknologi Indonesia 3(4):19-27. [In Bahasa, Indonesia; abstract in English.]
- Huang, H.-h. 2001. Tempo-spatial distribution and feeding of planktonic copepods in Kaoping coastal waters, Taiwan. Master's Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Ito, H. & A. Taniguchi. 2001. Standing crops of planktonic ciliates and copepod nauplii in the subarctic North Pacific and the Bering Sea in summer. Journal of Oceanography 57:333-339.
- Kutcheva, I.P. & I.M. Primakov. 2001. On representation of the collection of the zooplankton in catchings by net with various mesh dimension of a filtrating cone (0,08 and 0,168mm). Vestnik Sankt Peterburgskogo Universiteta, Seriya 3, Biologiya 136(27):76-79.
- Moretto, E.M. 2001. Diversidade zooplanctônica e variáveis limnológicas das regiões limnética e litorânea de cinco lagoas do Vale do Rio Doce - MG, e suas relações com o entorno. [Zooplankton diversity and limnological variables in the limnetica and littoral regions of five lakes in Rio Doce Valley - MG, and the relationship with the surrounding basin.] Dissertação de Mestrado, Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos, São Paulo, Brazil. [In Portuguese; abstract in English.]
- Mustafa, A., G.A. Conboy & J.F. Burka. 2001. Life-span and reproductive capacity of sea lice, *Lepeophtheirus salmonis*, under laboratory conditions. Bulletin of the Aquaculture Association of Canada, Special Publication 4:113-114.
- Perez-Bote, J.L. 2001. Occurrence of *Lernaea cyprinacea* (Copepoda) on three native cyprinids in the River Guadiana (SW Iberian Peninsula). Research and Reviews in Parasitology 60(3-4):135-136.
- Sasaki, M. 2001. Seasonal and vertical distribution of copepod nauplius in Onagawa Bay, Japan. M.Sc. Thesis, Tohoku University, Sendai, Japan.
- Stefanova, K. 2001. An analysis of the zooplankton state in the lake of Varna. Trudove na Instituta po Okeanologiya 3:155-162. [In Bulgarian.]
- Tellioglu, A. & D. Sen. 2001. Hazar Golu (Elazig) Copepoda ve Cladocera faunasinin Mevsimsel Dagilimi. Seasonal distribution of the Copepoda and Cladocera fauna of Hazar Lake (Elazig). Gazi Univertesi Gazi Egitim Fakultesi Dergisi 21(2):7-18. [In Turkish.]
- Urban-Rich, J., M. Dagg & J. Peterson. 2001. Copepod grazing on phytoplankton in the Pacific sector of the Antarctic Polar Front. Deep Sea Research, Part II, Topical Studies in Oceanography 48(19-20):4223-4246.
- Vinogradov, G.M., N.V. Druzhkov, E.F. Marasaeva & V.V. Larionov. 2001. Mesozooplankton under ice in the Pechora and Kara Seas during the winter-spring period of 2000. Okeanologiya 41(5):728-735. [In Russian.]

2002

- Ajah, P.O. 2002. Seasonal and tidal influences on nutrient and plankton dynamics in the Great Kwa River, Nigeria. Indian Hydrobiology 5(1):25-40.
- Akbulut, A. & N.(E.) Akbulut. 2002. The plankton composition of lake Mogan in Central Anatolia. Zoology in the Middle East 27:107-116.
- Altindag, A. & S. Yigit. 2002. The zooplankton fauna of Lake Burdur. Su Urunleri Dergisi 19(1-2):129-132.
- Antunes, C., E. Rodrigues, M. Pastorinho, P. Bacelar-Nicolau, L. Vieira, U. Azeiteiro & F. Morgado. 2002. Environmental impact on zooplankton structure of a shallow estuary (Mondego River Estuary, Portugal). Revista de Biologia, Lisbon 20(1-4):191-207.
- Armengol-Diaz, X., M.A. Rodrigo & R. Oltra. 2002. Caracterizacion del zooplancton de la zona sur del Parque Natural del Hondo (Alicante). Zooplankton characterization from the southern part of 'El Hondo' Natural Park (Alicante, SE Spain). Ecologia, Madrid 16:243-257.
- Chen, W.M., Y.W. Chen, B.Q. Qin, X.Y. Gao, Xiyun, G. Gao, J. Ji & Q.J. Xu. 2002. Experimental study on the biological community succession caused by water flow. Hupo Kexue 12(4):343-352.
- Chen, Y.-L. 2002. Population dynamics and feeding of the moon jellyfish (*Aurelia aurita*) in Tapeng Bay, southwestern Taiwan. Ph.D. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Edvardsen, A. 2002. Determining zooplankton ESD signatures using an in situ OPC in the laboratory. GLOBEC Report 17:16-21.
- Fast, M.D., A. Mustafa, D.E. Sims, S.C. Johnson, G.A. Conboy, G. Johnson, N.W. Ross & J.F. Burka. 2002. Differences in susceptibility of rainbow trout (*Oncorhynchus mykiss*), coho salmon (*Oncorhynchus kisutch*) and Atlantic salmon (*Salmo salar*), to experimental infection with *Lepeophtheirus salmonis*: plasma and mucous biochemistry, immunology and skin histology. Diseases of Aquatic Organisms 52:57-68.
- Heath, M.R. 2002. Calibration of towed OPC data from taxonomic analysis of net samples. GLOBEC Report 17:12-15.
- Hendrickx, M.E., R.C. Brusca & G. Ramirez-Resendiz. 2002. Biodiversity of macrocrustaceans in the Gulf of California, Mexico. Pp. 349-367 In: Hendrickx, M.E. (ed.). Contributions to the Study of East Pacific Crustaceans. Vol. 1. Instituto de Ciencias del Mar y Limnologia, UNAM, Mazatlan. 383 pp.

- Hopcroft, R.R. 2002. Comparison of plankton size spectra from net tow samples and OPC measurements in marine waters. GLOBEC Report 17:7-11.
- Hung, Y.-P. 2002. Seasonal distribution of siphonophores in Tapeng Bay and Kaoping coastal waters, southwestern Taiwan. Ph.D. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Ivanets, O. & T. Mykitchak. 2002. Zooplanktocenosis of the aquatic habitats of the Dniestr-River basin. *Visnyk Lvivskoho Universytetu, Seriya Biolohichna* 31:134-139. [In Ukrainian.]
- Kahle, Jens. 2002. Untersuchung zur Analyse und Bewertung der Schwermetallakkumulation in antarktischen Crustaceen. [Investigation of the analysis and estimation of heavy-metal accumulation in antarctic crustaceans.] Ph.D. Dissertation, Carl von Ossietzky Universität Oldenburg, Oldenburg, Germany. 115 pp. [In German.]
- Khanaychenko, A.N. & S.A. Poulet. 2002. Reproductive potential of late-autumn populations of *Calanus helgolandicus* (Copepoda, Calanoida) from the English Channel. *Ekologiya Morya* 62:67-72. [In Russian.]
- Krupa, E.G. & S.A. Matmuratov. 2002. Abundance and sex-age population structure of *Acanthocyclops robustus* (Copepoda, Cyclopoda) in waters of south-east Kazakhstan. *Tethys Aqua Zoological Research* 1:191-194.
- Lee, C.N.W. 2002. The ecology of planktonic copepods and hyperbenthic communities in the Cape d'Aguilar Marine Reserve, Hong Kong. Ph.D. Thesis, University of Hong Kong, Hong Kong.
- Liang, T.H. & L.A. Vega-Perez. 2002. Distribution, abundance and biomass of chaetognaths off São Sebastião region, Brazil in February 1994. *Revista Brasileira de Oceanografia* 50:1-12.
- Liu, Q.-J. 2002. Rearing of juvenile seahorse, *Hippocampus kuda*. Ph.D. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Luczkovich, J.J., G.P. Ward, J.C. Johnson, R.R. Christian, D. Baird, H. Neckles & W.M. Rizzo. 2002. Determining the trophic guilds of fishes and macroinvertebrates in a seagrass food web. *Estuaries* 25:1143-1163.
- Mavili, S. & T.M. Sever. 2002. Izmir Korfezi'nde (Ege Denizi) *Acartia grani* Sars, (Copepoda, Crustacea), nin dagilimi. Distribution of *Acartia grani* Sars, 1904 (Copepoda, Crustacea) in Izmir Bay (Aegean Sea). *Su Urunleri Dergisi* 19(3-4):473-478. [In Turkish.]
- Mirabdullayev, I.M. & T. Ishida. 2002. Records of tropical harpacticoid *Onychocamptus bengalensis* (Sewell, 1934) (Crustacea, Copepoda) in the Aral Sea region. *Tethys Aqua Zoological Research* 1:149-154.
- Nyunja, J.A., K.M. Mavuti & E.O. Wakwabi. 2002. Trophic ecology of *Sardinella gibbosa* (Pisces: Clupeidae) and *Atherinomorous* [*Atherinomorus*] *lacunosus* (Pisces: Atherinidae) in Mtwapa Creek and Wasini Channel, Kenya. *Western Indian Ocean Journal of Marine Science* 1(2):181-189.
- Ogle, J.C. 2002. Culture of the copepod *Acartia tonsa* utilizing various artificial feeds. Pp. 234-240 In: Creswell, R.L. (ed.). Proceedings of the Fifty-third Annual Gulf and Caribbean Fisheries Institute, Biloxi, Mississippi, November 2000. 696 pp.
- Pajaro, M. 2002. Alimentacion de la anchoita Argentina (*Engraulis anchoita* Hubbs y Marini, 1935) (Pisces: Clupeiformes) durante la epoca reproductiva. Feeding of the argentine anchovy (*Engraulis anchoita* Hubbs y Marini, 1935) (Pisces: Clupeiformes) during the spawning season. *Revista de Investigacion y Desarrollo Pesquero* 15:111-125.
- Rao, L.M. & P.S. Rao. 2002. Food and feeding habits of *Glossogobius giuris* from Gosthani estuary. *Indian Journal of Fisheries* 49(1):35-40.
- Saito, N. 2002. A list of crustacean hosts of the epicaridean isopods (Crustacea: Peracarida) in the Japanese waters. *Taxa* 13:18-31. [In Japanese.]
- Sever, T.M. & S. Mavili. 2002. Izmir Korfezi (Ege Denizi)'nde Corycaeidae (Copepoda) familyasi turlerinin dagilimi uzerine ilk gozlemler. A preliminary study on the distribution of the species of the family Corycaeidae (Copepoda) in Izmir Bay (Aegean Sea). *Su Urunleri Dergisi* 19(1-2):227-232.
- Sinha, B. & M.R. Islam. 2002. Seasonal variation in zooplankton population of two lentic bodies at Assam State Zoo cum Botanical Garden, Guwahati, Assam. *Ecology Environment and Conservation* 8(3):273-278.
- Siva-Kumari, J. & D. Sreenivas-Rao. 2002. The development of fertilized eggs into larvae of *Lernaocera branchialis* in the vascular system of mackerel *Rastrelliger kanagurta*. *Rivista di Parassitologia* 19(2):141-145.
- Teaca, A. & M.T. Gomoiu. 2002. Ecological and biological aspects of the *Corbula-Leptinogaster* commensal interaction on the Ukrainian Black Sea littoral. In: Mustata, G. (ed.). Working scientific session: Life in water and on land in the Third Millenium, (19-20 October 2001) at the Marine Biological Station Prof. Dr. Ioan Borcea Agigea. *Homage volume. Lucrarile sesiunii stiintifice: Viata in apa si pamant in Mileniul III (19-20 Octombrie 2001) a Statiunii Biologice Marine Prof. Dr. Ioan Borcea Agigea. Volum omagial. Analele Stiintifice ale Universitatii Al I Cuza Din Iasi Serie Noua Supliment. Editura Universitatii 'Alexandru Ioan Cuza', Iasi, 298 pp. Chapter pagination: 221-228.*
- Voronina, N.M. 2002. Peculiarities of mezoplankton in different types of waters in the Pacific sector of the Antarctic. *Okeanologiya* 42(1):76-84. [In Russian.]
- Vukanic, D. & V. Vukanic. 2002. Contribution to the knowledge of ecological characteristics and zooplankton community in the Bay of Kotor. The Annual Conference of Yugoslavian Water Pollution Control Society 'Water 2002', Vrnjacka Banja. Pp. 309-314.

- Wikfors, G.H. & H.G. Dam. 2002. The role of phytoplankton-copepod trophic interactions in hypoxia; underestimated? P. 141 In: Van Patten, M. (ed.). Proceedings of the Fifth Biennial Long Island Sound Research Conference, Stamford, Connecticut, November 17-18, 2000. 160 pp. (Abstract.)
- Wiktor, J. & M. Szymelfenig. 2002. Patchiness of sympagic algae and meiofauna from the fast ice of North Open Water (NOW) Polynya. Polish Polar Research 23(2):175-184.

2003

- Abramova, E.N. 2003. Species composition, ecology, population structure and seasonal dynamic of zooplankton from tundra water basins in the Lena Delta. Berichte zur Polar und Meeresforschung 66:96-136.
- Aguzzi, L., V. Carini, A. Cuttitta, C. Cavalcante, S. Mazzola, G. Basilone, G. Buscaino, B. Patti & A. Bonanno. 2003. Distribuzione spaziale e abbondanza del popolamento mesozooplantonico nel Canale di Sicilia. [Mesozooplankton distribution and abundance in the Sicily Channel.] Biologia Marina Mediterranea 10(2):975-979. [In Italian.]
- Akin-Oriola, G.A. 2003. Zooplankton associations and environmental factors in Ogunpa and Ona rivers, Nigeria. Revista de Biología Tropical June 51(2):391-398.
- Akmirza, A. 2003. Levrek (*Dicentrarchus [Dicentrarchus] labrax*) balgında rastlanan parazitik arthropod: *Lernanthropus brevis* Richiardi, 1879. Arthropod parasite (*Lernanthropus brevis* Richiardi, 1879) found on the seabass (*Dicentrarchus labrax*). Turkiye Parazitoloji Dergisi 27(3):214-216. [In Turkish.]
- Alam, M.M.M., M.I. Miah & M.A.B. Habib. 2003. A study on the feeding responses of a filter - feeding *Cyclops* sp. on various concentrations of *Chlorella vulgaris*. Pakistan Journal of Scientific and Industrial Research 46(5):354-357.
- Alvarez-Leon, R. & R.M. Overstreet. 2003. First report of *Caranx hippos* (Pisces, Carangidae), as host of *Lernaeolopus striatus* (Copepoda, Lernaeolopoididae), in the Colombian Caribbean coast. Revista de Biología Tropical 51(1):275.
- Anonymous. 2003. Annual Congress of the Department for Biology of the Suid-Afrikaanse Akademie vir Wetenskap en Kuns (South African Academy for Science and Arts), Pretoria, South Africa, September 29, 2003. Suid Afrikaanse Tydskrif vir Natuurwetenskap en Tegnologie 22(4):113-124. [In Afrikaans.]
- Armenteros, M., G. González-Sanson & R. Lalana. 2003. Composición y abundancia del meiobentos en un setor sublitoral de Ciudad de la Habana, Cuba. Composition and abundance of meiobenthos in a sublittoral sector of Ciudad de la Habana, Cuba. Revista de Investigaciones Marinas 24(1):3-10. [In Spanish.]
- Asami, H. & Y. Ito. 2003. Population dynamics and estimated production of *Sinocalanus tenellus* (Kikuchi) (Copepoda: Calanoida) in a brackish-water environment, Lake Abashiri, eastern Hokkaido, Japan. Bulletin of Plankton Society of Japan 50(2):67-78.
- Auel, H. & T. Kreibich. 2003. Studies on the pelagic ecosystem and higher trophic levels in the marginal ice zone of Fram Strait. Berichte zur Polar und Meeresforschung 449:49-51.
- Baraldi, E., C. Virno-Lamberti, D. Pellegrini, F. Leasi & M.A. Todaro. 2003. Biomonitoraggio di un'area di dumping: la comunità meiobentonica. [Biomonitoring of a dumping area: the meiobenthic community.] Biologia Marina Mediterranea 10(2):640-643. [In Italian.]
- Batistic, M., J. Mikus & J. Njire. 2003. Chaetognaths in the South Adriatic: Vertical distribution and feeding. Journal of the Marine Biological Association of the United Kingdom 83(6):1301-1306.
- Baumgartner, M.F., T.V.N. Cole, P.J. Clapham & B.R. Mate. 2003. North Atlantic right whale habitat in the lower Bay of Fundy and on the SW Scotian Shelf during 1999-2001. Marine Ecology Progress Series 264:137-154.
- Baumgartner, M.F. & B.R. Mate. 2003. Summertime foraging ecology of North Atlantic right whales. Marine Ecology Progress Series 264:123-135.
- Beet, A., A.R. Solow & S.M. Bollens. 2003. Comparing vertical plankton profiles with replication. Marine Ecology Progress Series 262:285-287.
- Begum, M., M.Y. Hossain, M.A. Wahab & A.H.M. Kohinor. 2003. Effects of iso-phosphorus fertilizers on water quality and biological productivity in fish pond. Journal of Aquaculture in the Tropics 18(1):1-12.
- Berger, V., A. Naumov, N. Usov, M. Zubaha, I. Smolyar, R. Tatusko & S. Levitus. 2003. 36-Year Time Series (1963-1998) of Zooplankton, Temperature and Salinity in the White Sea. NOAA National Oceanographic Data Center, International Ocean Atlas and Information Series Vol. 7. http://www.nodc.noaa.gov/OC5/WH_SEA/index1.html
- Bergstad, O.A., A.D. Wik & O. Hildre. 2003. Predator-prey relationships and food sources of the Skagerrak deep-water fish assemblage. Journal of Northwest Atlantic Fishery Science 31:165-180.
- Beshkova, M., W. Naidenow, C. Kochev & I. Botev. 2003. Biological characteristics and zooplankton-phytoplankton interactions of the marshes on the Belene Island (the Danube River, Bulgaria). Acta Zoologica Bulgarica 55(3):65-80.
- Bhunia, F., N.C. Saha & A. Kaviraj. 2003. Effects of aniline: An aromatic amine to some freshwater organisms. Ecotoxicology 12(5):397-404.
- Bradt, P.T. 2003. Stresses on a northeastern Pennsylvania recreational lake: Causes of long-term biological and chemical changes? Journal of the Pennsylvania Academy of Science 77(2-3):59-68.

- Butler, J.R.A. & J. Watt. 2003. Assessing and managing the impacts of marine salmon farms on wild Atlantic salmon in western Scotland: identifying priority rivers for conservation. Pp. 93-118 In: Mills, D. (ed.). Salmon at the edge. Blackwell Science, Oxford, Ames etc. 307 pp.
- Cabello-Pasini, A., J.A. Zertuche-Gonzalez & I. Pacheco-Ruiz. 2003. Photosynthesis, growth and nitrogen uptake of competing marine macrophytes in the Gulf of California. *Botanica Marina* 46(6):503-512.
- Carnevia, D. & G. Speranza. 2003. First report of *Lernaea cyprinacea* L., 1758 in Uruguay, introduced by goldfish *Carassius auratus* (L., 1758) and affecting axolotl *Ambystoma mexicanum* (Shaw, 1798). *Bulletin of the European Association of Fish Pathologists* 23(5):255-256.
- Cassiano-Keppeler, E. 2003. Comparative study of the zooplankton composition of two lacustrine ecosystems in southwestern Amazonia. *Acta Scientiarum, Biological Sciences* 25(2):467-477.
- Cassiano-Keppeler, E. 2003. Abundance of zooplankton from different zones (pelagic and littoral) and time periods (morning and night) in two Amazonian meandering lakes. *Acta Scientiarum, Biological Sciences* 25(2):287-297.
- Castro-Romero, R.E. 2003. Índice bibliográfico sobre biodiversidad acuática de Chile: copepodos (Crustacea) parasitos sobre peces marinos de Chile. Bibliographic index on aquatic biodiversity of Chile: copepods (Crustacea) parasitic on marine fishes of Chile. *Ciencia y Tecnología del Mar* 26(1):99-103.
- Chang, C.Y. & J.M. Lee. 2003. Taxonomy on freshwater canthocamptid harpacticoids (Copepoda) from South Korea I. Genus *Canthocamptus*. *Korean Journal of Systematic Zoology* 19(1):149-159.
- Chang, C.Y. & J.M. Lee. 2003. Taxonomy on freshwater canthocamptid harpacticoids from Korea II. Genus *Attheyella*. *Korean Journal of Systematic Zoology* 19(2):189-201.
- Chang, K.H. & T. Hanazato. 2003. The role of predation in controlling the succession of the two *Bosmina* species in Lake Suwa. *Bulletin of Plankton Society of Japan* 50(2):120-123.
- Chechun, T.Y. 2003. Feeding of the haarder *Mugil soiuy* (Mugilidae) in the Azov-Black Sea basin. *Voprosy Ikhtiologii* 43(4):521-527. [In Russian.]
- Chicharo, M.A., E. Esteves, A.M.P. Santos, A. dos Santos, A. Peliz & P. Ré. 2003. Are sardine larvae caught off northern Portugal in winter starving? An approach examining nutritional conditions. *Marine Ecology Progress Series* 257:303-309.
- Corgosinho, P.H., R. Metri, C. Baptista, P. Calil & P. Martínez-Arbizu. 2003. Abundance and diversity of the sublittoral meiofauna on two sand beaches under different hydrodynamic conditions at Ilha do Mel (PR, Brazil). *Lundiana* 4(2):89-94.
- Cotonnec, G., L. Seuront, G. Thoumelin & L. Fraga-Lago. 2003. Fatty acid composition of *Acartia clausi*, *Pseudocalanus elongatus* and *Temora longicornis* associated with their diet in the eastern English Channel during a spring bloom of *Phaeocystis*_sp. *Mer*, Tokyo 41(1):37-51.
- Culver, D.C., M.C. Christman, W.R. Elliott, H.H. Hobbs, III & J.R. Reddell. 2003. The North American obligate cave fauna: regional patterns. *Biodiversity and Conservation* 12:441-468.
- Dartnall, H.J.G. 2003. Additions to the freshwater fauna of Heard Island. *Papers and Proceedings of the Royal Society of Tasmania* 137:75-79.
- Das, S. & A. Kaviraj. 2003. Role of bottom dwelling organisms on partitioning of cadmium in the sediment of a static renewal system. *Environment and Ecology, Kalyani* 21:29-32. [Special Publication.]
- Datta-Banik, P.K. & A. Kumar. 2003. Analytical studies on food and feeding habits of damselfly larvae (Odonata: Zygoptera) in a freshwater pond of Dumka (Jharkhand). *Environment and Ecology, Kalyani* 21(4):858-863.
- Decker, M.B., D.L. Breitburg & N.H. Marcus. 2003. Geographical differences in behavioral responses to hypoxia: Local adaptation to an anthropogenic stressor? *Ecological Applications* 13(4):1104-1109.
- Depczynski, M. & D.R. Bellwood. 2003. The role of cryptobenthic reef fishes in coral reef trophodynamics. *Marine Ecology Progress Series* 256:183-191.
- Duggan, I.C., S.A. Bailey, R.I. Colautti, D.K. Gray, J.C. Makarewicz & H.J. MacIsaac. 2003. Biological invasions in Lake Ontario: past, present and future. Pp. 541-558 In: Munawar, M. (ed.). *State of Lake Ontario (SOLO) – Past, Present and Future*. *Ecovision World Monograph Series, Aquatic Ecosystem Health and Management Society*. Backhuys, Leiden.
- Ebrahimzadeh-Mousavi, H.A. 2003. Parasites of ornamental fish in Iran. *Bulletin of the European Association of Fish Pathologists* 23(6):297-300.
- El Serehy, H.A. & M.N. Darmaky. 2003. The effect of the Banton 300 oil spill accident on marine life in Umm Al Quwain in the Arabian Gulf (northern United Arab Emirates). *Egyptian Journal of Biology* 5:120-128.
- Faase, M. 2003. Met mariene ongewervelden geassocieerde roeipootkreeftjes in Nederland (Crustacea: Copepoda). Copepods associated with marine invertebrates in the Netherlands (Crustacea: Copepoda). *Nederlandse Faunistische Mededelingen* 19:79-86.
- Faraponova, O., M.A. Todaro, F. Onorati & M.G. Finoaia. 2003. Sensibilità sesso ed età specifica di *Tigropus fulvus* (Copepoda, Harpacticoida) nei confronti di due metalli pesanti (cadmio e rame). [Sex and age sensitivity of *Tigropus fulvus* (Copepoda, Harpacticoida) towards two heavy metals (cadmium and copper).] *Biologia Marina Mediterranea* 10(2):679-681. [In Italian.]
- Fisk, A.T., P.F. Hoekstra, J.M. Gagnon, J. Duffe, R.J. Norstrom, J. Ross, K.A. Hobson, M. Kwan & D.C.G.

- Muir. 2003. Influence of habitat, trophic ecology and lipids on, and spatial trends of, organochlorine contaminants in Arctic marine invertebrates. *Marine Ecology Progress Series* 262:201-214.
- Gagneten, A.M. & M. Marchese. 2003. Effect of Paraquat on freshwater zooplankton and zoobenthic assemblages in enclosure experiments. *Ecohydrology and Hydrobiology* 3(4):389-398.
- Garibaldi, L. A. Anzani, A. Marieni, B. Leoni & R. Mosello. 2003. Studies on the phytoplankton of the deep subalpine Lake Iseo. *Journal of Limnology* 62(2):177-189.
- Goddard, M.. 2003. Copepodos de pozas intermareales de Isla de Pascua. Tide pools copepods of Easter Island. *Ciencia y Tecnologia del Mar* 26(1):45-72.
- Gooday, A.J. 2003. Introduction to meiobenthos studies. *Berichte zur Polar und Meeresforschung* 470:50.
- Gracia, F., D. Jaume, D. Damia, J.J. Fornos, P. Bover, B. Clamor, M.A. Gual & M. Vadell. 2003. Les coves de Cala Anguila (Manacor, Mallorca). II: La cova Genovesa o cova d'en Besso. Espeleogenesi, geomorfologia, hidrologia, sedimentologia, fauna, paleontologia, arqueologia i conservacio. [The caves of Cala Anguila (Manacor, Mallorca) II: Genovesa cave or Besso cave. Speleogenesis, geomorphology, hydrology, sedimentology, fauna, palaeontology, archaeology and conservation.] *Endins* 5:43-86. [In Catalan.]
- Grigorovich, I.A., R.I. Colautti, D. Gray, I.C. Duggan & H.J. MacIsaac. 2003. Lake Superior: an invasion coldspot? *Hydrobiologia* 499:191-210.
- Grigorovich, I.A., R. Colautti, E.L. Mills. K. Holeck, A. Ballert & H.J. MacIsaac. 2003. Ballast-mediated animal introductions in the Laurentian Great Lakes: retrospective and prospective analyses. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 60:740-756.
- Grigorovich, I.A., T.W. Therriault & H.J. MacIsaac. 2003. History of aquatic invertebrate invasions in the Caspian Sea. *Biological Invasions* 5:103-115.
- Grobler, N.J., K.W. Christison, P.A.S. Olivier & J.G. Van As. 2003. Observations on the development of *Udonella caligorum* Johnston, 1835 (Monogenea: Polyochoinea) on a parasitic copepod species of *Caligus* (Copepoda: Caligidae), collected from Lake St Lucia, South Africa. *African Zoology* 38(2):393-396.
- Hanamura, Y., N. Saito & K. Hayashi. 2003. Shore stranding of the neritic euphausiid *Pseudeuphausia latifrons* (G. O. Sars, 1883) in western Japan. *Crustaceana* 76(9):1147-1152.
- Haro-Garay, M.J. 2003. Diet and functional morphology of the mandible of two planktonic amphipods from the Strait of Georgia, British Columbia, *Parathemisto pacifica* (Stebbing, 1888) and *Cyphocaris challengeri* (Stebbing, 1888). *Crustaceana* 76(11):1291-1312.
- Hasegawa, A., T. Takatsu, K. Imura, N. Nanjo & T. Takahashi. 2003. Feeding habits of Japanese flounder *Paralichthys olivaceus* larvae in Mutsu Bay, northern Japan. *Nippon Suisan Gakkaishi* 69(6):940-947. [In Japanese.]
- Hashizume, K. & S. Shinagawa. 2003. Community structure of Large-sized copepods in the eastern Sea of Japan in relation to the environment of water types, during winter. *Mer*, Tokyo 41(1):1-14. [In Japanese.]
- Howell, K.L., D.W. Pond, D.S.M. Billett & P.A. Tyler. 2003. Feeding ecology of deep-sea seastars (Echinodermata: Asteroidea): A fatty-acid biomarker approach. *Marine Ecology Progress Series* 255:193-206.
- Ismail, H., M.W. Soo, S. Akmar, N. Shamsuddin, H.L. Hing, S. Ismail & B.H. Ridzwan. 2003. Notes on the intestinal parasites of Malaysian sea cucumbers. *Tropical Biomedicine* 20(2):189-193.
- Ivanets, O. 2003. Population dynamics of the plankton [plankton] organisms in the hydroecosystems changed by human. *Visnyk Lvivskoho Universytetu, Seriya Biologichna* 32:157-164. [In Ukrainian.]
- Jerling, H.L. 2003. The zooplankton community of the Mhlathuze (Richards Bay) estuary: two decades after construction of the harbour. *African Journal of Marine Science* 25:289-299.
- Kaneko, K. & M. Omori. 2003. Diel and tidal migrations and Predator-prey relationships of macrobenthic animals in intertidal sandy beaches of Sendai Bay, northern Japan. *Benthos Research* 58(1):43-49.
- Kaningini, M., P. Isumbiso, N. Ndayike & J.C. Micha. 2003. Etude du zooplancton du lac Kivu: composition, variations d'abondance et distribution. [Zooplankton study in Kivu Lake: composition density fluctuations and distribution.] *Academie Royale des Sciences d'Outre Mer Bulletin des Seances* 49(2):145-160. [In French.]
- Karnovsky, N.J., S. Kwasniewski, J.M. Weslawski, W. Walkusz & A.B. Moller. 2003. Foraging behavior of little auks in a heterogeneous environment. *Marine Ecology Progress Series* 253:289-303.
- Khan, T.A. 2003. Limnology of four saline lakes in western Victoria, Australia. II. Biological parameters. *Limnologica* 33(4):327-339.
- Khan, T.A., M.E. Wilson & M.T. Khan. 2003. Evidence for invasive carp mediated trophic cascade in shallow lakes of western Victoria, Australia. *Hydrobiologia* 506-509:465-472.
- Khan, T.A., M.E. Wilson & M.T. Khan. 2003. Diet of carp (*Cyprinus carpio* L.) larvae and its influence on plankton in the lakes of Western Victoria. *Victorian Naturalist*, Blackburn 120(5):179-186.
- Kim, H.W., K.H. Chang, H. Hyeon, K.S. Jeong & G.J. Joo. 2003. The spring metazooplankton dynamics in the river-reservoir hybrid system (Nakdong River, Korea): its role in controlling the phytoplankton biomass. *Korean Journal of Limnology* 36(4):420-426.
- Kone, T. & G.G. Teugels. 2003. Food habits of brackish water tilapia *Sarotherodon melanotheron* in riverine and lacustrine environments of a West African coastal basin. *Hydrobiologia* 490:75-85.

- Kosobokova, K.N. 2003. Regional variations of the zooplankton distribution in the Arctic Basin. *Doklady Akademii Nauk* 392(1):115-118. [In Russian.]
- Kosobokova, K.N., T.N. Ratkova & A.F. Sazhin. 2003. Early-spring zooplankton in the ice-covered Chupa Inlet (White Sea), 2002. *Okeanologiya* 43(5):734-743. [In Russian.]
- Kovachev, S. & V. Hainadjieva. 2003. Quantitative structure of the pelagic zooplankton of several coastal lakes in north-east Bulgaria. *Godishnik na Sofiiskiia Universitet Sv. Kliment Okhridski Biologicheski Fakultet Kniga i Zoologiya* 93-94:25-29.
- Koven, W. 2003. Key factors influencing juvenile quality in mariculture: A review. *Israeli Journal of Aquaculture Bamidgheh* 55(4):283-297.
- Kumagai, N.H. & M.N. Aoki. 2003. Seasonal changes in the epifaunal community on the shallow-water gorgonian *Melithaea flabellifera*. *Journal of the Marine Biological Association of the United Kingdom* 83(6):1221-1222.
- Kurtz, J. & K. Franz. 2003. Evidence for memory in invertebrate immunity. *Nature, London* 425(6953):37-38.
- Lee, C.E., J.L. Remfert & G.W. Gelembiuk. 2003. Evolution of physiological tolerance and performance during freshwater invasions. *Integrative and Comparative Biology* 43(3):439-449.
- Lee, C.N.W. 2003. Seasonal changes in the planktonic copepod community of the southeastern coastal waters of Hong Kong. In: Morton, B. (ed.). *Perspectives on Marine Environmental Change in Hong Kong and Southern China, 1977-2001*. Proceedings of the Hong Kong International Workshops Reunion Conference: Perspectives on Marine Environmental Change in Hong Kong and Southern China (1977-2001). Hong Kong University Press, Hong Kong. Pp. 369-389.
- Lee, C.N.W. 2003. A review of marine zooplankton studies in Hong Kong. In: Shin, P.K.S. (ed.). *Turning the tides: a festschrift in honour of Professor Brian Morton*. Marine Biological Association of Hong Kong, Hong Kong, 383 pp. Chapter pagination: 65-75.
- Lee, J.M. & C.Y. Chang. 2003. Taxonomy on freshwater canthocamptid harpacticoids from Korea III. Genera *Mesochra* and *Elaphoidella*. *Korean Journal of Systematic Zoology* 19(2):203-216.
- Lee, W., S.H. Kang, P.A. Montagna & I.S. Kwak. 2003. Temporal dynamics and patterning of meiofauna community by self-organizing artificial neural networks. *Ocean and Polar Research* 25(3):237-247.
- Leghari, S.M., M.A. Mahar, T.M. Jahangir, A.D. Rajpar & M.Y. Khuhawar. 2003. Physico-chemical and biological study of rainwater pools, Lon Kot, Thana Bola Khan and Kohistan region of Distt, Dadu, Sindh, Pakistan. *Proceedings of Pakistan Congress of Zoology* 23:13-24.
- Li, D.C., Z.L. Xu, Y.Q. Chen & L.J. Gao. 2003. Ecological distribution of Oncaeidae (Copepoda: Cyclopoida) in the south of the Yellow Sea and the East China Sea. *Journal of Fishery Sciences of China* 10(6):481-484. [In Chinese.]
- Liu, G.X. & Chen, K. 2003. Application and prospect of marine copepod diapause eggs in mariculture. *Journal of Ocean University of Qingdao* 33(6):901-906.
- Liyanage, Y.S., H. Yokoyama & H. Wakabayashi. 2003. Evaluation of a vector-control strategy of haemorrhagic thelohanellosis in carp, caused by *Thelohanellus hovorkai* (Myxozoa). *Diseases of Aquatic Organisms* 55(1):31-35.
- Liyanage, Y.S., H. Yokoyama & H. Wakabayashi. 2003. Dynamics of experimental production of *Thelohanellus hovorkai* (Myxozoa: Myxosporae) in fish and oligochaete alternate hosts. *Journal of Fish Diseases* 26(10):575-582.
- Ludovisi, A., M. Minozzo, P. Pandolfi & M.I. Taticchi. 2003. Multivariate spatial analysis of plankton count data from Lake Trasimeno (Italy). Pp. 593-599 In: Capasso, V. (ed.). *Mathematical modelling & computing in biology and medicine*. 5th ESMTB Conference 2002. Societa Editrice Esculapio, Bologna. 653 pp.
- Magalhães, A.L.P. 2003. Distribuição espaço-temporal, densidade e biomassa das espécies de *Pseudodiaptomus* (Copepoda, Calanoida) no Estuário do Rio Caeté, Bragança, Pará. [Spatio-temporal distribution, density and biomass of the species of *Pseudodiaptomus* (Copepoda, Calanoida) in the estuary of the Caeté, Bragança, Pará.] Dissertação de Mestrado, Universidade Federal do Pará, Bragança, Pará, Brazil. 52 pp. [In Portuguese.]
- Majlathova, V., I. Hudec & I. Majlath. 2003. Zooplankton priehradu Ruzin I. Zooplankton of the Ruzin I reservoir. *Natura Carpatica* 44:99-106. [In Slovak.]
- Martínez-Arbizu, P. 2003. Species diversity of benthic copepods and loriferans in the Southern Ocean. *Berichte zur Polar und Meeresforschung* 470:56-57.
- Merella, P., D. Zucca & G. Garippa. 2003. Contribution to the knowledge of the ectoparasites of swordfish *Xiphias gladius* Linnaeus, 1758 from the western Mediterranean. *Research and Reviews in Parasitology* 63(3-4):117-120.
- Micieli, M.V., J.J. Garcia & J.J. Becnel. 2003. Life cycle and epizootiology of *Amblyospora feroxis* (Microspora: Amblyosporidae) in the mosquito *Psorophora ferox* (Diptera: Culicidae). *Folia Parasitologica, Ceske Budejovice* 50(3):171-175.
- Mocci, G.A. & P.L. Solinas. 2003. Dati preliminari sui popolamenti mesozooplanctonici nel Golfo dell'Asinara (Sardegna). Preliminary data on zooplanktonic assemblages in the Gulf of Asinara. *Biologia Marina Mediterranea* 10(2):1018-1021.
- Mordue-Luntz, A.J. 2003. Arthropod semiochemicals: mosquitoes, midges and sealice. *Biochemical Society Transactions* 31(1):128-133.
- Mosci, D., E. Salvi, M. Balsamo & P. Colantoni. 2003. Meiofauna connessa a sorgenti sulfuree. *Meiofauna*

- connected to sulphur springs. *Biologia Marina Mediterranea* 10(2):580-582.
- Moura, G. & P. Martínez-Arbizu. 2003. The phylogenetic position of the bathyal harpacticoids *Aspinothorax* gen. n. and *Styracothorax* Huys (Crustacea: Copepoda). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Biologie* 73:167-181.
- Nakatani, T., S. Ide & T. Takahashi. 2003. Seasonal abundance of *Oithona* (Copepoda, Cyclopoida) in Funka Bay, Hokkaido. *Bulletin of the Japanese Society of Fisheries Oceanography* 67(4):235-243. [In Japanese.]
- Nicol, S. 2003. Living krill, zooplankton and experimental investigations: a discourse on the role of krill and their experimental study in marine ecology. *Marine and Freshwater Behaviour and Physiology* 36(4):191-205.
- Ortiz, M., R. Lalana & E. Suarez. 2003. Nuevos copepodos e isopodos (Crustacea), parasitos de peces del Archipelago Cubano, con la descripcion de una nueva especie de copepodo. New fish parasite copepod and isopod crustaceans (Crustacea), from the Cuban Archipelago, with the description of a new species of copepod. *Avicennia* 16:78-82.
- Pahari, P.R., T.K. Dutta & T. Bhattacharya. 2003. Copepod community structure and population dynamics in a freshwater habitat in Midnapore. *World Wide Web Journal of Biology* 8(3):1-8.
- Pallaoro, A., M. Santic & I. Jardas. 2003. Feeding habits of the saddled bream, *Oblada melanura* (Sparidae), in the Adriatic Sea. *Cybiurn* 27(4):261-268.
- Pane, L. de Nuccio, M. Bozzolasco, G.L. Mariottini & E. Debbia. 2003. Studio dell'associazione zooplancton-batteri in un'area neritica del Golfo di Genova (Mar Ligure). Study of the zooplankton-bacteria association in a neritic zone of the Gulf of Genova (Ligurian Sea). *Biologia Marina Mediterranea* 10(2):1022-1025.
- Pane, L., L. de Nuccio & E. Franceschi. 2003. Contenuto energetico del copepode *Tigriopus fulvus* (Fischer 1860): applicazione della DSC (Differential scanning calorimetry). Energy value of the copepod *Tigriopus fulvus* (Fischer 1860): application of DSC technique (differential scanning calorimetry). *Biologia Marina Mediterranea* 10(2):593-596.
- Patil, S.G. & P. Panda. 2003. Population dynamics of planktonic Cladocera and Copepoda of a freshwater fish tank Bibinagar, Hyderabad, A.P. (part III). *Records of the Zoological Survey of India* 101(3-4):101-107.
- Paukert, C.P. & D.W. Willis. 2003. Aquatic invertebrate assemblages in shallow prairie lakes: Fish and environmental influences. *Journal of Freshwater Ecology* 18(4):523-536.
- Pedersen, M.F. & P.J. Hansen. 2003. Effects of high pH on a natural marine planktonic community. *Marine Ecology Progress Series* 260: 19-31.
- Pipan, T. & A. Brancelj. 2003. The fauna of epikarst - Copepoda (Crustacea) in percolation water of karst caves in Slovenia. *Annales Series Historia Naturalis, Koper* 13(2):223-228.
- Piraino, S. 2003. Diversity of resting stages in deep-sea sediments. *Berichte zur Polar und Meeresforschung* 47:61.
- Pitchford, J.W., A. James & J. Brindley. 2003. Optimal foraging in patchy turbulent environments. *Marine Ecology Progress Series* 256:99-110.
- Pliuraite, V. 2003. Species diversity of zooplankton in the Curonian Lagoon in 2001. *Acta Zoologica Lituonica* 13(2):106-113.
- Plumtre, A.J., L. Chapman & G. Patterson. 2003. The lakes. *Albertine Rift Technical Reports Series* 3:73-76.
- Pociecha, A. & A. Amiowicz. 2003. An attempt to determine the share of zooplankton in food consumed by fish in the limnetic zone of a eutrophic dam reservoir. *Oceanological and Hydrobiological Studies* 32(2):15-31.
- Poizat, C.H. & M. Roux. 2003. *Caecum glabrum* (Montagu, 1803), gastropoda prosobranchia, and other meiofaunal taxa in the Skagerrak, west coast of Sweden. *Marine Life* 12(1-2):37-46.
- Pónyi, J. & N.P. Zankai. 2003. A Tetves patak hidrozoologiai vizsgalata. The hydro-zoological examination of Tetves stream. *Natura Somogyiensis* 5:29-40. [In Hungarian.]
- Pulle, J.S. & A.M. Khan. 2003. Studies on zooplanktonic community of Isapur dam water, India. *Pollution Research* 22(3):451-455.
- Ramos-Rodríguez, E. & J.M. Conde-Porcuna. 2003. Variación espacio-temporal de la fecundidad de *Keratella cochlearis* (Rotifera) en un embalse meso-eutrofico: importancia relativa del alimento y de la depredación por copepodos. Spatio-temporal variation of the fecundity of *Keratella cochlearis* (Rotifera) in a meso-eutrophic reservoir: relative importance of food and predation by copepods. *Limnetica* 22(3-4):9-18. [In Spanish.]
- Rebstock, G.A. & S.K. Young. 2003. A comparison of three marine ecosystems surrounding the Korean peninsula: responses to climate change. *Progress in Oceanography* 59(4):357-379.
- Rehm, P. & R. Heider. 2003. Resting eggs as possible overwintering strategy of neritic calanoid copepods in the Kara Sea. *Berichte zur Polar und Meeresforschung* 450:22-23.
- Rhodes, A. 2003. Methods for high density batch culture of *Nitokra lacustris*, a marine harpacticoid copepod. Pp. 449-465 In: Browman, H.I. & A.B. Skiftesvik (eds). *The Big Fish Bang: Proceedings of the 26th Annual Larval Fish Conference*. Solstrand Fjord Hotel, Os, Norway, 22-26 July 2002. Institute of Marine Research, Bergen. 476 pp.
- Saito, T. & H. Kishimoto. 2003. Variation in toxicity and digestive tube contents of the shadow-goby, 'tumugihaze' (*Yongeichthys criniger*) during June-November, 1998 in Ayanda River estuary of Iriomote Island, Japan. *Journal*

- of the School of Marine Science and Technology Tokai University 56:27-37. [In Spanish.]
- Santamaria-Miranda, A., J.F. Elorduy-Garay & A.A. Rojas-Herrera. 2003. Habitos alimentarios de *Lutjanus peru* (Pisces: Lutjanidae) en las costas de Guerrero, Mexico. Revista de Biología Tropical 51(2):503-518. [In Spanish; abstract in English.]
- Saxena, A. 2003. Food spectrum during maturation of *Channa punctatus*. Uttar Pradesh Journal of Zoology 23(3):213-217.
- Schmidt, V., S. Zander, W. Körting & D. Steinhagen. 2003. Parasites of flounder *Platichthys flesus* (L.) from the German Bight, North Sea, and their potential use in ecosystem monitoring. B. Community structure and fish parasite biodiversity. Helgolander Marine Research 57(3-4):252-261. [complete page numbers]
- Silva-Casemiro, F.A., N.S. Hahn & T.F.L.V. de Britto-Rangel. 2003. Diet and trophic ecomorphology of the silverside, *Odontesthes bonariensis*, of the Salto Caxias reservoir, Rio Iguacu, Parana, Brazil. Neotropical Ichthyology 1(2):127-131.
- Sonnenholzner, J. 2003. Seasonal variation in the food composition of *Holothuria theeli* (Holothuroidea: Aspidochirotida) with observations on density and distribution patterns at the central coast of Ecuador. Bulletin of Marine Science 73(3):527-543.
- Stottrup, J.G. 2003. Production and nutritional value of copepods. Pp. 145-205 In: Stottrup, J.G. & L.A. McEvoy (eds). Live Feeds in Marine Aquaculture. Blackwell Science, Oxford, Malden etc. 318 pp.
- Streletzka, E.A. 2003. Naupliar morphology as related to the taxonomy of the *Cyclops scutifer* group (Crustacea, Copepoda: Cyclopidae). Zoosystematica Rossica 12(1):29-38.
- Tatole, V., V. Zinevici, N. Nicolescu & A. Iftime. 2003. Structural analysis of the biotic component of hydropower harnessed ecosystems from the basins of Olt and Siret rivers (Romania). Travaux du Museum National d'Histoire Naturelle Grigore Antipa 45:499-526.
- Thorbjorn, L. & G.H. Petersen. 2003. The epifauna on the carbonate reefs in the Arctic Ikka Fjord, SW Greenland. Ophelia 57(3):177-202.
- Toklu, B. & E. Sarihan. 2003. The Copepoda and Cladocera (Crustacea) fauna along the Yumurtalik Botas coastline in Iskenderun Bay. Su Urunleri Dergisi 20(1-2):63-68.
- Tonno, I., H. Kunnap & T. Noges. 2003. The role of zooplankton grazing in the formation of 'clear water phase' in a shallow charophyte-dominated lake. Hydrobiologia 506-509:353-358.
- Trckova, K. & I. Sukop. 2003. Development of the zooplankton community of some localities of lower Podyji region. Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis 51(5):29-41.
- Uckun, D., T.M. Sever & M. Togulga. 2003. Izmir Korfezi'nde Hamsi (*Engraulis encrasicolus*, L., 1758) 'nin beslenme ozellikleri uzerine bir on calisma. Investigations of the feeding habits of anchovy (*Engraulis encrasicolus*, L., 1758) in the Izmir Bay. Su Urunleri Dergisi 20(1-2):121-127. [In Turkish.]
- Uye, S.I. 2003. Ecosystem and material cycling in enclosed coastal seas (6). Geographical and seasonal variations in mesozooplankton in Lake Shinji-Ohashi River-Lake Nakaumi brackish-water system and their ecological roles. Aquabiology, Tokyo 25(4):277-282.
- Venkataraman, K. 2003. Crustacean zooplankton of Damodar river. Records of the Zoological Survey of India 101(1-2):209-229.
- Villalobos, L., O. Parra, M. Grandjean, E. Jaque, S. Woelf & H. Campos. 2003. A study of the river basins and limnology of five humic lakes on Chiloe Island. Revista Chilena de Historia Natural 76(4):563-590.
- Vrizer, B. 2003. Meiobenthic fauna (without Harpacticoida) in the southern part of Gulf of Trieste, Slovenia: list of taxa. Annales Series Historia Naturalis, Koper 13(1):33-40.
- Vukanic, V. 2003. Survey of systematic ecological research on zooplankton in Boka Kotorska Bay. Journal of Natural and Mathematical Sciences, Banja Luka 3(4-5):11-57.
- Vukanic, V. 2003. *Penilia avirostris* - indicator of brackish and eutrophic water. The 32nd Annual Conference of Yugoslavian Water Pollution Control Society 'Water 2003', Zlatibor. Pp. 387-390.
- Vukanic, V. 2003. Contribution to diversity of crustaceans in the Adriatic. Natura Montenegrina, Podgoricia. Journal of Natural History Museum of Montenegro 2:139-154.
- Vukanic, D. & V. Vukanic. 2003. Review of characteristics of zooplankton community in southeastern part of southern Adriatic. The 32nd annual conference of Yugoslavia Water Pollution Control Society 'Water 2003', Zlatibor. Pp. 391-396.
- Walkusz, W., K. Storemark, T. Skau, C. Gannefors & M. Lundberg. 2003. Zooplankton community structure; a comparison of fjords, open water and ice stations in the Svalbard area. Polish Polar Research 24(2):149-165.
- Wang, J.Q., J.P. Wu, Y.B. Yu, T.Y. Wang & G. Cheng. 2003. The specific list, quantitative distribution and change of zooplankton in the season of spring and autumn in Poyang Lake. Hupo Kexue 15(4):345-352.
- Wang, W.X. & R.S.K. Wong. 2003. Bioaccumulation kinetics and exposure pathways of inorganic mercury and methylmercury in a marine fish, the sweetlips *Plectorhinchus gibbosus*. Marine Ecology Progress Series 261:257-268.
- Xu, Z.L., B. Hong, M.Y. Zhu & Y.Q. Chen. 2003. Ecological characteristics of zooplankton in frequent HAB areas of the East China Sea in Spring. Yingyong Shengtai Xuebao 14(7):1081-1085. [In Chinese.]
- Yamaguchi, A. & T. Ikeda. 2003. Ecological features of meso- and bathypelagic copepods as viewed from prey-predator interactions. Bulletin of Plankton Society of Japan 50(2):114-119.

- Yamaguchi, A., P. Dalpadado & T. Ikeda. 2003. Morphological comparison of feeding appendages of *Calanus* and *Neocalanus* copepods. *Bulletin of Fisheries Sciences, Hokkaido University* 54(3):59-65.
- Yin, J.G., Q.C. Chen, Y.H. Tan & J.L. Zhang. 2003. Zooplankton community characteristics in waters of Zhubi coral reef (Nansha Islands) in spring. *Journal of Tropical Oceanography* 22(6):1-8.
- Yoshida, T., J. Urabe & J.J. Elser. 2003. Assessment of 'top-down' and 'bottom-up' forces as determinants of rotifer distribution among lakes in Ontario, Canada. *Ecological Research* 18(6):639-650.
- Zagami, G., M. Campolmi & A. Granata. 2003. Mediterranean calanoid copepods biogeography: new species identification and first records of hyperbenthic forms. *Biogeographia* 24:263-272.
- Zagami, G., G. Costanzo, M. Campolmi, A. Granata & C. Brugnano. 2003. Ciclo biologico del copepode *Pseudocyclops umbraticus* Giesbrecht, 1893 allevato in laboratorio. Biological cycle of *Pseudocyclops umbraticus* Giesbrecht, 1893 bred in laboratory. *Biologia Marina Mediterranea* 10(2):273-275.
- Ziliukiene, V. 2003. Quantitative structure, abundance and biomass of zooplankton in the Lithuanian part of the Curonian Lagoon in 1996-2002. *Acta Zoologica Lituanica* 13(2):97-105.
- Zuenko, Y.I. & V.V. Nadochy. 2003. Environmental changes in Peter the Great Bay (Sea of Japan) in the late XX century and their consequences for plankton. Pp. 154-171 In: Kasyanov, V.L. (ed.). *Reports of the Workshop on the Global Change Studies in the Far East, Vladivostok, September 11-15, 2000*. TEACOM Publication No 8. Dalnauka, Vladivostok. 231 pp.
- 2004**
- Abu Hena, M.K., O. Hshamuddin, K. Misri, F. Abdullah & K.K. Loo. 2004. Benthic faunal composition of *Penaeus monodon* Fabricius culture pond in West Coast of Peninsular Malaysia. *Journal of Biological Sciences* 4(5):631-636.
- Achinelly, M.F., M.V. Micieli, G.A. Marti & J.J. Garcia. 2004. Susceptibility of neotropical mosquito larvae (Diptera: Culicidae) and non-target aquatic organisms to the entomoparasitic nematode *Strelkovimermis spiculatus* Poinar & Camino, 1986 (Nematoda: Mermithidae). *Nematology* 6(2):299-302.
- Acri, F., F.B. Aubry, A. Berton, F. Bianchi, A. Boldrin, E. Camatti, A. Comaschi, S. Rabitti & G. Socal. 2004. Plankton communities and nutrients in the Venice Lagoon. Comparison between current and old data. *Journal of Marine Systems* 51(1-4):321-329.
- Agbon, A., C. Ofojekwu & I. Ezenwaka. 2004. Acute toxicity of water extract of *Tephrosia vogelii* Hook to species relevant in aquaculture ponds: rotifers, *Cyclops*, mosquito larvae and fish. *Journal of Applied Ichthyology* 20(6):521-524.
- Akbulut, N.(E.). 2004. Limnology in Turkey. Pp. 171-218 In: Gopal, B. & R.G. Wetzel (eds.). *Limnology in Developing Countries*. Vol. 4. For the International Association for Theoretical and Applied Limnology. International Scientific Publications, New Delhi, India. 244 pp.
- Albaina, A. & X. Irigoien. 2004. Relationships between frontal structures and zooplankton communities along a cross-shelf transect in the Bay of Biscay (1995-2003). *Marine Ecology Progress Series* 284:65-75.
- Alekseev, V.R. & D. Defaye. 2004. *Eucyclops leschermoutouae* sp. n. from Majorca, Balearic Islands (Crustacea, Copepoda: Cyclopidae). *Zoosystematica Rossica* 12(2):163-169.
- Ali-Khan, S. & J. Ali-Khan. 2004. Frequencies of occurrence and abundance of both the sexes of *Temora discaudata* and their developmental stages based on seven international cruises undertaken in the Indian Ocean. *Pakistan Journal of Zoology* 36(1):31-37.
- Allanson, B. 2004. Limnology in South Africa: past and present status and future needs. Pp. 1-116 In: Gopal, B. & R.G. Wetzel (eds.). *Limnology in Developing Countries*. Vol. 4. For the International Association for Theoretical and Applied Limnology. International Scientific Publications, New Delhi, India. 244 pp.
- Almada, P., L. Allende, G. Tell & I. Izaguirre. 2004. Experimental evidence of the grazing impact of *Boeckella poppei* on phytoplankton in a maritime Antarctic lake. *Polar Biology* 28(1):39-46.
- Al Marzouk, A., R. Duremdez & H. Al-Gharabally. 2004. Efforts to control outbreaks of diseases among cultured silver pomfret *Pampus argenteus* in Kuwait. *Journal of Aquaculture in the Tropics* 19(2): 103-110.
- Anonymous. 2004. Krill decline means fewer whales and fishes. *Biodiversity, Ottawa* 5(3):33-34.
- Anonymous. 2004. 53rd Annual Meeting of the Southern Region of the Japan Society of Medical Entomology and Zoology, Kagoshima, Japan, October 25-26, 2003. *Medical Entomology and Zoology* 55(2):151-157.
- **Apostolov, A. 2004. *Paralaophonte livingstoni* n.sp. (Crustacea: Copepoda: Harpacticoida) – un nouveau représentant de l'île de Livingstone, Antarctique. [*Paralaophonte livingstoni* n.sp. (Crustacea: Copepoda: Harpacticoida) – a new representative from Livingstone Island, Antarctica.] *Historia Naturalis Bulgarica* 16:59-67. [In French; abstracts in English and Bulgarian.]
- **Apostolov, A. 2004. Harpacticoida (Crustacea: Copepoda) des eaux souterraines de l'Albanie. [Harpacticoida (Crustacea: Copepoda) from the groundwaters of Albania.] *Historia Naturalis Bulgarica* 16:69-72. [In French; abstracts in English and Bulgarian.]
- **Apostolov, A. & I. Pandourski. 2004. Crustacés des eaux souterraines karstiques des montagnes de Vitocha et de Golo bardo (Bulgarie Occidentale): composition

- taxonomique, caractéristique générale et répartition spatiale dans le karst. [Crustaceans of the karstic groundwaters of the Vitosha and Golo Burdo mountains (western Bulgaria): general characteristics and spatial distribution in the karst.] *Historia Naturalis Bulgarica* 16:47-57. [In French; abstracts in English and Bulgarian.]
- Arashkevich, E.G., K.S. Tande, A.F. Pasternak & B. Ellertsen. 2004. Seasonal moulting patterns and the generation cycle of *Calanus finmarchicus* in the NE Norwegian Sea, as inferred from gnathobase structures, and the size of gonads and oil sacs. *Marine Biology* 146(1):119-132.
- Asami, H. 2004. Early life ecology of Japanese smelt (*Hypomesus nipponensis*) in Lake Abashiri, a brackish water, eastern Hokkaido, Japan. *Scientific Reports of Hokkaido Fisheries Experimental Station* 67:1-79. [In Japanese.]
- Ashjian, C.J., G.A. Rosenwaks, P.H. Wiebe, C.S. Davis, S.M. Gallager, N.J. Copley, G.L. Lawson & P. Alatalo. 2004. Distribution of zooplankton on the continental shelf off Marguerite Bay, Antarctic Peninsula, during Austral Fall and Winter, 2001. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(17-19):2073-2098.
- Atkinson, A. 2004. UK contribution to SO GLOBEC: a cruise to the Scotia Sea, January-February 2003. *GLOBEC International Newsletter* 10(2):6-8.
- Bakken, V. & H. Strom. 2004. Svalbard som sjofuglområde. [Svalbard as a seabird breeding site.] *Var Fuglefauna* 27(1):11-17. [In Norwegian.]
- Bartulovic, V., D. Lucic, A. Conides, B. Glamuzina, J. Dulcic, D. Hafner & M. Batistic. 2004. Food of sand smelt, *Atherina boyeri* Risso, 1810 (Pisces: Atherinidae) in the estuary of the Mala Neretva River (middle-eastern Adriatic, Croatia). *Scientia Marina* 68(4):597-603.
- Baud, A., C. Cuoc & V. Alekseev. 2004. Study of different steps of a diapause of *Diacyclops thomasi* (Cyclopoida, Copepoda): comparison of the ultrastructure of the midgut epithelium in active specimens, in the beginning of encysting and during profound diapause. *Journal of Limnology* 63(Suppl. 1):93. [Abstract.]
- Baud, A., C. Cuoc & V. Alekseev. 2004. Ultrastructure of the digestive tract of *Diacyclops thomasi* (Cyclopoida, Copepoda) during different stages of encystment during a summer diapause. *Acta Zoologica, Copenhagen* 85(3):181-189.
- Baud, A., C. Cuoc, J. Grey, R. Chappaz & V. Alekseev. 2004. Seasonal variability in the gut ultrastructure of the parasitic copepod *Neoergasilus japonicus* (Copepoda, Poecilostomatoida). *Canadian Journal of Zoology / Revue Canadienne de Zoologie* 82(10):1655-1666.
- Beaugrand, G. & F. Ibañez. 2004. Monitoring marine plankton ecosystems II: Long-term changes in North Sea calanoid copepods in relation to hydro-climatic variability. *Marine Ecology Progress Series* 284:35-47.
- Becker, J.H. & A.S. Grutter. 2004. Cleaner shrimp do clean. *Coral Reefs* 23(4):515-520.
- Belaidi, N., A. Taleb & J. Gagneur. 2004. Composition and dynamics of hyporheic and surface fauna in a semi-arid stream in relation to the management of a polluted reservoir. *Annales de Limnologie* 40(3):237-248.
- Bellot, A., R. Brunetti, A. Buratto, M. Gabriele, D. Gallotti & L. Masiero. 2004. Community structure and abundance of sublittoral meiobenthos of the northern Adriatic Sea. *Bollettino del Museo Civico di Storia Naturale di Venezia* 55:53-59.
- Benz, G.W. & S.A. Bullard. 2004. Metazoan parasites and associates of chondrichthyans with emphasis on taxa harmful to captive hosts. Pp. 325-416 In: Smith, M.F.L., D.I. Warmolts, D.A. Thoney & R.E. Hueter (eds.). *The Husbandry of Elasmobranch Fishes. Special Publication No. 16, Ohio Biological Survey, Columbus, Ohio.*
- Benz, G.W. & W. Piasecki. 2004. Eighty years of excellence: Dr Zbigniew Kabata. *Acta Ichthyologica et Piscatoria* 34(1):1-10.
- Berger, J. 2004. The water's fine, but is it kosher? *The New York Times Metro Section*, November 7, 2004. Pp. 41, 44.
- Bergstad, O.A. & J. Knutsen. 2004. Marin makro og megafauna i Grenlandsfjordene, og naeringsvalg til torsk, skrubbe, sjorret og pelagisk fisk. Marine macro and megafunal communities of the Greenland fjords (SE Norway), and feeding patterns of Atlantic cod, flounder, anadromous brown trout, and epipelagic fishes. *Atle Fisken og Havet* 9:1-36. [In Norwegian.]
- Berrios C., V. & M. Vargas F. 2004. Estructura trófica de la asociación de peces intermareales de la costa rocosa del norte de Chile. Trophic structure of the intertidal fish association in the rocky coast of Northern Chile. *Revista de Biología Tropical* 52(1):201-212. [In Spanish.]
- Bertoni, R. 2004. Programma quinquennale 1998-2002. Campagna 2002 e rapporto quinquennale 1998-2002. [Five year programme 1998-2002. Programme 2002 and five year report 1998-2002.] *Ricerche sull'Evoluzione del Lago Maggiore, Campagna 2002 e Rapporto Quinquennale*:1-153. [In Italian.]
- Bianchi, F., F. Acri, A.F. Bernardi & E. Camatti. 2004. Contributo allo studio dell'idrologia e del plancton nelle acque costiere dell'isola di Pantelleria. Contribution to the study of hydrology and plankton in the coastal waters of the Pantelleria Island. *Biologia Marina Mediterranea* 11(2):683-686. (Parte Seconda) [In Italian.]
- Binsztein, N., M.C. Costagliola, M. Pichel, V. Jurquiza, F.C. Ramirez, R. Akselman, M. Vacchino, A. Huq & R. Colwell. 2004. Viable but nonculturable *Vibrio cholerae* O1 in the aquatic environment of Argentina. *Applied Environmental Microbiology* 70(12):7481-7486.
- Bond, N.R. 2004. Observations on the effects of the introduced parasite *Lernaea cyprinacea* on a lowland population of a small native Australian fish, mountain

- galaxias *Galaxias olidus*. Victorian Naturalist, Blackburn 121(5):194-198.
- Borja, Á. & M. Collins (eds.). 2004. Oceanography and Marine Environment of the Basque Country. Elsevier Oceanography Series 70. Elsevier, Amsterdam. 616 pp. ISBN 0-444-51581-X.
- Boxshall, G. & S. Conroy-Dalton. 2004. New species. MARBEF Newsletter 1:10.
- Brief, J. 2004. *Trichodina* auf *Eudiaptomus* 'Ein Huepferling mit Laeusen'. *Trichodina* on *Eudiaptomus* a 'crustacean with lice'. Mikrokosmos 93(5):279-282. [In German.]
- Brook, L. 2004. Diel vertical migration of zooplankton in a hypertrophic shallow temperate lake, Germany. SINET, Ethiopian Journal of Science 27(1):33-44.
- Browman, H.I., K. Boxaspen & P. Kuhn. 2004. The effect of light on the settlement of the salmon louse, *Lepeophtheirus salmonis*, on Atlantic salmon, *Salmo salar* L. Journal of Fish Diseases 27(12):701-708.
- Brown, T.G., P. Winshell & N. Postans. 2004. Benthic community of Shuswap Lake's foreshore. Canadian Manuscript Report of Fisheries and Aquatic Sciences 2693:1.
- Brunetti, R., M. Gabriele, A. Bellot & L. Masiero. 2004. First data on the meiobenthos of the Lagoon of Karavasta (Albania). Bollettino del Museo Civico di Storia Naturale di Venezia 55:47-51.
- Burridge, L.E., N. Hamilton, S.L. Waddy, K. Haya, S.M. Mercer, R. Greenhalgh, R. Tauber, S.V. Radecki, L.S. Crouch, P.G. Wislocki & R.B. Endris. 2004. Acute toxicity of emamectin benzoate (SLICETM) in fish feed to American lobster, *Homarus americanus* Aquaculture Research 35(8):713-722.
- Burrows, M.T. & G. Tarling. 2004. Effects of density dependence on diel vertical migration of populations of northern krill: a genetic algorithm model. Marine Ecology Progress Series 277:209-220.
- Butterworth, K.G., W. Li & R.S. McKinley. 2004. Carbon and nitrogen stable isotopes: a tool to differentiate between *Lepeophtheirus salmonis* and different salmonid host species? Aquaculture 241(1-4):529-538.
- Caldwell, G.S., M.G. Bentley & P.J.W. Matthew. 2004. First evidence of sperm motility inhibition by the diatom aldehyde 2E,4E-decadienal. Marine Ecology Progress Series 273:97-108.
- Caldwell, G.S., S.B. Watson & M.G. Bentley. 2004. How to assess toxin ingestion and post-ingestion partitioning in zooplankton? Journal of Plankton Research 26(12):1369-1377.
- Calliari, D., G. Cervetto & R. Castiglioni. 2004. Summertime herbivory and egg production by *Acartia tonsa* at the Montevideo coast, Rio de la Plata. Ophelia 58(2):115-128.
- Carotenuto, Y. & W. Lampert. 2004. Ingestion and incorporation of freshwater diatoms by *Daphnia pulicaria*: do morphology and oxylipin production matter? Journal of Plankton Research 26(5):563-569.
- Casini, M., M. Cardinale & F. Arrhenius. 2004. Feeding preferences of herring (*Clupea harengus*) and sprat (*Sprattus sprattus*) in the southern Baltic Sea. ICES (International Council for the Exploration of the Sea) Journal of Marine Science 61(8):1267-1277.
- Cattaneo, A., M. Manca & J.B. Rasmussen. 2004. Peculiarities in the stable isotope composition of organisms from an alpine lake. Aquatic Sciences 66(4):440-445.
- Chandler, G.T., T.L. Cary, A.C. Bejarano, J. Pender & J.L. Ferry. 2004. Population consequences of fipronil and degradates to copepods at field concentrations: an integration of life cycle testing with leslie matrix population modeling. Environmental Science and Technology 38(23):6407-6414.
- Chang, K.H., H.W. Kim, G.H. La, K.W. Jeong & G.J. Joo. 2004. Prey preference of juvenile fish based on the laboratory experiments and its impact on zooplankton community of the Nakdong River. Korean Journal of Limnology 37(1):130-136.
- Chansang, U.R., A. Bhumiratana & P. Kittayapong. 2004. Combination of *Mesocyclops thermocyclopoides* and *Bacillus thuringiensis* var. *israelensis*: a better approach for the control of *Aedes aegypti* larvae in water containers. Journal of Vector Ecology 29(2):218-226.
- Cherel, Y. & G.A. Boxshall. 2004. *Sarcotretes* (Copepoda: Pennellidae) parasitizing myctophid fishes in the Southern Ocean: new information from seabird diet. Journal of Parasitology 90(6):1288-1292.
- Chiba, S., T. Ono, K. Tadokoro, T. Midorikawa & T. Saino. 2004. Increased stratification and decreased lower trophic level productivity in the Oyashio region of the North Pacific: a 30 year retrospective study. Journal of Oceanography 60(1):149-162.
- Chikuchi, Y., S. Ueda, K. Kondo, Y. Seike & O. Mitamura. 2004. Occurrence characteristics of zooplankton in brackish Lake Obuchi, Aomori Prefecture, Japan. Japanese Journal of Limnology 65(3):215-223. [In Japanese.]
- Choudhury, A., T.L. Hoffnagle & R.A. Cole. 2004. Parasites of native and nonnative fishes of the Little Colorado River, Grand Canyon, Arizona. Journal of Parasitology 90(5):1042-1053.
- Christian, E. 2004. Ruderfusskrebse in terrestrischen Böden Österreichs (Crustacea: Copepoda). [Copepods in terrestrial sediments of Austria (Crustacea: Copepoda.) Mitteilungen der Österreichische Bodenkundliche Gesellschaft 70:11-14. [In German.]
- Chur, S.V. 2001. Animal plankton of some fish farming ponds surroundings of the Tiraspol. In: Lobkov, V.A. (ed.). Materials to the knowledge of animals (fauna, morphology, methods of investigation). Materialy po izucheniyu zhyvotnogo mira (faunistika, morfologiya, metodika issledovaniy). Nauchnye Trudy Zoologicheskogo Muzeia Odesskogo Natsionalnogo Universiteta T 4. Zoologicheskii Muzei Odesskogo

- Natsionalnogo Universiteta, Odessa. 230 pp. Chapter pagination: 31-35, 225. [In Russian.]
- Ciros-Perez, J., M.J. Carmona, S. Lapesa & M. Serra. 2004. Predation as a factor mediating resource competition among rotifer sibling species. *Limnology and Oceanography* 49(1):40-50.
- Claps, M.C., N.A. Gabellone & H.H. Benitez. 2004. Zooplankton biomass in an eutrophic shallow lake (Buenos Aires, Argentina): spatio-temporal variations. *Annales de Limnologie* 40(3):201-210.
- Clarke, L.R. & D.H. Bennett. 2004. Zooplankton community changes at Pend Oreille Lake, Idaho: testing implications for age-0 kokanee prey selection, digestion, and growth. *Transactions of the American Fisheries Society* 133(5):1221-1234.
- Conley, W.J. & T.L. Hopkins. 2004. Feeding ecology of lanternfish (Pisces: Myctophidae): prey preferences as a reflection of morphology. *Bulletin of Marine Science* 75(3):361-379.
- Conroy-Dalton, S. 2004. New copepods: taxonomic gold nuggets. *MARBEF Newsletter* 1:10-11.
- Cordeiro, A.S. & J.L. Luque. 2004. Community ecology of the metazoan parasites of Atlantic moonfish *Selene setapinnis* (Osteichthyes: Carangidae) from the coastal zone of the State of Rio de Janeiro, Brazil. *Brazilian Journal of Biology* 64(3A):399-406.
- Costa, P.R., R. Rosa & M.A.M. Sampayo. 2004. Tissue distribution of the amnesic shellfish toxin, domoic acid, in *Octopus vulgaris* from the Portuguese coast. *Marine Biology, Berlin* 144(5):971-976.
- Criales-Hernández, M.I. 2003. Composición de la dieta de *Pellona harroweri* (Fowler) (Pisces [Pisces]: Pristigasteridae) en la Guajira, Caribe colombiano. Diet composition of *Pellona harroweri* (Fowler) (Pisces: Pristigasteridae) in the Guajira Peninsula, Colombian Caribbean coast. *Boletín de Investigaciones Marinas y Costeras* 32:279-282. [In Spanish.]
- Crockett, E.L., R.P. Hassett, K.R. Funk & C.M. Doering. 2004. Activities of Na^+/K^+ -ATPase and cholesterol contents are not altered by dietary supplementation with cholesterol in *Acartia hudsonica* and *Calanus finmarchicus*. *Bulletin of the Mount Desert Island Biological Laboratory* 43:68-70.
- Cruscanti, M., L. Aguzzi, S. Nociolini, J. Caldarini & S. Calvanella. 2004. Composizione e distribuzione del genere *Acartia* (Copepoda, Calanoida) nel Tirreno centro settentrionale. Dati preliminari. Composition and distribution of the genus *Acartia* (Copepoda, Calanoida) in North Central Tyrrhenian Sea. Preliminary data. *Biologia Marina Mediterranea* 11(2):318-321. (Parte Prima) [In Italian.]
- Cruscanti, M., S. Lippi, D. Verniani, R. Biancalana & F. Gambassi. 2004. Distribuzione temporale dei principali generi di copepodi planctonici nelle acque costiere Toscane nel periodo Agosto 2001 Dicembre 2002. Temporal distribution of planktonic copepods in Tuscan coastal waters during the period August 2001 December 2002. *Biologia Marina Mediterranea* 11(2):695-697. (Parte Seconda) [In Italian.]
- Crutchfield, J.U., Jr, T.E. Thompson & J.M. Swing. 2003. Ecological changes following an alewife introduction in an oligotrophic reservoir: a case history. Proceedings of the Annual Conference, Southeastern Association of Fish and Wildlife Agencies 57:44-58.
- Cuzin-Roudy, J., G.A. Tarling & J.O. Stromberg. 2004. Life cycle strategies of Northern krill (*Meganyctiphanes norvegica*) for regulating growth, moult, and reproductive activity in various environments: the case of fjordic populations. *ICES (International Council for the Exploration of the Sea) Journal of Marine Science* 61(4):721-737.
- Dahms, H.-U. 2004. Exclusion of the Polyarthra from Harpacticoida and its reallocation as an underived branch of the Copepoda (Arthropoda, Crustacea). *Invertebrate Zoology* 1(1):29-51.
- Dahms, H.-U. 2004. Review: Ueda, H. & J.W. Reid (eds.). Copepoda; Cyclopoida - Genera *Mesocyclops* and *Thermocyclops*. *Hydrobiologia* 515:248-249.
- Danielopol, D. & P. Pospisil. 2004. [Review of] G. A. Boxshall & S. H. Halsey, 2004. An introduction to copepod diversity, 1-2. *Crustaceana* 77(10):1279.
- Davis, C.S., Q. Hu, S.M. Gallager, X. Tang & C.J. Ashjian. 2004. Real-time observation of taxa-specific plankton distributions: an optical sampling method. *Marine Ecology Progress Series* 284:77-96.
- Decker, M.B., D.L. Breitburg & J.E. Purcell. 2004. Effects of low dissolved oxygen on zooplankton predation by the ctenophore *Mnemiopsis leidyi*. *Marine Ecology Progress Series* 280:163-172.
- Degtyarev, S., T. Boykova, A. Grishanin, S. Belyakin, N. Rubtsov, T. Karamysheva, G. Makarevich, A. Akifyev & I. Zhimulev. 2004. The molecular structure of the DNA fragments eliminated during chromatin diminution in *Cyclops kolensis*. *Genome Research* 14(11):2287-2294.
- DeStasio, B.T. 2004. Diapause in Calanoid Copepods: within-clutch hatching patterns. *Journal of Limnology* 63(Suppl. 1):26-31.
- d'Ippolito, G., S. Tucci, A. Cutignano, G. Romano, G. Cimino, A. Miralto & A. Fontana. 2004. The role of complex lipids in the synthesis of bioactive aldehydes of the marine diatom *Skeletonema costatum*. *Biochimica et Biophysica Acta* 1686(1-2):100-107.
- Doherty, D. & T.K. McCarthy. 2004. The ecology and conservation of European smelt (*Osmerus eperlanus* L.) from Waterford Estuary, in southeastern Ireland. *Biology and Environment* 104B(2):125-130.
- Domínguez-Granda, L., N. Fockedey, M. De Mey, B. Beyst, M.P. Cornejo, J. Calderón & M. Vincx. 2004. Spatial patterns of the surf zone hyperbenthic fauna of Valdivia Bay (Ecuador). *Hydrobiologia* 529(1):207-226.
- Dotsu, Y., K. Miyaki, T. Matsuo, Y. Ono & H. Takahama. 2004. Induced spawning larval rearing and development

- of the sleeper, *Eleotris oxycephala* Temminck et Schlegel, gobioid fish. Bulletin of the Faculty of Fisheries Nagasaki University 85:1-8. [In Japanese.]
- Drobniewska, A., M. Tarczynska, J. Mankiewicz, T. Jurczak & M. Zalewski. 2004. Increase of crustacean sensitivity to purified hepatotoxic cyanobacterial extracts by manipulation of experimental conditions. Environmental Toxicology 19(4):416-420.
- Du, G.S., X.D. Liu, F. Song, J. Liu & Z.L. Hua. 2004. Study on plankton community in Miyun reservoir. Xibei Zhiwu Xuebao 24(8):1485-1488. [In Chinese.]
- Du, J.S., S. Hai, D.X. Su, L. Chen & Q.D. Song. 2004. Studies on the development of embryo and larva of northern pike (*Esox lucius* Linnaeus). Acta Hydrobiologica Sinica 28(6):629-663. [In Chinese.]
- Dubova, L. & D. Zarina. 2004. Application of toxkit microbiotests for toxicity assessment in soil and compost. Environmental Toxicology 19(4):274-279.
- Duineveld, G.C.A., M.S.S. Lavaleye & E.M. Berghuis. 2004. Particle flux and food supply to a seamount cold water coral community (Galicia Bank, NW Spain). Marine Ecology Progress Series 277:13-23.
- Dumont, H.J. & J. Green. 2004. *Eodiaptomus indawgyi* n. sp., a pelagic calanoid copepod presumed endemic to ancient Lake Indawgyi, Myanmar. Hydrobiologia 533(1):41-44.
- Düsterloh, S. & T.C. Shirley. 2004. The role of copepods in the distribution of hydrocarbons: an experimental approach. OCS Study Report MMS 2004-034:1-53.
- Dzierzbicka-Głowacka, L. 2004. A numerical investigation of phytoplankton and *Pseudocalanus elongatus* dynamics in the spring bloom time in the Gdańsk Gulf. Journal of Marine Systems 53(1-4):19-36. [For 2005.]
- Eckmayer, W.J. & F.J. Margraf. 2004. The influence of diet, consumption and lipid use on recruitment of white bass. Lakes and Reservoirs Research and Management 9(2):133-141.
- Eeckhaut, I., E. Parmentier, P. Becker, S. Gomez da Silva & M. Jangoux. 2004. Parasites and biotic diseases in field and cultivated sea cucumbers. FAO Fisheries Technical Paper 463:311-325.
- Elgmork, K. 2004. Life cycles of the freshwater, planktonic copepod *Cyclops scutifer* Sars on a north-south gradient in North America. Hydrobiologia 529(1):37-48.
- El Shabrawy, G.M. & G. Belmonte. 2004. Abundance and affirmation of *Paracartia latisetosa* (Copepoda, Calanoida) in the inland Lake Qarun (Egypt). Thalassia Salentina 27:151-160.
- El-Tantawy, S.A., R.M. Bishai, A.E. Abdel-Latif, A.A. Samaan & I.A. Iskaros. 2004. Species richness and seasonal dynamics of zooplankton communities at Khor Kalabsha in Lake Nasser, Egypt. Journal of the Egyptian German Society of Zoology 43(D):177-201.
- Essi, K. & V.B. Meyer-Rochow. 2004. Postembryonic photoreceptor development in the fishlouse *Argulus coregoni* Thorell, 1865 (Crustacea, Branchiura). Acta Parasitologica 49(4):336-347.
- Fallang, A., J.M. Ramsay, S. Sevatdal, J.F. Burka, P. Jewess, K.L. Hammell & T.E. Horsberg. 2004. Evidence for occurrence of an organophosphate-resistant type of acetylcholinesterase in strains of sea lice (*Lepeophtheirus salmonis* Krøyer). Pest Management Science 60(12):1163-1170.
- Fernández, D., A. Lopez-Urrutia, A. Fernandez, J. Luis-Acuna & R. Harris. 2004. Retention efficiency of 0.2 to 6 µm particles by the appendicularians *Oikopleura dioica* and *Fritillaria borealis*. Marine Ecology Progress Series 266:89-101.
- Fields, D.M. & M.J. Weissburg. 2004. Rapid firing rates from mechanosensory neurons in copepod antennules. Journal of Comparative Physiology A: Sensory, Neural, and Behavioral Physiology 190(11):877-882.
- Fisher, E.C., R.S. Kaufmann & K.L. Smith Jr. 2004. Variability of epipelagic macrozooplankton/micronekton community structure in the NW Weddell Sea, Antarctica (1995-1996). Marine Biology, Berlin 144(2):345-360.
- Forget-Leray, J., I. Landriau, C. Minier & F. Lebourlenger. 2004. Impact of endocrine toxicants on survival, development, and reproduction of the estuarine copepod *Eurytemora affinis* (Pope). Ecotoxicology and Environmental Safety 60(3):288-294. [For 2005.]
- Frangoulis, C., E.D. Christou & J.H. Hecq. 2004. Comparison of marine copepod outfluxes: nature, rate, fate and role in the carbon and nitrogen cycles. Advances in Marine Biology 47:253-309.
- Fransz, G. 2004. Roeipootkreeftjes in de Noordzee. De betekenis van roeipootkreeftjes en klimaatsverandering voor de visproductie. [Copepods in the North Sea. The significance of copepods and climate change for fish production.] Natura, Utrecht 101(1):10-13.
- Freret, N.V. & J.V. Andreatta. 2003. Composição da dieta de *Micropogonias furnieri* (Desmarest, 1823) (Teleostei, Sciaenidae) da Baía da Ribeira, Angra dos Reis, Rio de Janeiro. Diet composition of *Micropogonias furnieri* (Desmarest, 1823) (Teleostei, Sciaenidae) from Ribeira Bay, Angra dos Reis, Rio de Janeiro. Bioikos 17(1-2):33-37. [In Portuguese.]
- Froneman, P.W. 2004. Zooplankton community structure and biomass in a southern African temporarily open/closed estuary. Estuarine Coastal and Shelf Science 60(1):125-132.
- Froneman, P.W. 2004. In situ feeding rates of the copepods, *Pseudodiaptomus hessei* and *Acartia longipatella*, in a temperate, temporarily open/closed Eastern Cape estuary. South African Journal of Science 100:11(12):577-583.
- Gad, G. & H.K. Schminke. 2004. How important are seamounts for the dispersal of meiofauna? Archive of Fishery and Marine Research /Archiv für Fischerei- und Meeresforschung 51(2-3):43-54.

- Gaevskaya, A.V. 2004. Parasites and diseases of marine and oceanic fishes in natural and culture conditions. EKOSI-Gidrofizika, Sevastopol. 237 pp. [In Russian.]
- Gagneten, A. M. & N. Ceresoli. 2004. Effects of tannery waste water on zooplankton abundance and species richness at Arroyo Las Prusianas (Santa Fe, Argentina). *Interciencia* 29(12):702-708. [In Spanish.]
- Galassi, D.M.P. & P. De Laurentiis. 2004. Little-known cyclopoids from groundwater in Italy: re-validation of *Acanthocyclops agamus* and redescription of *Speocyclops italicus* (Crustacea, Copepoda, Cyclopoida). *Vie et Milieu* 54(4):203-222.
- Galbraith, P.S., H.I. Browman, R.G. Racca, A.B. Skiftesvik & J.F. Saint Pierre. 2004. Effect of turbulence on the energetics of foraging in Atlantic cod *Gadus morhua* larvae. *Marine Ecology Progress Series* 281:241-257.
- Genin, A. 2004. Bio-physical coupling in the formation of zooplankton and fish aggregations over abrupt topographies. *Journal of Marine Systems* 50:3-20.
- **George, K.H. 2004. Ancorabolidae - die 'wundersamen Ankerwerfer' der Weltmeere. [Ancorabolidae - the wondrous 'anchor throwers' of the world's oceans.] *Natur und Museum, Frankfurt am Main* 134(5):142-148. [In German.]
- George, K.H. 2004. Description of two new species of *Bodinia*, a new genus incertae sedis in Argestidae Por, 1986 (Copepoda, Harpacticoida), with reflections on argestid colonization of the Great Meteor Seamount plateau. *Organisms Diversity & Evolution* 4(4):241-264.
- Geraldes, A.M. & M.J.L. Boavida. 2004. Do littoral macrophytes influence crustacean zooplankton distribution? *Limnetica* 23(1-2):57-64.
- Giesecke, R. & H.E. González. 2004. Mandible characteristics and allometric relations in copepods: a reliable method to estimate prey size and composition from mandible occurrence in predator guts. *Revista Chilena de Historia Natural* 77(4):607-616.
- Glover, K.A., F. Nilsen & Ø. Skaala. 2004. Individual variation in sea lice (*Lepeophtheirus salmonis*) infection on Atlantic salmon (*Salmo salar*). *Aquaculture* 241(1-4):701-709.
- Gomes, C., A. Marazzo & J. Valentin. 2004. The vertical migration behaviour of two calanoid copepods, *Acartia tonsa* Dana, 1849 and *Paracalamus parvus* (Claus, 1863) in a stratified tropical bay in Brazil. *Crustaceana* 77(8):941-954.
- Gómez, S. 2004. A new species of *Enhydrosoma* Boeck, 1872 (Copepoda: Harpacticoida: Cletodidae) from the Eastern Tropical Pacific. *Proceedings of the Biological Society of Washington* 117(4):529-540.
- **Gómez, S. & P. Martínez-Arbizu. 2004. First record of the genus *Cyclopina* (Copepoda: Cyclopoida), and fully illustrated redescription of *Cyclopina caissara* from northwestern Mexico. *Anales del Instituto de Biología, Universidad Nacional Autónoma de México, Serie Zoológica* 75(1):121-134.
- Gómez, S. & C. E. F. Rocha. 2004. A new species of *Kristensenia* Por, 1983 and a new record and illustrated supplementary description of *Halicyclops hurlberti* Rocha, 1991 from Mexico. *Journal of Natural History* 39(2):133-152. [For 2005.]
- González-Quirós, R., A. Pascual, D. Gomis & R. Anadón. 2004. Influence of mesoscale physical forcing on trophic pathways and fish larvae retention in the central Cantabrian Sea. *Fisheries Oceanography* 13(6):351-364.
- Greene, C.H., A.J. Pershing, B.C. Monger, M.C. Benfield, E.G. Durbin & M.C. Casas. 2004. Supply side ecology and the response of zooplankton to climate driven changes in North Atlantic Ocean circulation. *Oceanography* 17(3):60-71.
- Grubh, A.R. & K.O. Winemiller. 2004. Ontogeny of scale feeding in the Asian glassfish, *Chanda nama* (Ambassidae). *Copeia* 1004(4):903-907.
- Gutiérrez, L.P. & M. Baez-Hidalgo. 2003. Características biológicas del Cromis azul, *Chromis cyanea* (Pisces, Pomacentridae) en la Costa norte de la Habana, Cuba. Biological characteristics of the blue cromis, *Chromis cyanea* (Pisces, Pomacentridae) on the north coast of La Habana, Cuba. *Revista de Investigaciones Marinas* 24(2):133-137. [In Spanish.]
- Gutzmann, E., P. Martínez-Arbizu, A. Rose & G. Veit-Köhler. 2004. Meiofauna communities along an abyssal depth gradient in the Drake Passage. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(14-16):1617-1628.
- Haelters, J. 2004. Stranding van een levende maanvis *Mola mola* te Middelkerke. Stranding of a live sunfish *Mola mola* at Middelkerke. *Strandvlo* 24(1):39-43. [In Dutch.]
- Hairston, N.G., Jr. 2004. Book Review: An Introduction to Copepod Diversity. By G.A. Boxshall and S. H. Halsey. *International Review of Hydrobiology* 89(5-6):551-552.
- Hakalahti, T., Y. Lankinen & E.T. Valtonen. 2004. Efficacy of emamectin benzoate in the control of *Argulus coregoni* (Crustacea: Branchiura) on rainbow trout *Oncorhynchus mykiss*. *Diseases of Aquatic Organisms* 60(3):197-204.
- Hall, S.R., M.A. Leibold, D.A. Lytle & V.H. Smith. 2004. Stoichiometry and planktonic grazer composition over gradients of light, nutrients, and predation risk. *Ecology* 85(8):2291-2301.
- Hansson, L.-A., M. Gyllström, A. Ståhl-Delbanco & M. Svensson. 2005. Responses to fish predation and nutrients by plankton at different levels of taxonomic resolution. *Freshwater Biology* 49(12):1538-1550.
- Harrison, J.S., D.L. Peterson, J.R. Swain & S. Edmands. 2004. Microsatellite DNA markers for the intertidal copepod *Tigriopus californicus*. *Molecular Ecology Notes* 4(4):736-738.
- Hay, D.E., B.A. Bravender, D.J. Gillis & E.A. Black. 2004. An investigation into the consumption of wild food organisms, and the possible effects of lights on predation, by caged Atlantic salmon in British Columbia.

- Canadian Manuscript Report of Fisheries and Aquatic Sciences 2662:V-35.
- Heidelberg, K.B., K.P. Sebens & J.E. Purcell. 2004. Composition and sources of near reef zooplankton on a Jamaican forereef along with implications for coral feeding. *Coral Reefs* 23(2):263-276.
- Henderson, S., T.W. Therriault, C.W. Haegele, J. Schweigert & M. Thompson. 2004. Central coast juvenile herring survey, August 2002. Canadian Manuscript Report of Fisheries and Aquatic Sciences 2687:1-33.
- Hernández-León, S., C. Almeida, P. Bécognée, L. Yebra & J. Aristegui. 2004. Zooplankton biomass and indices of grazing and metabolism during a late winter bloom in subtropical waters. *Marine Biology* 145(6):1191-1200.
- Hietala, J., K. Vakkilainen & T. Kairesalo. 2004. Community resistance and change to nutrient enrichment and fish manipulation in a vegetated lake littoral. *Freshwater Biology* 49(12):1525-1537.
- Hipfner, J.M., K. Charleton & W.E. Davies. 2004. Rates and consequences of relaying in Cassin's auklets *Ptychoramphus aleuticus* and rhinoceros auklets *Cerorhinca monocerata* breeding in a seasonal environment. *Journal of Avian Biology* 35(3):224-236.
- Hirakawa, K., T. Goto & M. Hirai. 2004. Distribution of oithonid copepods as food for larvae of Japanese sardine and anchovy in Toyama Bay, southern Japan Sea. *Bulletin of Plankton Society of Japan* 51(1):1-12. [In Japanese.]
- Ho, J.-s. 2004. Invasiveness of sea lice (Copepoda, Caligidae) in marine aquaculture. *Journal of the Fisheries Society of Taiwan* 31(2):85-100.
- Ho, J.-s., I.-H. Kim, E.R. Cruz-Lacierda & K. Nagasawa. 2004. Sea lice (Copepoda, Caligidae) parasitic on marine cultured and wild fishes of the Philippines. *Journal of the Fisheries Society of Taiwan* 31(4):235-250.
- Ho, J.-s. & C.-L. Lin. 2004. Two new species of *Nothobomolochus* Vervoort, 1962 (Copepoda, Bomolochidae) parasitic on marine fishes of Taiwan. *Crustaceana* 77(11):1389-1402.
- Ho, J.S. & C.L. Lin. 2004. Sea lice of Taiwan (Copepoda: Siphonostomatoida: Caligidae). The Sueichan Press, Keelung, Taiwan. 388 pp.
- Holeck, K.T., E.L. Mills, H.J. MacIsaac, M.R. Dochoda, R.J. Colautti & A. Ricciardi. 2004. Bridging troubled waters: biological invasions, transoceanic shipping, and the Laurentian Great Lakes. *BioScience* 54(10):919-929.
- Hristozova, M., I. Botev, R. Kalchev & W. Naidenow. 2004. Composition and temporal changes of zooplankton in high mountain lakes in the Rila Mountains (south-west Bulgaria). *Acta Zoologica Bulgarica* 56(3):341-357.
- Iannaccone, J. 2004. Metazoos parásitos de la mojarilla *Stellifer minor* (Tschudi) (Osteichthyes, Sciaenidae) capturados por pesquería artesanal en Chorrillos, Lima, Perú. (Metazoan parasites of the minor stardrum, *Stellifer minor* (Tschudi) (Osteichthyes, Sciaenidae) caught by artisanal fishery in Chorrillos, Lima, Peru.) *Revista Brasileira de Zoologia* 21(4):815-820. [In Spanish; abstract in English.]
- Ikeda, T., F. Sano & A. Yamaguchi. 2004. Metabolism and body composition of a copepod (*Neocalanus cristatus*: Crustacea) from the bathypelagic zone of the Oyashio region, western subarctic Pacific. *Marine Biology* 145(6):1181-1190.
- Ikuta, K. & T. Makioka. 2004. Structure of ovary and oogenesis in the halocyprid ostracod *Conchoecia imbricata*. *Journal of Crustacean Biology* 24(1):72-80.
- Irrera, G.P. & C. Gugliandolo. 2004. Vibrioni potenzialmente patogeni ed organismi zooplanctonici. Potentially pathogenic vibrios and zooplanktonic organisms. *Biologia Marina Mediterranea* 1(2):334-338. (Parte Prima) [In Italian.]
- **Ishida, T., K. Tomikawa & S.F. Mawatari. 2004. Copepods (Crustacea) in Tokyo metropolis- 2nd report. *Bulletin of the Biogeographical Society of Japan* 59:45-48.
- Isla, J.A., S. Ceballos, I. Huskin, R. Anadón & F. Álvarez-Marqués. 2004. Mesozooplankton distribution, metabolism and grazing in an anticyclonic slope water oceanic eddy (SWODDY) in the Bay of Biscay. *Marine Biology* 145(6):1201-1212.
- Ismael, A.A. & N.E. Abdel Aziz. 2004. Selective grazing on phytoplankton in El Dekhaila Harbour (Alexandria). *Marine Life* 13(1-2):21-30.
- Isumbisho, M., M. Kaningini, J.P. Descy & E. Baras. 2004. Seasonal and diel variations in diet of the young stages of the fish *Limnothrissa miodon* in Lake Kivu, Eastern Africa. *Journal of Tropical Ecology* 20(1):73-83.
- Ito, S.-I., H. Sugisaki, A. Tsuda, O. Yamamura & K. Okuda. 2005. Contributions of the VENTFISH program: mesozooplankton, Pacific saury (*Cololabis saira*) and walleye pollock (*Theragra chalcogramma*) in the northwestern Pacific. *Fisheries Oceanography* 13(S1):1-9.
- Ivanenko, V.N. & D. Defaye. 2004. A new and primitive genus and species of deep-sea Tegastidae (Crustacea, Copepoda, Harpacticoida) from the Mid-Atlantic Ridge, 37°N (Azores triple junction, Lucky Strike). *Cahiers de Biologie Marine* 45(3):255-268.
- Ivanenko, V.N. & D. Defaye. 2004. A new deep-sea genus and species of the family Asterocheridae (Copepoda, Siphonostomatoida) from the continental margin off Angola (East Equatorial Atlantic). *Crustaceana* 77(9):1131-1144.
- Izawa, K. 2004. The copepodid and two chalimus stages of *Caligus latigenitalis* Shiino, 1954 (Copepoda, Siphonostomatoida, Caligidae), parasitic on Japanese black sea bream, *Acanthopagrus schlegeli*. *Contributions of the Biological Laboratory of Kyoto University* 29:329-341.
- Jankowski, T. 2004. Predation of freshwater jellyfish on *Bosmina*: the consequences for population dynamics, body size, and morphology. *Hydrobiologia* 530-531(1):521-528.

- Jiang, H.S. 2004. Numerical of the flow field at the scale size of an individual copepod. Pp. 479-491 In: Seuront, L. & P.G. Strutton (eds). Handbook of Scaling Methods in Aquatic Ecology: Measurement, Analysis, Simulation. CRC Press, Boca Raton, London etc. 600 pp.
- Jiang, H.S. & T. Osborn. 2004. Hydrodynamics of copepods: a review. *Surveys in Geophysics* 25(3-4):339-370.
- Joaquim-Justo, C., C. Detry, F. Cauffman & J.-P. Thomé. 2004. Feeding of planktonic rotifers on ciliates: a method using natural ciliate assemblages labelled with fluorescent microparticles. *Journal of Plankton Research* 26(11):1289-1299.
- Johnson, C.L. 2004. Seasonal variation in the molt status of an oceanic copepod. *Progress in Oceanography* 62(1):15-32.
- Johnson, C.L. & D.M. Checkley, Jr. 2004. Vertical distribution of diapausing *Calanus pacificus* (Copepoda) and implications for transport in the California undercurrent. *Progress in Oceanography* 62(1):1-13.
- Johnson, S.C. & M.D. Fast. 2004. Interactions between sea lice and their hosts. In: Wiegertjes, G.F. & G. Flik (eds). Host parasite interactions. (Experimental Biology Reviews; SEB Symposium Series Volume 55.) Garland Science/BIOS Scientific Publishers, Abingdon & New York, 255 pp. Chapter pagination:131-159.
- Jonas, T.D., A. Walne, G. Beaugrand, L. Gregory & G.C. Hays. 2004. The volume of water filtered by a Continuous Plankton Recorder sample: the effect of ship speed. *Journal of Plankton Research* 26(12):1499-1506.
- Jonsson, P.R., M. Johansson & R.W. Pierce. 2004. Attachment to suspended particles may improve foraging and reduce predation risk for tintinnid ciliates. *Limnology and Oceanography* 49(6):1907-1914.
- Ju, S.-J. & H.R. Harvey. 2004. Lipids as markers of nutritional condition and diet in the Antarctic krill *Euphausia superba* and *Euphausia crystallorophias* during austral winter. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(17-19):2199-2214.
- Ju, S.-J., K. Scolaridi, K.L. Daly & H.R. Harvey. 2004. Understanding the trophic role of the Antarctic ctenophore, *Callianira antarctica*, using lipid biomarkers. *Polar Biology* 27(12):782-792.
- Jung, Y., H.-K. Kang & Y.J. Kang. 2004. In situ egg production rate of the planktonic copepod *Acartia steueri* in Ilkwang Bay, southeastern coast of Korea. *Journal of Plankton Research* 26(12):1547-1553.
- Kamburska, L. & E. Valcheva. 2003. On the peculiarities of the zooplankton spatial distribution in Burgas Bay May, 1996. *Trudove na Instituta po Okeanologiya* 4:124-132. [In Bulgarian.]
- Kang, J.H., W.S. Kim & S.K. Son. 2004. Latitudinal differences in the distribution of mesozooplankton in the northeastern equatorial Pacific. *Ocean and Polar Research* 26(2):351-360.
- Kang, Y.S. & G.A. Rebstock. 2004. Ecosystem consequences of an anomalously high zooplankton biomass in the south sea of Korea. *Journal of the Korean Society of Oceanography* 39(4):207-211.
- Kanou, K., M. Sano & H. Kohno. 2004. Food habits of fishes on unvegetated tidal mudflats in Tokyo Bay, central Japan. *Fisheries Science* 70(6):978-987.
- **Karanovic, T. 2004. The genus *Metacyclops* Kiefer in Australia (Crustacea: Copepoda: Cyclopoida), with description of two new species. *Records of the Western Australian Museum* 22:193-212.
- Karvonen, A. & E.T. Valtonen. 2004. Helminth assemblages of whitefish (*Coregonus lavaretus*) in interconnected lakes: Similarity as a function of species specific parasites and geographical separation. *Journal of Parasitology* 90(3):471-476.
- Kaviraj, A., F. Bhunia & N.C. Saha. 2004. Toxicity of methanol to fish, crustacean, oligochaete worm, and aquatic ecosystem. *International Journal of Toxicology* 23(1):55-63.
- Kawabata, K. 2004. Diel change in abundance of zooplankton in Kahoku-gata. *Bulletin of the Japan Sea Research Institute, Kanazawa University* 35:47-52.
- Kehayias, G. 2004. Spatial and temporal abundance distribution of chaetognaths in eastern Mediterranean pelagic waters. *Bulletin of Marine Science* 74(2):253-270.
- Kehl, S. & K. Dettner. 2004. Nahrungsökologische Untersuchungen an hydradephagen Pionierarten (Coleoptera, Dytiscidae) in Sandgrubengewässern. [Nutritional and ecological studies on pioneer species (Coleoptera, Hydradephaga Dytiscidae) in sandpit ponds.] *Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie* 14(1-6):225-228. [In German.]
- Keppeler, E.C. 2003. Comparative study of the zooplankton composition of two lacustrine ecosystems in Southwestern Amazonia. *Acta Scientiarum, Biological Sciences* 25(2):467-477.
- Keskinen, E. & V.B. Meyer-Rochow. 2004. Postembryonic photoreceptor development in the fishlouse *Argulus coregoni* Thorell, 1865 (Crustacea, Branchiura). *Acta Parasitologica* 49(4):336-347.
- Kim, B.J., H.J. Lee, S.S. Yum, H.A. Lee, Y.J. Bhang, S.R. Park, H.J. Kim & J.H. Kim. 2004. A short-term response of macroalgae to potential competitor removal in a mid-intertidal habitat in Korea. *Hydrobiologia* 512(1-3):57-62.
- Kim, H.-S., D.-S. Kong & S.-J. Hwang. 2004. Effect of filter-feeding bivalve (Corbiculidae) on phyto- and zooplankton community. *Korean Journal of Limnology* 37(3):319-331. [In Korean.]
- Kim, I.-H. 2004. New species of copepods (Crustacea) associated with marine invertebrates from the Pacific coast of Panama. *Korean Journal of Biological Sciences* 8(3):165-186.

- Kim, I.-H. 2004. Two new species of siphonostomatoid copepods (Crustacea) associated with the stoloniferan coral *Tubipora musica* (Linnaeus) from Madagascar. *Korean Journal of Biological Sciences* 8(3):187-196.
- Kim, I.-H. 2004. Six new species of *Enalcyonium* (Copepoda, Cyclopoida, Lamippidae) parasitic in octocorals from New Caledonia. *Korean Journal of Systematic Zoology* 20(2):141-154.
- Kim, I.-H. 2004. Copepods (Crustacea) associated with marine invertebrates from Great Barrier Reef, Australia. *Korean Journal of Systematic Zoology* 20(2):109-140.
- Kim, I.H., S. Ohtsuka, K. Yokosaka & K. Ito. 2004. Redescription and taxonomic remarks of the lichomolgid copepod *Paraphilochoncha meretricis* (Crustacea: Copepoda: Poecilostomatoida) parasitic on the bivalve *Meretrix lamarckii* from Japan. *Species Diversity* 9:331-341.
- Kim, J.S. & H.J. Jeong. 2004. Feeding by the heterotrophic dinoflagellates *Gyrodinium dominans* and *G. spirale* on the red-tide dinoflagellate *Prorocentrum minimum*. *Marine Ecology Progress Series* 280:85-94.
- King, A.J. 2004. Density and distribution of potential prey for larval fish in the main channel of a floodplain river: pelagic versus epibenthic meiofauna. *River Research and Applications* 20(8):883-897.
- Kir, I., Y. Ayvaz, M. Barlas & S. Tekin-Ozan. 2004. Karacaoren I Baraj Golunde Yasayan Sazan (*Cyprinus carpio* L., 1758) lardaki Parazitlerin Mevsimsel Dagilimlan ve Etkileri. [Seasonal distribution and effect of parasites on carp (*Cyprinus carpio* L., 1758) inhabiting the Karacaoren I Dam Lake.] *Turkiye Parazitoloji Dergisi* 28(1):45-49. [In Turkish.]
- Köpcke, B. 2004. The importance of peripheral areas and mudflats for the maintenance of *Eurytemora affinis* (Pope, 1880) (Copepoda; Crustacea) populations in the Elbe Estuary. *Archiv für Hydrobiologie, Supplement* 110(4):330-443.
- Kornev, P.N. 2004. The first occurrence of the Tantulocarida for the White Sea. *Invertebrate Zoology* 1(1):53-58.
- Kotwicki, L., M. Szymelfenig, M. De Troch & M. Zajaczkowski. 2004. Distribution of meiofauna in Kongsfjorden, Spitsbergen. *Polar Biology* 27(11):661-669.
- Kumar, A. & S. Tripathi. 2004. Zooplanktonic diversity in relation to aquaculture in some ponds of Durg-Bhilai City, Chhattisgarh State. *Nature Environment and Pollution Technology* 3(2):175-178.
- Kurihara, H., S. Shimode & Y. Shirayama. 2004. Effects of raised CO₂ concentration on the egg production rate and early development of two marine copepods (*Acartia steueri* and *Acartia erythraea*). *Marine Pollution Bulletin* 49(9-10):721-727.
- Kywalyanga1, M.S., A.W. Mwandya & A. Valdenberg. 2004. Preliminary study on hatching of rotifers (*Brachionus plicatilis*) and copepods (Cyclopoida): response to flooding and organic fertilisation. *Western Indian Ocean Journal of Marine Science* 3(1):79-86.
- Kwak, S.N., S.-H. Huh & D.W. Klumpp. 2004. Partitioning of food resources among *Sillago japonica*, *Ditremma temmincki*, *Tridentiger trigonocephalus*, *Hippocampus japonicus* and *Petroscirtes breviceps* in an eelgrass, *Zostera marina*, bed. *Environmental Biology of Fishes* 71(4):353-364.
- Lansac-Tôha, F.A., C.C. Bonecker & L.F.M. Velho. 2004. Composition, species richness and abundance of the zooplankton community. In: Thomaz, S.M., A.A. Agostinho & N.S. Hahn (eds.). *The Upper Paraná River and its floodplain: physical aspects, ecology and conservation*. Backhuys Publishers, Leiden, 393 pp. Chapter pagination: 145-190.
- Lawson, G.L., P.H. Wiebe, C.J. Ashjian, S.M. Gallager, C.S. Davis & J.D. Warren. 2004. Acoustically-inferred zooplankton distribution in relation to hydrography west of the Antarctic Peninsula. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(17-19):2041-2072.
- Lee, J.M., J.M. Jeon & C.Y. Chang. 2004. Two semi-subterranean copepods from Korea. *Korean Journal of Biological Sciences* 8(3):145-154.
- Lee, W., S. Kim, S.H. Kang, H.W. Bang, K.H. Lee & I.S. Inn. 2004. Distribution and abundance of zooplankton in the Bransfield Strait and the western Weddell Sea during austral summer. *Ocean and Polar Research* 26(4):607-618.
- Lehman, J.T., S.E.B. Abella, A.H. Litt & W.T. Edmondson. 2004. Fingerprints of biocomplexity: taxon-specific growth of phytoplankton in relation to environmental factors. *Limnology and Oceanography* 49(4):1446-1456. (Part 2)
- Leite, R.G. 2004. A alimentação de juvenis de matrinxã, *Brycon amazonicum* (Pisces, Characidae), em áreas inundadas da Ilha de Marchantaria, Amazonas, Brasil. (The diet of matrinxã *Brycon amazonicum* (Pisces, Characidae) juveniles, in flooded areas of the Marchantaria Island, Amazonas, Brazil.) *Acta Amazonica* 34(4):661-664.
- Lemma, B. 2004. Diel vertical migration of zooplankton in a hypertrophic shallow temperate lake, Germany. *Sinet, Addis Ababa* 27(1):33-44.
- Lim, R.P. & L.H. Chaw. 2004. Crustacea: Copepoda, Calanoida. Pp. 254-266 In: C.M. Yule & Y.H. Sen (eds.). *Freshwater Invertebrates of the Malaysian region*. Academy of Sciences Malaysia, Kuala Lumpur. 861 pp.
- Lin, C.-L. & J.-s. Ho. 2004. Three species of *Nothobomolochus* Vervoort, 1962 (Copepoda: Bomolochidae) parasitic on marine fishes landed at Mituo fishing port in southern Taiwan. *Journal of the Fisheries Society of Taiwan* 31(3):201-224.
- Lin, T., F.-y. Cui, D.-m. Liu & D. An. 2004. Full-scale study of removal effect on Cyclops of zooplankton with chlorine dioxide. *Journal of Environmental Sciences* 16(5):746-750.

- Llanos-Rivera, A., G. Herrera & P. Bernal. 2004. Food size selectivity and diet overlap in larvae of Clupeiform species from central Chile. *Cahiers de Biologie Marine* 45(1):1-8.
- Lo, W., C. Shih & J. Hwang. 2004. Copepod assemblages and diel vertical migration in the East China Sea, north of Taiwan. *Crustaceana* 77(8):955-972.
- Lotze, H.K. & I. Milewski. 2004. Two centuries of multiple human impacts and successive changes in a North Atlantic food web. *Ecological Applications* 14(5):1428-1447.
- Ludwig, G.M. 2004. Hybrid striped bass fingerling production in ponds. Southern Regional Aquaculture Center Publication 302:1-7.
aquanac.org/publicat/usda_rac/efs/srac/302fs.pdf
- Luque, J.L. & A.D. Cezar. 2004. Metazoários ectoparasitos do pampo-galhudo, *Trachinotus goodei* Jordan & Evermann, 1896 (Osteichthyes: Carangidae), do litoral do Estado do Rio de Janeiro, Brasil. [Ectoparasite metazoans of the pompano *Trachinotus goodei* Jordan & Evermann, 1896 (Osteichthyes: Carangidae), of the coast of the State of Rio de Janeiro, Brazil.] *Acta Scientiarum, Maringá* 26(1):19-24. [In Portuguese.]
- Mantel, S.K., M. Salas & D. Dudgeon. 2004. Foodweb structure in a tropical Asian forest stream. *Journal of the North American Benthological Society* 23(4):728-755.
- **Marrone, F. & L. Naselli-Flores. 2004. First record and morphological features of *Hemidiaptomus (Occidodiaptomus) ingens* (Gurney, 1909) (Copepoda Calanoida) in Italy. *Journal of Limnology* 63(2):250-255. Available at:
http://www.iii.to.cnr.it/publiccaz/JL_63_2/07_Marrone.pdf
- Marsalek, B. & L. Blaha. 2004. Comparison of 17 biotests for detection of cyanobacterial toxicity. *Environmental Toxicology* 19(4):310-317.
- Martin, B. & W. Nellen. 2004. Composition and distribution of zooplankton at the Great Meteor Seamount, subtropical NE Atlantic. *Archive of Fishery and Marine Research /Archiv für Fischerei- und Meeresforschung* 51(2-3):89-100.
- Masson, S., B. Pinel-Alloul & P. Dutilleul. 2004. Spatial Heterogeneity of zooplankton biomass and size structure in southern Québec lakes: variation among lakes and within lake among epi-, meta and hypolimnion strata. *Journal of Plankton Research* 26(12):1441-1458.
- McGehee, D.E., D.A. Demer & J.D. Warren. 2004. Zooplankton in the Ligurian Sea: Part I. Characterization of their dispersion, relative abundance, and environment during summer 1999. *Journal of Plankton Research* 26(12):1409-1418.
- Menéndez-Díaz, Z., S. Suárez-Delgado, J. Rodríguez-Rodríguez, I. García-Ávila, M. Díaz-Pérez & I. García-García. 2004. Evaluación de *Macrocyclops albidus* (J.) para el control larval de *Aedes aegypti* (L.) bajo condiciones de laboratorio en Cuba. *Revista Cubana de Medicina Tropical* 56(3):227-229.
- Michaloudi, E. & M. Kostecka. 2004. Zooplankton of Lake Koroneia (Macedonia, Greece). *Biologia, Bratislava* 59(2):165-172.
- Mirabdullayev, I.M. 2004. Crustacea: Copepoda, Cyclopoida, Cyclopidae. Pp. 267-273 In: Yule, C.M. & Y.H. Sen (eds.). *Freshwater Invertebrates of the Malaysian Region*. Academy of Sciences Malaysia, Kuala Lumpur. 861 pp.
- **Mirabdullayev, I.M. & D. Defaye. 2004. On the taxonomy of the *Acanthocyclops robustus* species-complex (Copepoda, Cyclopidae): *Acanthocyclops brevispinosus* and *A. einslei* sp. n. *Vestnik Zoologii* 38(5):27-37.
- Miyashita, K., K. Tetsumura, S. Honda, T. Oshima, R. Kawabe & K. Sasaki. 2004. Diel changes in vertical distribution patterns of zooplankton and walleye pollock (*Theragra chalcogramma*) off the Pacific coast of eastern Hokkaido, Japan, estimated by the volume backscattering strength (Sv) difference method. *Fisheries Oceanography* 13(s1):99-110.
- Molinerio, J.C. & P. Nival. 2004. Spatial distribution of the copepod *Centropages typicus* in Ligurian Sea (NW Mediterranean). Role of surface currents estimated by Topex-Poseidon altimetry. *Comptes Rendus Biologies* 327(12):1103-1111.
- Möllmann, C., G. Kornilovs, M. Fetter & F.W. Köster. 2004. Feeding Ecology of central Baltic Sea herring and sprat. *Journal of Fish Biology* 65(6):1563-1581.
- Moravec, F. 2004. Metazoan parasites of salmonid fishes of Europe. Academia, Prague. 510 pp. Hardback. ISBN 80-200-1189-7.
- Morton, A.B. & R. Williams. 2004. First report of the sea louse, *Lepeophtheirus salmonis*, on juvenile pink salmon, *Oncorhynchus gorbuscha*, in nearshore habitat. *Canadian Field-Naturalist* 117(4):634-641.
- Moscatello, S. & G. Belmonte. 2004. Active and resting stages of zooplankton and its seasonal evolution in a hypersaline temporary pond of the Mediterranean coast (the 'Vecchia Salina', SE Italy). *Scientia Marina* 68(4):491-500.
- Muxagata, E., J.A. Williams & M. Shearer. 2004. Composition and temporal distribution of cirripede larvae in Southampton Water, England, with particular reference to the secondary production of *Elminius modestus*. ICES (International Council for the Exploration of the Sea) *Journal of Marine Science* 61(4):585-595.
- Nakata, K., H. Itoh, T. Ichikawa & K. Sasaki. 2004. Seasonal changes in the reproduction of three oncaeid copepods in the surface layer of the Kuroshio Extension. *Fisheries Oceanography* 13(s1):21-33.
- Neff, B.D. & L.M. Cargnelli. 2004. Relationships between condition factors, parasite load and paternity in bluegill sunfish, *Lepomis macrochirus*. *Environmental Biology of Fishes* 71(3):297-304.
- Neira, S. & H. Arancibia. 2004. Trophic interactions and community structure in the upwelling system off Central

- Chile (33-39°S). *Journal of Experimental Marine Biology and Ecology* 312(2):349-366.
- Nithiuthai, S., M.T. Anantaphruti, J. Waikagul & A. Gajadhar. 2004. Waterborne zoonotic helminthiasis. *Veterinary Parasitology* 126(1-2):167-193.
- Nozais, C., R. Perissinotto & G. Tita. 2004. Seasonal dynamics of meiofauna in a South African temporarily open/closed estuary (Mdloti Estuary, Indian Ocean). *Estuarine, Coastal and Shelf Science* 62(1-2):325-338. [For 2005.]
- Ogle, D.H., B.A. Ray & W.P. Brown. 2004. Diet of larval ruffe (*Gymnocephalus cernuus*) in the St. Louis River harbor, Lake Superior. *Journal of Great Lakes Research* 30(2):287-292.
- Ohta, I. & K. Tachihara. 2004. Larval development and food habits of the marbled parrotfish, *Leptoscarus vaigiensis*, associated with drifting algae. *Ichthyological Research* 51(1):63-69.
- Ohtsuka, S. 2004. Evolution of zooplankters with special reference to pelagic copepods. *Bulletin of Plankton Society of Japan* 51(2):125-131.
- Ohtsuka, S., M. Hora, T. Suzaki, M. Arikawa, G. Omura & K. Yamada. 2004. Morphology and host-specificity of the apostome ciliate *Vampyrophyra pelagica* infecting pelagic copepods in the Seto Inland Sea, Japan. *Marine Ecology Progress Series* 282:129-142.
- Ohtsuka, S., K. Nagasawa, J.S. Ho & M.J. Grygier. 2004. The true nature of the enigmatic copepod genus *Limnoncaea* from plankton in Japan and the importance of parasito-planktology. *Bulletin of Plankton Society of Japan* 51(1):13-24.
- Ökter, A. & J.P. Trilles. 2004. Three new parasitic copepod species for the parasite fauna of marine fishes of Turkey. *Journal of the Black Sea/Mediterranean Environment* 10:71-80.
- Olascoaga, M.J., N. Idrisi & A. Romanou. 2004. Biophysical isopycnic-coordinate modelling of plankton dynamics in the Arabian Sea. *Ocean Modelling* 8(1-2):55-80. [For 2005.]
- Olaso, I., A. Lombardi & F. Velasco. 2004. Daily ration of Antarctic silverfish (*Pleuragramma antarcticum* Boulenger, 1902) in the eastern Weddell Sea. *Scientia Marina* 68(3):419-424.
- Olesen, M. 2004. Copepods – role in the transfer of primary production to fish. SGPROD Report 2004. ICES Baltic Committee (ICES CM 2004/H: 01).
- Oliva, M.E., M.T. González & E. Acuña. 2004. Metazoan parasite fauna as a biological tag for the habitat of the flounder *Hippoglossina macrops* from northern Chile, in a depth gradient. *Journal of Parasitology* 90(6):1374-1377.
- Olson, N.W., S.K. Wilson & D.W. Willis. 2004. Effect of spatial variation on zooplankton community assessment in fishery studies. *Fisheries, Bethesda* 29(4):17-22.
- Onsrud, M.S.R., S. Kaartvedt, A. Røstad & T.A. Klevjer. 2004. Vertical distribution and feeding patterns in fish foraging on the krill *Meganyctiphanes norvegica*. ICES (International Council for the Exploration of the Sea) *Journal of Marine Science* 61(8):1278-1290.
- Oozeki, Y., Y. Watanabe & D. Kitagawa. 2004. Environmental factors affecting larval growth of Pacific saury, *Cololabis saira*, in the northwestern Pacific Ocean. *Fisheries Oceanography* 13(s1):44-53.
- Østergaard, P. & G.A. Boxshall. 2004. Giant females and dwarf males: a comparative study of nuptial organs in female Chondracanthidae (Crustacea: Copepoda). *Zoologischer Anzeiger - A Journal of Comparative Zoology* 243(1-2):65-74.
- O'Sullivan, P.E. & C.S. Reynolds (eds.). 2004. *The Lakes Handbook, Volume 1. Limnology and Limnetic Ecology*. Blackwell Science, Oxford, U.K. ISBN 0-632-04797-6
- Pakhomov, E.A. & P.W. Froneman. 2004. Zooplankton dynamics in the eastern Atlantic sector of the Southern Ocean during the austral summer 1997/1998 – Part 1: Community structure. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(22-24):2599-2616.
- Pakhomov, E.A. & P.W. Froneman. 2004. Zooplankton dynamics in the eastern Atlantic sector of the Southern Ocean during the austral summer 1997/1998 – Part 2: Grazing impact. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(22-24):2617-2631.
- Palma, S. & N. Silva. 2004. Distribution of siphonophores, chaetognaths, euphausiids and oceanographic conditions in the fjords and channels of southern Chile. *Deep Sea Research Part II Topical Studies in Oceanography* 51(6-9):513-535.
- Pandey, B.N., S. Hussain & A.K. Jha. 2004. Seasonal fluctuation of zooplanktonic community in relation to certain physico-chemical parameters of river Ramjan of Kishanganj, Bihar. *Nature Environment and Pollution Technology* 3(3):325-330.
- Pane, L., M. Feletti, B. Francomacaro & G.L. Mariottini. 2004. Summer coastal zooplankton biomass and copepod community structure near the Italian Terra Nova Base (Terra Nova Bay, Ross Sea, Antarctica). *Journal of Plankton Research* 26(12):1479-1488.
- Pasternak, A.F., V.N. Mikheev & E.T. Valtonen. 2004. Adaptive significance of the sexual size dimorphism in the fish ectoparasite *Argulus coregoni* (Crustacea: Branchiura). *Doklady Biological Sciences* 399:477-480.
- Peeler, E.J. & A.G. Murray. 2004. Disease interaction between farmed and wild fish populations. *Journal of Fish Biology* 65(s1):321-322.
- Peltonen, H., M. Vinni, A. Lappalainen & J. Pönni. 2004. Spatial feeding patterns of herring (*Clupea harengus* L.), sprat (*Sprattus sprattus* L.), and the three-spined stickleback (*Gasterosteus aculeatus* L.) in the Gulf of Finland, Baltic Sea. ICES (International Council for the Exploration of the Sea) *Journal of Marine Science* 61(6):966-971.
- Penafforida, V.D. 2004. Amino acid profiles in the midgut, ovary, developing eggs and zoea of the mud crab, *Scylla*

- serrata*. Israeli Journal of Aquaculture, Bamidgheh 56(2):113-125.
- Pinel-Alloul, B. & V. Alekseev. 2004. Summer cyclopid diapause in Québec lakes: the role of lake morphometry and productivity. Journal of Limnology 63(Suppl. 1):96. [Abstract.]
- Pothoven, S.A. & H.A. Vanderploeg. 2004. Diet and prey selection of alewives in Lake Michigan: seasonal, depth, and interannual patterns. Transactions of the American Fisheries Society 133(5):1068-1077.
- Protasov, A.A. 2004. Composition and distribution of zooplankton of cooling reservoir of Khchmelnitskaya Nuclear Power Plant. Hydrobiological Journal 40(4):35-44. [In Russian; English abstract.]
- Przybyła, K., P. Zasepa & M. Klonowska-Olejnik. 2004. Zoobentos i zooplankton czterech stawow Babiej Gory. Zoobenthos and zooplankton of four ponds at the Babia Gora Mountain (southern Poland). Parki Narodowe i Rezerwaty Przyrody 23(2):233-246. [In Polish.]
- Pusch, C., S. Schnack-Schiel, E. Mizzdalski & H. von Westernhagen. 2004. Feeding ecology of three myctophid species at the Great Meteor Seamount (North east Atlantic). Archive of Fishery and Marine Research 51(1-3):251-271.
- Ragias, V., D. Tontis and F. Athanassopoulou. 2004. Incidence of an intense *Caligus minimus* Otto 1821, *C. pageti* Russel, 1925, *C. mugilis* Brian, 1935 and *C. apodus* Brian, 1924 infection in lagoon cultured sea bass (*Dicentrarchus labrax* L.) in Greece. Aquaculture 242(1-4):727-733.
- Ramos, J.R., J.L. Carvajal, M. Carter & L.R. Zúñiga. 2004. Diel vertical migration patterns of three zooplankton populations in a Chilean lake. Revista Chilena de Historia Natural 77(1):29-41.
- Ramos-Rodríguez, E. & J.M. Conde-Porcuna. 2004. Impact of copepod production on the fecundity of *Keratella cochlearis* (Rotifera). Archiv für Hydrobiologie 161(4):541-552.
- Rand, G.M. 2004. Fate and effects of the insecticide-miticide chlorfenapyr in outdoor aquatic microcosms. Ecotoxicology and Environmental Safety 58(1):50-60.
- Ranzani-Paiva, M.J. & A.T. Silva-Souza. 2004. Co-infestation of gills by different parasite groups in the mullet, *Mugil platanus* Gunther, 1880 (Osteichthyes, Mugilidae): effects on relative condition factor. Brazilian Journal of Biology 64(3B):677-682.
- Rawlinson, K.A., J. Davenport & D.K.A. Barnes. 2004. Tidal exchange of zooplankton between Lough Hyne and the adjacent coast. Estuarine, Coastal and Shelf Science 62(1-2):205-215. [For 2005.]
- Revie, C., G. Gettinby & J. Treasurer. 2004. Study reveals regularity of *Caligus elongatus* infection. Fish Farmer 27(3):8-10.
- Revie, C., G. Gettinby, J. Treasurer & C. Wallace. 2004. Environmental and management factors associated with sea lice levels on Scottish salmon farms. Fish Farmer 27(4):35-37.
- Rey-Rassat, C., D. Bonnet, X. Irigoien, R. Harris, R. Head & F. Carlotti. 2004. Is weight an important parameter when measuring copepod growth? Journal of Experimental Marine Biology and Ecology 313(1):19-27.
- Rey-Rassat, C., D. Bonnet, X. Irigoien, R. Harris, R. Head & F. Carlotti. 2004. Secondary production of *Calanus helgolandicus* in the Western English Channel. Journal of Experimental Marine Biology and Ecology 313(1):29-46.
- Rokneddine, A. 2004. Influence de la salinité et de la température sur la reproduction d'*Arctodiaptomus salinus* (Daday, 1885) (Copepoda, Calanoida), du marais temporaire salé, "La Sebkhah Zima" (Maroc) [The influence of salinity and temperature on the reproduction of *Arctodiaptomus salinus* (Daday, 1885) (Copepoda, Calanoida) in the temporary salt marsh, "La Sebkhah Zima" (Morocco)]. Crustaceana 77(8):923-940.
- Romo, S., M.R. Miracle, M.-J. Villena, J. Rueda, C. Ferriol & E. Vicente. 2004. Mesocosm experiments on nutrient and fish effects on shallow lake food webs in a Mediterranean climate. Freshwater Biology 49(12):1593-1607.
- Rossa-Feres, D. de C., J. Jim & M.G. Fonseca. 2004. Diets of tadpoles from a temporary pond in southeastern Brazil (Amphibia, Anura). Revista Brasileira de Zoologia 21(4):745-754.
- Saarinen, M. & J. Taskinen. 2004. Aspects of the ecology and natural history of *Paraergasilus rylovi* (Copepoda, Ergasilidae) parasitic in unionids of Finland. Journal of Parasitology 90(5):948-952.
- Sabatés, A. 2004. Diel vertical distribution of fish larvae during the winter-mixing period in the Northwestern Mediterranean. ICES (International Council for the Exploration of the Sea) Journal of Marine Science 61(8):1243-1252.
- Saha, T.K. 2004. Net plankton diversity in coal mining areas of Jharkhand. Ecology Environment and Conservation 10(1):11-16.
- Salgado, J.P., H. Nogueira-Cabral & M.J. Costa. 2004. Feeding ecology of the gobies *Pomatoschistus minutus* (Pallas, 1770) and *Pomatoschistus microps* (Kroyer, 1838) in the upper Tagus estuary, Portugal. Scientia Marina 68(3):425-434.
- Sanoamuang, L.-O. & N. Sivongxay. 2004. Description of *Eodiaptomus phuvongi* n. sp. (Copepoda, Calanoida) from Thailand and Laos. Crustaceana 77(10):1223-1236.
- Sanyanga, R.A. & L. Mhlanga. 2004. Limnology of Zimbabwe. Pp. 117-170 In: Gopal, B. & R.G. Wetzel (eds.). Limnology in Developing Countries. Vol. 4. For the International Association for Theoretical and Applied Limnology. International Scientific Publications, New Delhi, India. 244 pp.
- Sardella, N.H. & J.T. Timi. 2004. Parasites of Argentine hake in the Argentine Sea: population and

- infracommunity structure as evidence for host stock discrimination. *Journal of Fish Biology* 65(6):1472-1488.
- Sarkar, N.K. 2004. Two new species of *Coccidia* (Apicomplex : Eimeriidae) from estuarine fishes of West Bengal, India. *Uttar Pradesh Journal of Zoology* 24(3):255-257.
- Schlekat, C.E., D.G. Purkerson & S.N. Luoma. 2004. Modeling selenium bioaccumulation through arthropod food webs in San Francisco Bay, California, USA. *Environmental Toxicology and Chemistry* 23(12):3003-3010.
- Schnack-Schiel, S.B. & S. Henning. 2004. Occurrence and distribution pattern of mesozooplankton in the vicinity of the Great Meteor Seamount (subtropical North Atlantic). *Archive of Fishery and Marine Research / Archiv für Fischerei- und Meeresforschung* 51(2-3):101-114.
- Schulz, K. 2004. New species of the family Spinocalanidae (Copepoda, Calanoida) from the deep Antarctic benthopelagial. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut, Hamburg* 101:197-211.
- Schulz, M., R. Koschel, C. Reese & T. Mehner. 2004. Pelagic trophic transfer efficiency in an oligotrophic, dimictic deep lake (Lake Stechlin, Germany) and its relation to fisheries yield. *Limnologia* 34(3):264-273.
- Selifonova, J. & A. Jilenkov. 2004. The impact of invader ctenophore *Mnemiopsis leidyi* and *Beroe ovata* on zooplankton of the Novorossiysk Bay, Black Sea. *Acta Zoologica Bulgarica* 56(1):83-91.
- Sepúlveda, F., S.L. Marín & J. Carvajal. 2004. Metazoan parasites in wild fish and farmed salmon from aquaculture sites in southern Chile. *Aquaculture* 235(1-4):89-100.
- Seuront, L., J.S. Hwang, L.C. Tseng, F.G. Schmit, S. Souissi & C.K. Wong. 2004. Individual variability in the swimming behavior of the sub-tropical copepod *Oncaea venusta* (Copepoda: Poecilostomatoida). *Marine Ecology Progress Series* 283:199-217.
- Shalaby, I.M.I, A.A. Ashour, M.A.A. Ghobashy & J.M. Lewis. 2002. Description of some ectoparasitic copepods (Crustacea) on Red Sea fishes. *Bulletin of the National Institute of Oceanography and Fisheries* 28:1-33.
- Shedko, M.B. 2004. New species of the parasitic copepod *Salmincola mica* sp. n. (Lernaeopodidae) from the round whitefish *Prosopium cylindraceum* (Coregonidae), of the Anadyr River. *Vestnik Zoologii* 38(5):39-45. [In Russian.]
- Sheeba, S., N. Ramanujan & S. Santhosh. 2004. Qualitative and quantitative study of zooplankton in Ithikkara river, Kerala. *Ecology Environment and Conservation* 10(3):249-252.
- Shin, S. & I.-H. Kim. 2004. Three new species of *Collocheres* (Copepoda, Siphonostomatoida, Asterocheridae) associated with crinoids and ophiuroids from Korea. *Korean Journal of Biological Sciences* 8(4):267-280.
- Shushkina, E.A., M.E. Vinogradov, L.P. Lebedeva & T.A. Lukasheva. 2004. The structure of the coastal plankton communities at the beginning of the cooling cycle (2003) in the northeastern part of the Black Sea. *Oceanology / Okeanologiya* 44(6):836-844.
- Signoretto, C., G. Burlacchini, M.M. Lleò, C. Pruzzo, M. Zampini, L. Pane, G. Franzini & P. Canepari. 2004. Adhesion of *Enterococcus faecalis* in the nonculturable state to plankton is the main mechanism responsible for persistence of this bacterium in both lake and seawater. *Applied and Environmental Microbiology* 70:6892-6896.
- Silva, W.M. & T. Matsumura-Tundisi. 2004. Cytogenetics of the freshwater cyclopoid *Mesocyclops longisetus longisetus* (Crustacea, Copepoda) from São Carlos, São Paulo, Brazil. *Biota Neotropica* 4(2). <http://www.biotaneotropica.org.br/v4n2/pt/fullpaper?bn03604022004+en>
- Sivakumar, K. & K. Altaff. 2004. Ecological indices of freshwater copepods and cladocerans from Dharmapuri District, Tamil Nadu. *Zoos Print Journal* 19(5):1466-1468.
- Skattebol, L., Y. Stenstrom & C. Syvertsen. 2004. Insect juvenile hormone analogues and their biological activity on sea lice (*Lepeophtheirus salmonis*). *Journal of Agricultural and Food Chemistry* 52(23):6944-6949.
- Smetacek, V., P. Assmy & J. Henjes. 2004. The role of grazing in structuring Southern Ocean pelagic ecosystems and biogeochemical cycles. *Antarctic Science* 16(4):541-558.
- Sobecka, E., E. Jurkiewicz & W. Piasecki. 2004. Parasite fauna of ide, *Leuciscus idus* (L.) in Lake Dąbie, Poland. *Acta Ichthyologica et Piscatoria* 34(1):33-42.
- Sommer, T.R., W.C. Harrell, A. Mueler-Solger, B. Tom & W. Kimmerer. 2004. Effects of flow variation on channel and floodplain biota and habitats of the Sacramento River, California, USA. *Aquatic Conservation* 14(3):247-261.
- Souissi, S., V. Ginot, L. Seuront & S.I. Uye. 2004. Using multiagent systems to develop individual-based models for copepods: consequences of individual behavior and spatial heterogeneity on the emerging properties at the population scale. Pp. 523-542 In: Seuront, L. & P.G. Strutton (eds). *Handbook of Scaling Methods in Aquatic Ecology: Measurement, Analysis, Simulation*. CRC Press, Boca Raton, London etc. 600 pp.
- Souza-Pereira, P.E. & A.F. Monteiro-Camargo. 2004. Efeito da salinidade e do esgoto orgânico sobre a comunidade zooplanctônica, com ênfase nos copépodes, do estuário do rio Itanhaem, Estado de São Paulo. Effects of salinity and organic wastes on zooplankton community, with emphasis on copepods, in the Itanhaem river estuary, São Paulo state. *Acta Scientiarum, Biological Sciences* 26(1):9-17. [In Portuguese.]
- Stevens, C.J., D. Deibel & C.C. Parrish. 2004. Incorporation of bacterial fatty acids and changes in a wax ester-based omnivory index during a long-term incubation

- experiment with *Calanus glacialis* Jaschnov. *Journal of Experimental Marine Biology and Ecology* 303(2):135-156.
- Stoch, F. 2004. Indagini ecologiche e faunistiche sulla Meiofauna (Acari e Crostacei) di alcune sorgenti del Parco Naturale delle Prealpi Giulie (Italia nord-orientale). An ecological and faunal survey of the meiofaunal assemblages (Acari and microcrustaceans) of some springs of the Natural Park of the Julian Pre Alps (north-eastern Italy). *Gortania, Atti del Museo Friulano di Storia Naturale* 25:245-260. [In Italian.]
- Strecker, A.L., T.P. Cobb & R.D. Vinebrooke. 2004. Effects of experimental greenhouse warming on phytoplankton and zooplankton communities in fishless alpine ponds. *Limnology and Oceanography* 49(4):1182-1190.
- Stuge, T.S. 2004. Composition and development of the planktonic shrimps community in waterbodies of the Kurgaldzhyn reservation. *Selevinia* 2003:47-55. [In Russian.]
- Stuge, T.S. 2004. The monitoring of calanoid copepod *Calanipeda aquaedulcis* Kritschagin under changing salinity at the Aral Sea. *Selevinia* 2003:221.
- Suárez-Rubio, M. & M.F. Suárez. 2004. The use of the copepod *Mesocyclops longisetus* as a biological control agent for *Aedes aegypti* in Cali, Colombia. *Journal of the American Mosquito Control Association* 20(4):401-404.
- Suderman, K. & D. Thistle. 2004. The relative impacts of spills of two alternative fuels on the microalgae of a sandy site: a microcosm study. *Marine Pollution Bulletin* 49(5-6):473-478.
- Szedlmayer, S.T. & J.D. Lee. 2004. Diet shifts of juvenile red snapper (*Lutjanus compechanus*) with changes in habitat and fish size. *Fishery Bulletin, Seattle* 102(2):366-375.
- Szekely, C., A. Avenant-Oldewage & K. Molnar. 2004. Description of a new actinosporean type from South African freshwaters. *Diseases of Aquatic Organisms* 61(1-2):95-102.
- Tan, Y.H., L.M. Huang, Q. Chen & X. Huang. 2004. Seasonal variation in zooplankton composition and grazing impact on phytoplankton standing stock in the Pearl River Estuary, China. *Continental Shelf Research* 24(16):1949-1968.
- Tan, Y.H., L.M. Huang, J.D. Dong, H.K. Wang & X.Y. Song. 2004. Species composition of copepods and feeding impact on phytoplankton. *Journal of Tropical Oceanography* 23(5):17-24. [In Chinese.]
- Tan, Y.H., L.M. Huang, J.Q. Yin, H.K. Wang & X.Y. Song. 2004. Effects of phytoplankton and light on amino acids in copepods. *Journal of Tropical Oceanography* 23(5):42-49. [In Chinese.]
- Tang, K.W. 2004. Ever since Hutchinson: the bottom-up vs. top-down discussion continues. *Ecology* 85(10):2913-2914.
- Tarling, G.A., P. Ward, R. Shreeve, S. Thorpe, E. Murphy & A. Hirst. 2004. Life-cycles, productivity and biomass of copepods in the Southern Ocean: a new perspective. *GLOBEC International Newsletter* 10(1):18-19.
- Tavares, L.E.R. & J.L. Luque. 2004. Community ecology of the metazoan parasites of common snook *Centropomus undecimalis* (Osteichthyes: Centropomidae) from the coastal zone of the State of Rio de Janeiro, Brazil. *Brazilian Journal of Biology* 64(3A):523-529.
- Telesh, I. & R. Heerkloss. 2004. Atlas of Estuarine Zooplankton of the Southern and Eastern Baltic Sea. Planktonic Crustaceans (Cladocera and Copepoda). Kovac-Verlag, Hamburg.
- Tessier, C., A. Cattaneo, B. Pinell-Alloul, G. Galanti & G. Morabito. 2004. Biomass, composition and size structure of invertebrate communities associated to different types of aquatic vegetation during summer in Lago di Candia (Italy). *Journal of Limnology* 63(2):190-198.
- Thorstad, E., F. Okland, B. Finstad, R. Sivertsgard, P. Bjorn & R. McKinley. 2004. Migration speeds and orientation of Atlantic salmon and sea trout post-smolts in a Norwegian fjord system. *Environmental Biology of Fishes* 71(3):305-311.
- Timi, J.T., J.A. Etchegoin & A. Lanfranchi. 2004. *Bliis marplatensis* sp. nov. (Copepoda, Chondracanthidae) parasitizing *Prionotus nudigula* (Pisces, Triglidae) from Mar del Plata, Argentina. *Acta Parasitologica* 49(4):332-335.
- Titelman, J. & Ø. Fiksen. 2004. Ontogenetic vertical distribution patterns in small copepods: field observations and model predictions. *Marine Ecology Progress Series* 284:49-63.
- Torres, P., L. Villalobos, S. Woelfl & S. Puga. 2004. Identification of the copepod intermediate host of the introduced broad fish tapeworm, *Diphyllobothrium latum*, in Southern Chile. *Journal of Parasitology* 90(5):1190-1193.
- Touzri, C., M.N. Daly-Yahia & J. Goy. 2004. Le plancton gelatineux de la Baie de Sousse (Méditerranée Méridionale): systematique et ecologie. Gelatinous plankton of Sousse Bay: systematics and ecology. *Bulletin de la Société Zoologique de France* 129(4):379-392. [In French.]
- Treasurer, J., C. Revie & G. Gettinby. 2004. Examination of extensive data sets reveal patterns of sea lice abundance in Scotland. *Fish Farmer* 27(2):12-14.
- Treasurer, J.W. & S. Wadsworth. 2004. Fish gills: important sites of sea lice attachment? *Fish Farmer* 27(5):31-33.
- Tsikhon-Lukanina, E.A. & G.G. Nikolaeva. 2004. Body size and food composition of the barnacle *Lepas anatifera* (Crustacea, Cirripedia) in cluster and single settlements on floating *Sargassum* in the Norwegian Sea. *Zoologicheskii Zhurnal* 83(4):402-407. [In Russian.]
- Tsotetsi, A.M., A. Avenant-Oldewage & S.N. Mashego. 2004. Aspects of the pathology of *Lamproglana clariae* Fryer, 1956 (Copepoda: Lernaecidae) from the Vaal River system. *Microscopy Society of Southern Africa Proceedings* 34:75. [Abstract.]

- Tsotetsi, A.M., A. Avenant-Oldewage & S.N. Mashego. 2004. Aspects of the ecology of *Lamproglena clariae* (Copepoda: Lernaeidae) from the Vaal River system, South Africa. *Journal of Crustacean Biology* 24(4):529-536.
- Tsuda, A., H. Saito & H. Kasai. 2004. Life histories of *Eucalanus bungii* and *Neocalanus cristatus* (Copepoda: Calanoida) in the western subarctic Pacific Ocean. *Fisheries Oceanography* 13(s1):10-20.
- Tuchman, M.L. & R.P. Barbiero. 2004. Changes in the crustacean communities of Lakes Michigan, Huron, and Erie following the invasion of the predatory cladoceran *Bythotrephes longimanus*. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 61(11):2111-2125.
- Turki, S., M. Rezig & A. El Abed. 2004. Diversité biologique du peuplement zooplanctonique de la retenue Bir M'Cherga (Zaghouan, Tunisie). Biodiversity of the zooplanktonic populations in the Bir M'cherga reservoir (Zaghouan, Tunisie [Tunisia]). *Bulletin de la Société Zoologique de France* 129(4):367-377. [In French.]
- Uchikawa, K., J.R. Bower, Y. Sato & Y. Sakurai. 2004. Diet of the minimal armhook squid (*Berryteuthis anonychus*) (Cephalopoda: Gonatidae) in the northeast Pacific during spring. *Fishery Bulletin, Seattle* 102(4):733-739.
- Ueda, H., A. Terao, M. Tanaka, M. Hibino & Md. Shahidul Islam. 2004. How can river-estuarine planktonic copepods survive river floods? *Ecological Research* 19(6):625-632.
- Usio, N. & C.R. Townsend. 2004. Roles of crayfish: Consequences of predation and bioturbation for stream invertebrates. *Ecology, Washington D.C.* 85(3):807-822.
- Uysal, Z. & A. Shmeleva. 2004. Two new species of the genus *Calanopia* (Copepoda, Calanoida, Pontellidae) from the northern Levantine Basin (Mediterranean Sea). *Vestnik Zoologii* 38(4):9-13.
- Vakkilainen, K., Timo Kairesalo, J. Hietala, D.M. Balayla, E. Bécares, W.J. Van de Bund, E. Van Donk, M. Fernández-Aláez, M. Gyllström, L.-A. Hansson, M.R. Miracle, B. Moss, S. Romo, J. Rueda & D. Stephen. 2004. Response of zooplankton to nutrient enrichment and fish in shallow lakes: a pan-European mesocosm experiment. *Freshwater Biology* 49(12):1619-1632.
- Valovaya, N.A. & V.I. Vasiliev. 2004. Spatial and temporal changes of zooplankton in the Patagonian declivity area during November, 1987. *Vestnik Moskovskogo Universiteta, Seriya XVI Biologiya* (1):43-48. [In Russian.]
- Vandekerckhove, J., B. Niessen, S. Declerck, E. Jeppesen, J.M. Conde-Porcuna, L. Brendonck & L. De Meester. 2004. Hatching rate and hatching success with and without isolation of zooplankton resting stages. *Hydrobiologia* 526:235-241.
- Veit-Köhler, G. 2004. *Kliopsyllus andeep* sp. n. (Copepoda: Harpacticoida) from the Antarctic deep sea – a copepod closely related to certain shallow-water species. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(14-16):1629-1641.
- Victor, R. 2004. Limnology in the Sultanate of Oman. Pp. 219-244 In: Gopal, B. & R.G. Wetzel (eds.). *Limnology in Developing Countries*. Vol. 4. For the International Association for Theoretical and Applied Limnology. International Scientific Publications, New Delhi, India. 244 pp.
- Vinogradov, G.M. & E.I. Musaeva. 2004. Patterns of the vertical plankton distribution in the areas of the hydrothermal activity: Menez Gwen, Lost City and Snake Pit (North Atlantic). *Okeanologiya* 44(4):538-548. [In Russian.]
- Vukanic, V. 2004. Seasonal overview of hydrographic characteristics in the Boka Kotorska Bay in 2002. The 33rd annual conference of Yugoslavian Water Pollution Control Society 'Water 2004', Borsko Jezero. Pp. 423-428.
- Vukanic, D. & V. Vukanic. 2004. Report on zooplankton research and the regional approach to protection and rational utilization of Boka Kotorska Bay and coastal waters of Montenegro coast. *Journal of Natural and Mathematical Sciences, Banja Luka* 4(6-7):9-21.
- Vukanic, D. & V. Vukanic. 2004. Characteristics of copepod plankton community in surface waters of southern Adriatic. The 33rd annual conference of Yugoslavian Water Pollution Control Society 'Water 2004', Borsko Jezero. Pp. 429-434.
- Vykusova, B. 2004. *Ergasilus sieboldi* Nordmann, 1832 - biologie, rozšreni, patogenita a možnosti profylaxe (prehled). *Ergasilus sieboldi* Nordmann, 1832 - biology, occurrence, pathogeny [pathogenesis] and prophylactic (a review). *Bulletin VURH Vodnany* 40(1):29-34.
- Walkusz, W., S. Kwasniewski, K. Dmoch, H. Hop, M.I. Zmijewska, L. Maria, L. Bielecka, S. Falk-Petersen & J. Sicinski. 2004. Characteristics of the Arctic and Antarctic mesozooplankton in the neritic zone during summer. *Polish Polar Research* 25(3-4):275-291.
- Wan, C.Y., X.H. Wu, C.L. Hu, T. Yu, H.Q. Guo & D.L. Zhu. 2004. Investigation and comprehensive assessment of zoobenthos of reservoirs in Jiangsu Province. *Hupo Kexue* 16(1):43-48. [In Chinese.]
- Wan, R.J., Y.W. Jiang & Z.M. Zhuang. 2004. Morphological and developmental characters at the early stages of the tonguefish *Cynoglossus semilaevis*. *Acta Zoologica Sinica* 50(1):91-102. [In Chinese.]
- Wang, K., R. Wang, T. Zuo & S.-W. Gao. 2004. Analysis of zooplankton biomass in Changjiang River estuary and adjacent waters. *Oceanologia et Limnologia Sinica* 35(6):575-576. [In Chinese.]
- Ward, P., S. Grant, M. Brandon, V. Siegel, V. Sushin, V. Loeb & H. Griffiths. 2004. Mesozooplankton community structure in the Scotia Sea during the CCAMLR 2000 survey: January - February 2000. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(12-13):1351-1367.

- Warren, J.D., D.A. Demer, D.E. McGehee, R. Di Mento & J.F. Borsani. 2004. Zooplankton in the Ligurian Sea: Part II. Exploration of their physical and biological forcing functions during summer 2000. *Journal of Plankton Research* 26(12):1419-1427.
- Weis, J.S., J. Skurnick & P. Weis. 2004. Studies of a contaminated brackish marsh in the Hackensack Meadowlands of northeastern New Jersey: benthic communities and metal contamination. *Marine Pollution Bulletin* 49(11-12):1025-1035.
- Whitman, R.L., M.B. Nevers, M.L. Goodrich, P.C. Murphy & B.M. Davis. 2004. Characterization of Lake Michigan coastal lakes using zooplankton assemblages. *Ecological Indicators* 4(4):277-286.
- Williams, J.D. 2004. Reproduction and morphology of *Polydorella* (Polychaeta: Spionidae), including the description of a new species from the Philippines. *Journal of Natural History* 38(11):1339-1358.
- Williams, J.J. & C.L. Pederson. 2004. Diel vertical migration in *Daphnia lumholtzi* (Sars). *Journal of Freshwater Ecology* 19(2):305-311.
- Willis, K.J., P.J. van den Brink & J.D. Green. 2004. Seasonal variation in plankton community responses of mesocosms dosed with pentachlorophenol. *Ecotoxicology* 13(7):707-720.
- Winkelmann, R.K., C. Elzinga, D.R. Nelson, M.B. Edlund & M.R. Sommerfeld. 2004. The plankton of the St. Croix River in 2000, including tardigrades, a red alga, and Chrysophyceae. *Journal of Freshwater Ecology* 19(2):179-188.
- Wlasow, T., K. Mierzejewska & B. Wziatek. 2004. Rozdily ve vyskytu *Ergasilus sieboldi* Nordmann, 1832 u ryb ze dvou casti Jezera Oswin v severnim Polsku. Different occurrence of *Ergasilus sieboldi* Nordmann, 1832 in fish from two parts of the Lake Oswin in northern Poland. *Bulletin VURH Vodnany* 40(1): 3-9.
- Xiang, X.F., S.Z. Chen & W.X. Cao. 2004. Spatial variations of planktonic Crustacea communities in the Middle and Lower Hanjiang River. *Changjiang Liuyu Ziyuan Yu Huanjing* 13(2):187-192.
- Xiao, Y. 2004. An equation of biological windows and its applications. *Ecological Modelling* 181(4):521-533. [For 2005.]
- Xu, Z.-I. 2004. Relationship between red tide occurrence and zooplankton communities structure in the coastal sea of East China Sea in spring. *China Environmental Science* 24(3):257-260. [In Chinese.]
- Yamazaki, A.K. & D. Kamykowski. 2004. Modeling planktonic behavior as a complex adaptive system. Pp. 543-557 In: Seuront, L. & P.G. Strutton (eds). *Handbook of Scaling Methods in Aquatic Ecology: Measurement, Analysis, Simulation*. CRC Press, Boca Raton, London etc. 600 pp.
- Yeber, L., S. Hernández-León, C. Almeida, P. Bécognée & J.M. Rodríguez. 2004. The effect of upwelling filaments and island-induced eddies on indices of feeding, respiration and growth in copepods. *Progress in Oceanography* 62(2-4):151-169.
- Yen, J., A.C. Prusak, M. Caun, M. Doall, J. Brown & J.R. Strickler. 2004. Signaling during mating in the pelagic copepod *Temora longicornis*. Pp. 149-159 In: Seuront, L. & P.G. Strutton (eds). *Handbook of Scaling Methods in Aquatic Ecology: Measurement, Analysis, Simulation*. CRC Press, Boca Raton, London etc. 600 pp.
- Yin, J.Q., G.X. Zhang, Y.H. Tan, L.M. Huang & K.Z. Li. 2004. Species composition and quantitative distribution of zooplankton in Sanya Bay, Hainan Province, China. *Journal of Tropical Oceanography* 23(5):1-9. [In Chinese.]
- Yoo, S. & H.-C. Kim. 2004. Suppression and enhancement of the spring bloom in the southwestern East Sea/Japan Sea. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(10-11):1093-1111.
- Zeller, M., R. Jiménez-Melero & B. Santer. 2004. Diapause in the calanoid freshwater copepod *Eudiaptomus graciloides*. *Journal of Plankton Research* 16(12):1379-1388.
- Zhang, G.-T. & S. Sun. 2004. Effects of diatoms on reproduction and growth of marine copepods. *Progress in Natural Science* 14(10):841-847.
- Zhou, M., Y. Zhu & J.O. Peterson. 2004. In situ growth and mortality of mesozooplankton during the austral fall and winter in Marguerite Bay and its vicinity. *Deep Sea Research Part II: Topical Studies in Oceanography* 51(17-19):2099-2118.
- Zuenko, Y.I. & V.V. Nadtochy. 2004. Investigation of upwelling influences on the mesoplankton abundance and composition in the Japan Sea coastal zone. *Okeanologiya* 44(4):561-569. [In Russian.]

2005

- Aliberti, M.A., D.J. Bauer, S.R. Bradt, B. Carlson, S.C. Carlson, W.T. Godkin, S. Greene, J.F. Haney, A. Kaplan, S. Melillo, J.L. Smith (Nowak), B. Ortman, J.E. Quist, S. Reed, T. Rowin & R.S. Stemberger. 2005. An Image-Based Key to the Zooplankton of the Northeast (USA): Version 2.0. Center for Freshwater Biology, Department of Zoology, University of New Hampshire, Durham, New Hampshire. CD-ROM. Also available at: <http://cfb.unh.edu/CFBkey/index.html>
- Al-Sayed, H. & K. Zainal. 2005. The occurrence of Anostracans — Fairy shrimps *Branchipus schaefferi* in vernal pools of Bahrain. *Journal of Arid Environments* 61(3):447-460.
- Andersen, B.S., J.D. Carl, P. Grønkjær & J.G. Støttrup. 2005. Feeding ecology and growth of age 0 year *Platichthys flesus* (L.) in a vegetated and a bare sand habitat in a nutrient rich fjord. *Journal of Fish Biology* 66(2):531-552.
- Anderson, C.I.H., A.S. Brierley & F. Armstrong. 2005. Spatio-temporal variability in the distribution of epi- and

- meso-pelagic acoustic backscatter in the Irminger Sea, North Atlantic, with implications for predation on *Calanus finmarchicus*. *Marine Biology* 146(6):1177-1188.
- Angelini, R. & A.A. Agostinho. 2005. Food web model of the Upper Paraná River Floodplain: description and aggregation effects. *Ecological Modelling* 181(2-3):109-121.
- Anonymous. 2005. Environmental effects of salmon sea lice treatments. *Veterinary Record* 156(17):526.
- Apostolov, A. 2005. Copépodes harpacticoides stygobies de France. 7. Description de deux nouveaux copépodes du genre *Parastenocaris* Kessler, 1913 [Stygobitic harpacticoid copepods of France. 7. Description of two new copepods of the genus *Parastenocaris* Kessler, 1913]. *Crustaceana* 78(1):95-112.
- Arendt, K.E., S.H. Jónasdóttir, P.J. Hansen & S. Gärtner. 2005. Effects of dietary fatty acids on the reproductive success of the calanoid copepod *Temora longicornis*. *Marine Biology* 146(3):513-530.
- Armstrong, J.L., J.L. Boldt, A.D. Cross, J.H. Moss, N.D. Davis, K.W. Myers, R.V. Walker, D.A. Beauchamp & L.J. Halderson. 2005. Distribution, size, and interannual, seasonal and diel food habits of northern Gulf of Alaska juvenile pink salmon, *Oncorhynchus gorbuscha*. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(1-2):247-265.
- Avery, D.E. 2005. Induction of embryonic dormancy in the calanoid copepod *Acartia hudsonica*: proximal cues and variation among individuals. *Journal of Experimental Marine Biology and Ecology* 314(2):203-214.
- Avery, D.E. 2005. Induction of embryonic dormancy in the calanoid copepod *Acartia hudsonica*: heritability and phenotypic plasticity in two geographically separated populations. *Journal of Experimental Marine Biology and Ecology* 314(2):215-225.
- Bandilla, M., T. Hakalahti, P.J. Hudson & E.T. Valtonen. 2005. Aggregation of *Argulus coregoni* (Crustacea: Branchiura) on rainbow trout (*Oncorhynchus mykiss*): a consequence of host susceptibility or exposure? *Parasitology* 130(2):169-176.
- Barman, U.K., S.N. Jana, S.K. Garg, A. Bhatnagar & A.R.T. Arasu. 2005. Effect of inland water salinity on growth, feed conversion efficiency and intestinal enzyme activity in growing grey mullet, *Mugil cephalus* (Linn.): Field and laboratory studies. *Aquaculture International* 13(3):241-256.
- Bartholmé, S., L. Samchyshyna, B. Santer & W. Lampert. 2005. Subitaneous eggs of freshwater copepods pass through fish guts: Survival, hatchability, and potential ecological implications. *Limnology and Oceanography* 50(3):923-929.
- Baumgartner, M.F. & B.R. Mate. 2005. Summer and fall habitat of North Atlantic right whales (*Eubalaena glacialis*) inferred from satellite telemetry. *Canadian Journal of Fisheries and Aquatic Sciences* 62(3):527-543.
- Beare, D., F. Burns, E. Jones, K. Peach & D. Reid. 2005. Red mullet migration into the northern North Sea during late winter. *Journal of Sea Research* 53(3):205-212.
- Beaugrand, G. 2005. Monitoring pelagic ecosystems using plankton indicators. *ICES Journal of Marine Science* 62(3):333-338.
- Becker, C., D. Brepohl, H. Feuchtmayr, E. Zöllner, F. Sommer, C. Clemmesen, U. Sommer & M. Boersma. 2005. Impacts of copepods on marine seston, and resulting effects on *Calanus finmarchicus* RNA:DNA ratios in mesocosm experiments. *Marine Biology* 146(3):531-541.
- Benović, A., D. Lučić, V. Onofri, M. Batistić & J. Njire. 2005. Bathymetric distribution of medusae in the open waters of the middle and south Adriatic Sea during spring 2002. *Journal of Plankton Research* 27(1):79-89.
- Benzid, D., C. Morris & R.-M. Barthélémy. 2005. First detection of serotonin in the nervous system of the marine calanoid copepod *Centropages typicus*. *Journal of the Marine Biological Association of the United Kingdom* 85(1):71-72.
- Besiktepe, S., L. Svetlichny, T. Yuneva, Z. Romanova & G. Shulman. 2005. Diurnal gut pigment rhythm and metabolic rate of *Calanus euxinus* in the Black Sea. *Marine Biology* 146(6):1189-1198.
- Blundell, A. & K. Barber. 2005. A 2800-year palaeoclimatic record from Tore Hill Moss, Strathspey, Scotland: the need for a multi-proxy approach to peat-based climate reconstructions. *Quaternary Science Reviews* 24(10-11):1261-1277.
- Bode, A., M.T. Álvarez-Ossorio, N. González, J. Lorenzo, C. Rodríguez, M. Varela & M.M. Varela. 2005. Seasonal variability of plankton blooms in the Ria de Ferrol (NW Spain): II. Plankton abundance, composition and biomass. *Estuarine, Coastal and Shelf Science* 63(1-2):285-300.
- Bonnet, D., A. Richardson, R. Harris, A. Hirst, G. Beaugrand, M. Edwards, S. Ceballos, R. Diekman, A. López-Urrutia, L. Valdes, F. Carlotti, J.C. Molinero, H. Weikert, W. Greve, D. Lucic, A. Albaina, N. Daly Yahia, S. Fonda Umani, A. Miranda, A. dos Santos, K. Cook, Susan Robinson & M.L. Fernández de Puelles. 2005. An overview of *Calanus helgolandicus* ecology in European waters. *Progress In Oceanography* 65(1):1-53.
- Borga, K., H. Wolkers, J.U. Skaare, H. Hop, D.C.G. Muir & G.W. Gabrielsen. 2005. Bioaccumulation of PCBs in Arctic seabirds: influence of dietary exposure and congenere biotransformation. *Environmental Pollution* 134(3):397-409.
- Böttjer, D. & C.E. Morales. 2005. Microzooplankton grazing in a coastal embayment off Concepción, Chile, (~36°S) during non-upwelling conditions. *Journal of Plankton Research* 27(4):383-391.
- Bozzano, A., F. Sardà & J. Ríos. 2005. Vertical distribution and feeding patterns of the juvenile European hake,

- Merluccius merluccius* in the NW Mediterranean. Fisheries Research 73(1-2):29-36.
- Brancelj, A. 2005. *Hadodiaptomus dumonti* n. gen., n. sp., a new freshwater stygobitic calanoid (Crustacea: Copepoda: Calanoida) from Vietnam (South Asia) and a new member of the subfamily Speodiaptominae (Borutzky, 1962). Hydrobiologia 534(1-3):57-70.
- Breaux, A., S. Cochrane, J. Evens, M. Martindale, B. Pavlik, L. Suer & D. Benner. 2005. Wetland ecological and compliance assessments in the San Francisco Bay Region, California, USA. Journal of Environmental Management 74(3):217-237.
- **Bröhdick, K. 2005. A new taxon of Idyanthidae (Copepoda, Harpacticoida) from the deep sea of the Angola Basin. Organisms, Diversity and Evolution, 5S1: 43-57.
- Browman, H.I. 2005. Applications of sensory biology in marine ecology and aquaculture. Marine Ecology Progress Series 287:266-269.
- Browne, J.G. & M.J. Kingsford. 2005. A commensal relationship between the scyphozoan medusae *Catostylus mosaicus* and the copepod *Paramacrochiron maximum*. Marine Biology 146(6):1157-1168.
- Brucet, S., D. Boix, R. López-Flores, A. Badosa, R. Moreno-Amich & X.D. Quintana. 2005. Zooplankton structure and dynamics in permanent and temporary Mediterranean salt marshes: taxon-based and size-based approaches. Archiv für Hydrobiologie 162(4):535-555.
- Buck, B.H., D.W. Thielges, U. Walter, G. Nehls & H. Rosenthal. 2005. Inshore-offshore comparison of parasite infestation in *Mytilus edulis*: implications for open ocean aquaculture. Journal of Applied Ichthyology 21(2):107-113.
- Burton, R.S., E.C. Metz, J.M. Flowers & C.S. Willett. 2005. Unusual structure of ribosomal DNA in the copepod *Tigriopus californicus*: intergenic spacer sequences lack internal subrepeats. Gene 344:105-113.
- Calbet, A. & E. Saiz. 2005. The ciliate-copepod link in marine ecosystems. Aquatic Microbial Ecology 38:157-167.
- Caldwell, G.S., C. Lewis, P.J.W. Olive & M.G. Bentley. 2005. Exposure to 2,4-decadienal negatively impacts upon marine invertebrate larval fitness. Marine Environmental Research 59(5):405-417.
- Castellani, C., X. Irigoien, R.P. Harris & R.S. Lampitt. 2005. Feeding and egg production of *Oithona similis* in the North Atlantic. Marine Ecology Progress Series 288:173-182.
- Castellani, C., C. Robinson, T. Smith & R.S. Lampitt. 2005. Temperature affects the respiration rate of *Oithona similis*. Marine Ecology Progress Series 285:129-135.
- Castriota, L., M. Scarabello, M. Finoina, M. Sinopoli & F. Andaloro. 2005. Food and feeding habits of pearly razorfish, *Xyrichtys novacula* (Linnaeus, 1758), in the southern Tyrrhenian Sea: variation by sex and size. Environmental Biology of Fishes 72(2):123-133.
- Cavalier-Smith, T. 2005. Economy, speed and size matter: evolutionary forces driving nuclear genome miniaturization and expansion. Annals of Botany 95:147-175.
- Chang, K.H. & T. Hanazato. 2005. Prey handling time and ingestion probability for *Mesocyclops* sp. predation on small cladoceran species *Bosmina longirostris*, *Bosminopsis deitersi*, and *Scapholeberis mucronata*. Limnology 6(1):39-44.
- Chang, K.H., M. Sakamoto & T. Hanazato. 2005. Impact of pesticide application on zooplankton communities with different densities of invertebrate predators: An experimental analysis using small-scale mesocosms. Aquatic Toxicology 72(4):373-382.
- Chang, M.X., P. Nie, B.J. Sun & W.J. Yao. 2005. Molecular cloning of TRAF2 binding protein gene and its promoter region from the grass carp *Ctenopharyngodon idellus*. Veterinary Immunology and Immunopathology 105(1-2):105-113.
- Chang, M.X., P. Nie, H.X. Xie, B.J. Sun & Q. Gao. 2005. Characterization of two genes encoding leucine-rich repeat-containing proteins in grass carp *Ctenopharyngodon idellus*. Immunogenetics 56(10):710-721.
- Clarke, A., D.K.A. Barnes & D.A. Hodgson. 2005. How isolated is Antarctica? Trends in Ecology and Evolution 20(1):1-3.
- Clarke, R.D., E.J. Buskey & K.C. Marsden. 2005. Effects of water motion and prey behavior on zooplankton capture by two coral reef fishes. Marine Biology 146(6):1145-1155.
- Cohen, J.H., J. Piatigorsky, L. Ding, N.J. Colley, R. Ward & J. Horwitz. 2005. Vertebrate-like β -crystallins in the ocular lenses of a copepod. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology 191(3):291-298.
- Colin, S.P. & H.G. Dam. 2005. Testing for resistance of pelagic marine copepods to a toxic dinoflagellate. Evolutionary Ecology 18(4):355-377.
- Copley, L., T.D. Tierney, F. Kane, O. Naughton, S. Kennedy, P. O'Donohoe, D. Jackson & D. McGrath. 2005. Sea lice, *Lepeophtheirus salmonis* and *Caligus elongatus*, levels on salmon returning to the west coast of Ireland, 2003. Journal of the Marine Biological Association of the United Kingdom 85(1):87-92.
- Cotton, P.A., D.W. Sims, S. Fanshawe & M. Chadwick. 2005. The effects of climate variability on zooplankton and basking shark (*Cetorhinus maximus*) relative abundance off southwest Britain. Fisheries Oceanography 14(2):151-155.
- Coyle, K.O. & A.I. Pinchuk. 2005. Seasonal cross-shelf distribution of major zooplankton taxa on the northern Gulf of Alaska shelf relative to water mass properties, species depth preferences and vertical migration behavior. Deep Sea Research Part II: Topical Studies in Oceanography 52(1-2):217-245.

- Crockett, E.L. & R.P. Hassett. 2005. A cholesterol-enriched diet enhances egg production and egg viability without altering cholesterol content of biological membranes in the copepod *Acartia hudsonica*. *Physiological and Biochemical Zoology* 78(3):424-433.
- Cromer, L., J.A.E. Gibson, K.M. Swadling & D.A. Ritz. 2005. Faunal microfossils: Indicators of Holocene ecological change in a saline Antarctic lake. *Palaeogeography, Palaeoclimatology, Palaeoecology* 221(1-2): 83-97.
- Cross, A.D., D.A. Beauchamp, J.L. Armstrong, M. Blikshteyn, J.L. Boldt, N.D. Davis, L.J. Halderson, J.H. Moss, K.W. Myers & R.V. Walker. 2005. Consumption demand of juvenile pink salmon in Prince William Sound and the coastal Gulf of Alaska in relation to prey biomass. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(1-2):347-370.
- Dahms, H.-U. & P.-Y. Qian. 2005. Biofilms affected by a meiobenthic copepod mediate invertebrate larval settlement. *Marine Ecology Progress Series* 293:43-54.
- Dahms, H.-U., N.V. Schizas & T.C. Shirley. 2005. Naupliar development of *Stenhelia (D.) peniculata* Lang, 1965 (Copepoda, Harpacticoida) and the justification of supraspecific taxa by larval evolutionary novelties. *Invertebrate Zoology* 2(1):23-37.
- Dam, H.G. & S.P. Colin. 2005. *Prorocentrum minimum* (clone Exuv) is nutritionally insufficient, but not toxic to the copepod *Acartia tonsa*. *Harmful Algae* 4(3):575-584.
- Daniel, C., K. Gutseit, A.M. Anesio & W. Granéli. 2005. Microbial food webs in the dark: independence of lake plankton from recent algal production. *Aquatic Microbial Ecology* 38:113-123.
- Darchambeau, F., I. Thys, B. Leporcq, L. Hoffmann & J.-P. Descy. 2005. Influence of zooplankton stoichiometry on nutrient sedimentation in a lake system. *Limnology and Oceanography* 50(3):905-913.
- Demir, N. 2005. Zooplankton of two drinking water reservoirs in central Anatolia: composition and seasonal cycle. *Turkish Journal of Zoology* 29(1):9-16.
- Deveney, M.R., T.J. Bayly, C.J. Johnston & B.F. Nowak. 2005. A parasite survey of farmed Southern bluefin tuna, *Thunnus maccoyii* (Castelnau). *Journal of Fish Diseases* 28(5):279-284.
- Devreker, D., S. Souissi & L. Seuront. 2005. Effects of chlorophyll concentration and temperature variation on the reproduction and survival of *Temora longicornis* (Copepoda, Calanoida) in the Eastern English Channel. *Journal of Experimental Marine Biology and Ecology* 318(2):145-162.
- Dippenaar, S. 2005. Reported siphonostomatoid copepods parasitic on marine fishes of southern Africa. *Crustaceana* 77(11):1281-1328.
- Drake, L.A. & F.C. Dobbs. 2005. Do viruses affect fecundity and survival of the copepod *Acartia tonsa* Dana? *Journal of Plankton Research* 27(2):167-174.
- Durnford, L. 2005. Lifestyles of the small and unpleasant. *Radio Netherlands*, 14 February 2005. <http://www2.rnw.nl/rnw/en/features/science/050214rf.html>
- Dye, A.H. & F. Barros. 2005. Spatial patterns in meiobenthic assemblages in intermittently open/closed coastal lakes in New South Wales, Australia. *Estuarine, Coastal and Shelf Science* 62(4):575-593.
- Edmands, S., H.V. Feaman, J.S. Harrison & C.C. Timmerman. 2005. Genetic consequences of many generations of hybridization between divergent copepod populations. *Journal of Heredity* 96(2):114-123.
- Emsley, S.M., G.A. Tarling & M.T. Burrows. 2005. The effect of vertical migration strategy on retention and dispersion in the Irish Sea during spring-summer. *Fisheries Oceanography* 14(3):161-174.
- Faraponova, O.A. 2005. Rice field ecology and fish culture in the former USSR: an overview. Pp. 155-208 In: Fernando, C.H., F. Goltenboth & J. Margraf (eds.). *Aquatic Ecology of Rice Fields*. Volumes Publishing, Kitchener, Ontario. 472 pp. ISBN 0-9737503-0-8.
- Fernandez-Leborans, G., M. Freeman, R. Gabilondo & C. Sommerville. 2005. Marine protozoan epibionts on the copepod *Lepeophtheirus salmonis*, parasite of the Atlantic salmon. *Journal of Natural History* 39(8):587-596.
- Fernando, C.H. 2005. Rice field limnology and applied ecology. Pp. 71-118 In: Fernando, C.H., F. Goltenboth & J. Margraf (eds.). *Aquatic Ecology of Rice Fields*. Volumes Publishing, Kitchener, Ontario. 472 pp. ISBN 0-9737503-0-8.
- Fiege, D. & H.-U. Dahms. 2005. Marine Plankton. CD-ROM, In cooperation with the IWF (= Institute for Scientific Films), Goettingen, Germany.
- Fields D.M. & M.J. Weissburg. 2005. Evolutionary and ecological significance of mechanosensor morphology: copepods as a model system. *Marine Ecology Progress Series* 287:269-274.
- Frasca, S., Jr., V.L. Kirsipuu, S. Russell, S.A. Bullard & G.W. Benz. 2005. Opercular lesions in black drum (*Pogonias cromis*) associated with infections of the sea louse *Sciaenophilus tenuis* (Copepoda: Caligidae). *Acta Ichthyologica et Piscatoria* 34(2):115-127.
- **Frisch, D., B.S. Libman, S.J. D'Surney & S.T. Threlkeld. 2005. Diversity of floodplain copepods (Crustacea) modified by flooding: species richness, diapause strategies and population genetics. *Archiv für Hydrobiologie* 162(1):1-17.
- Frisch, D. & S.T. Threlkeld. 2005. Flood-mediated dispersal vs. hatching: early recolonisation strategies of copepods in floodplain ponds. *Freshwater Biology* 50(2):323-330.
- Gallienne, C.P. & D. Smythe-Wright. 2005. Epipelagic mesozooplankton dynamics around the Mascarene Plateau and Basin, Southwestern Indian Ocean. *Philosophical Transactions of the Royal Society*:

- Mathematical, Physical & Engineering 363(1826):191-202.
- Gamito, S. & K. Erzini. 2005. Trophic food web and ecosystem attributes of a water reservoir of the Ria Formosa (south Portugal). *Ecological Modelling* 181(4):509-520.
- García de Lomas, J., A. Corzo, C. M. García & S.A. van Bergeijk. 2005. Microbenthos in a hypersaline tidal lagoon: factors affecting microhabitat, community structure and mass exchange at the sediment-water interface. *Aquatic Microbial Ecology* 38:53-69.
- Gee, J.M. 2005. Two new species of *Bulbamphiascus* Lang (Copepoda: Harpacticoida: Diosaccidae) from Scotland and the Isles of Scilly, with additional observations on *B. denticulatus* (Thompson). *Journal of Natural History* 39(22):1961-1979.
- Genin, A., J.S. Jaffe, R. Reef, C. Richter & P.J.S. Franks. 2005. Swimming against the flow: a mechanism of zooplankton aggregation. *Science* 308:860-862.
- Geraldes, A.M. & M.-J. Boavida. 2005. Seasonal water level fluctuations: Implications for reservoir limnology and management. *Lakes & Reservoirs: Research and Management* 10(1):59-69.
- Gheskiere, T., M. Vincx, J.M. Weslawski, F. Scapini & S. Degraer. 2005. Meiofauna as descriptor of tourism-induced changes at sandy beaches. *Marine Environmental Research* 60(2):245-265.
- Gibbons, M.J., A.J. Richardson, M.V. Angel, E. Buecher, G. Esnal, M.A. Fernandez-Alamo, R. Gibson, H. Itoh, P. Pugh, R. Boettger-Schnack & E. Thuesen. 2005. What determines the likelihood of species discovery in marine holozooplankton: is size, range or depth important? *Oikos* 109(3):567-576.
- Gislason, A. 2005. Seasonal and spatial variability in egg production and biomass of *Calanus finmarchicus* around Iceland. *Marine Ecology Progress Series* 286:177-192.
- **Glatzel, T. & D. Königshoff. 2005. Cross-breeding experiments among different populations of the 'cosmopolitan' species *Phyllognathopus viguieri* (Copepoda: Harpacticoida). *Hydrobiologia* 534(1-3):141-149.
- Glover, K.A., T. Aasmundstad, F. Nilsen, A. Storset & Ø. Skaala. 2005. Variation of Atlantic salmon families (*Salmo salar* L.) in susceptibility to the sea lice *Lepeophtheirus salmonis* and *Caligus elongatus*. *Aquaculture* 245(1-4):19-30.
- Goetze, E. & J. Bradford-Grieve. 2005. Genetic and morphological description of *Eucalanus spinifer* T. Scott, 1894 (Calanoida: Eucalanidae), a circumglobal sister species of the copepod *E. hyalinus* s.s. (Claus, 1866). *Progress In Oceanography* 65(1):55-87.
- Gradinger, R.R., K. Meiners, G. Plumley, Q. Zhang & B.A. Bluhm. 2004. Abundance and composition of the sea-ice meiofauna in off-shore pack ice of the Beaufort Gyre in summer 2002 and 2003. *Polar Biology* 28(3):171-181.
- Graeve, M., C. Albers & G. Kattner. 2005. Assimilation and biosynthesis of lipids in Arctic *Calanus* species based on feeding experiments with a ¹³C labelled diatom. *Journal of Experimental Marine Biology and Ecology* 317(1):109-125.
- Greathouse, E.A., J.G. March & C.M. Pringle. 2005. Recovery of a tropical stream after a harvest-related chlorine poisoning event. *Freshwater Biology* 50(4):603-615.
- Green, A.J. & J. Figuerola. 2005. Recent advances in the study of long-distance dispersal of aquatic invertebrates via birds. *Diversity & Distributions* 11(2):149-156.
- Green, J. & J. Davies. 2005. The freshwater medusa *Limnocnida* and associated plankton in the floodplain of the Ayeyarwaddy River, Myanmar. *Journal of Natural History* 39(23):2083-2088.
- Gregory, T.R. 2005. The C-value enigma in plants and animals: a review of parallels and an appeal for partnership. *Annals of Botany* 95:133-146.
- Gwyther, J. & P.G. Fairweather. 2005. Meiofaunal recruitment to mimic pneumatophores in a cool-temperate mangrove forest: spatial context and biofilm effects. *Journal of Experimental Marine Biology and Ecology* 317(1):69-85.
- Hales, S. & W. van Panhuis. 2005. A new strategy for dengue control. *Lancet* 365(9459):551-552. [Comment on Vu et al., *Lancet* 365(9459):613-617.]
- Hamm, C.E. 2005. The evolution of advanced mechanical defenses and potential technological applications of diatom shells. *Journal of Nanoscience and Nanotechnology* 5(1):108-119.
- Hart, R.C. & C. Boane. 2005. Limnology of southern African coastal lakes — new vistas from Mozambique. *African Journal of Aquatic Science* 29(2):145-159.
- Heckman, C.W. 2005. The evolution from marsh to rice field. Pp. 1-70 In: Fernando, C.H., F. Goltzenboth & J. Margraf (eds.). *Aquatic Ecology of Rice Fields*. Volumes Publishing, Kitchener, Ontario. 472 pp. ISBN 0-9737503-0-8.
- Helms, B.S. & R.P. Creed. 2005. The effects of 2 coexisting crayfish on an Appalachian river community. *Journal of the North American Benthological Society* 24(1):113-122.
- Hense, B.A., G.F. Severin, G. Pfister, G. Welzl, W. Jaser & K.-W. Schramm. 2005. Effects of anthropogenic estrogens nonylphenol and 17 α -ethinylestradiol in aquatic model ecosystems. *Acta Hydrochimica et Hydrobiologica* 33(1):27-37.
- Hernández-León, S. & T. Ikeda. 2005. A global assessment of mesozooplankton respiration in the ocean. *Journal of Plankton Research* 27(2):153-158.
- Heuch, P.A., P.A. Bjørn, B. Finstad, J.C. Holst, L. Asplin & F. Nilsen. 2005. A review of The Norwegian Action Plan Against Salmon Lice on Salmonids: the effect on wild salmonids. *Aquaculture* 246(1-4):79-92.

- Hidalgo, P., R. Escribano & C.E. Morales. 2005. Annual life cycle of the copepod *Eucalanus inermis* at a coastal upwelling site off Mejillones (23°S), northern Chile. *Marine Biology* 146(5):995-1003.
- Hirose, E., A.T. Oka & M. Akahori. 2005. Sexual reproduction of the photosymbiotic ascidian *Diplosoma virens* in the Ryukyu Archipelago, Japan: vertical transmission, seasonal change, and possible impact of parasitic copepods. *Marine Biology* 146(4):677-682.
- Ho, J.-s., I.H. Kim & K. Nagasawa. 2005. Copepod parasites of the fatheads (Pisces, Psychrolutidae) and their implication on the phylogenetic relationships of psychrolutid genera. *Zoological Science* 22(4):411-425.
- Hopcroft, R.R., C. Clarke, A.G. Byrd & A.I. Pinchuk. 2005. The paradox of *Metridia* spp. egg production rates: a new technique and measurements from the coastal Gulf of Alaska. *Marine Ecology Progress Series* 286:193-201.
- Hopcroft, R.R., C. Clarke, R. J. Nelson & K. A. Raskoff. 2005. Zooplankton communities of the Arctic's Canada Basin: the contribution by smaller taxa. *Polar Biology* 28(3):198-206.
- Hopp, U. & G. Maier. 2005. Implication of the feeding limb morphology for herbivorous feeding in some freshwater cyclopoid copepods. *Freshwater Biology* 50(5):742-747.
- Hourdez, S. & R.E. Weber. 2005. Molecular and functional adaptations in deep-sea hemoglobins. *Journal of Inorganic Biochemistry* 99(1):130-141.
- Hsieh, C.-h., C.-S. Chen & T.-S. Chiu. 2005. Composition and abundance of copepods and ichthyoplankton in Taiwan Strait (western North Pacific) are influenced by seasonal monsoons. *Marine and Freshwater Research* 56(2) 153-161.
- Huys, R., S. Ohtsuka, S. Conroy-Dalton & Y. Kikuchi. 2005. Description of two new species of *Neotachidius* Shen & Tai (Copepoda, Harpacticoida, Tachidiidae) from Korean brackish waters and proposal of a new genus for *Tachidius* (*Tachidius*) *vicinospinalis* Shen & Tai, 1964. *Zoological Journal of the Linnean Society* 143(1):133-159.
- Hwang, J.-S. & C.K. Wong. 2005. The China Coastal Current as a driving force for transporting *Calanus sinicus* (Copepoda: Calanoida) from its population centers to waters off Taiwan and Hong Kong during the winter NE monsoon period. *Journal of Plankton Research* 27(2):205-210.
- Inman, M. 2005. Zooplankton fight the flow. *Science Now*, May 2005:2.
- Jamet, J.-L., N. Jean, G. Bogé, S. Richard & D. Jamet. 2005. Plankton succession and assemblage structure in two neighbouring littoral ecosystems in the north-west Mediterranean Sea. *Marine and Freshwater Research* 56(1):69-83.
- Jeng, M.-S., N.K. Ng & P.K.L. Ng. 2005. Feeding behaviour: Hydrothermal vent crabs feast on sea 'snow'. *Nature* 432:969.
- Johnson, W.S. & D.M. Allen (illustrations by M. Fylling). 2005. *Zooplankton of the Atlantic and Gulf Coasts: A Guide to Their Identification and Ecology*. Johns Hopkins University Press, Baltimore. 400 pp. ISBN 0-8018-8168-4
- Jones, R.H. & K.J. Flynn. 2005. Nutritional status and diet composition affect the value of diatoms as copepod prey. *Science* 307:1457-1459.
- Kahilainen, K., E. Alajärvi & H. Lehtonen. 2005. Planktivory and diet-overlap of densely rakered whitefish (*Coregonus lavaretus* (L.)) in a subarctic lake. *Ecology of Freshwater Fish* 14(1):50-58.
- Kamiyama, K. & Y. Matsuyama. 2005. Temporal changes in the ciliate assemblage and consecutive estimates of their grazing effect during the course of a *Heterocapsa circularisquama* bloom. *Journal of Plankton Research* 27(4):303-311.
- Kay, B. & S.N. Vu. 2005. New strategy against *Aedes aegypti* in Vietnam. *The Lancet* 365(9459):613-617.
- Kelly, D.J. & I. Hawes. 2005. Effects of invasive macrophytes on littoral-zone productivity and foodweb dynamics in a New Zealand high-country lake. *Journal of the North American Benthological Society* 24(2):300-320.
- Kendrick, A.J. & G.A. Hyndes. 2005. Variations in the dietary compositions of morphologically diverse syngnathid fishes. *Environmental Biology of Fishes* 72(4):415-427.
- **Klein Breteler, W.C.M., N. Schogt & S. Rampen. 2005. Effect of diatom nutrient limitation on copepod development: the role of essential lipids. *Marine Ecology Progress Series* 291:125-133.
- Kornijów, R., K. Vakkilainen, J. Horppila, E. Luokkanen & T. Kairesalo. 2005. Impacts of a submerged plant (*Elodea canadensis*) on interactions between roach (*Rutilus rutilus*) and its invertebrate prey communities in a lake littoral zone. *Freshwater Biology* 50(2):262-276.
- Kotwicki, L., M. Szymelfenig, M. De Troch, B. Urban-Malinga & J.M. Weslawski. 2005. Latitudinal biodiversity patterns of meiofauna from sandy littoral beaches. *Biodiversity and Conservation* 14(2):461-474.
- Krkošek, M., M.A. Lewis & J.P. Volpe. 2005. Transmission dynamics of parasitic sea lice from farm to wild salmon. *Proceedings in Biological Sciences* 272(1564):689-696.
- Krkošek, M., A. Morton & J.P. Volpe. 2005. Nonlethal assessment of juvenile pink and chum salmon for parasitic sea lice infections and fish health. *Transactions of the American Fisheries Society* 134(3):711-716.
- Leech, D.M., C.E. Williamson, R.E. Moeller & B.R. Hargreaves. 2005. Effects of ultraviolet radiation on the seasonal vertical distribution of zooplankton: a database analysis. *Archiv für Hydrobiologie* 162(4):445-464.
- Leonard, J.A. & H.W. Paerl. 2005. Zooplankton community structure, micro-zooplankton grazing impact, and seston energy content in the St. Johns River system, Florida as influenced by the toxic cyanobacterium

- Cylindrospermopsis raciborskii*. *Hydrobiologia* 537(1-3):89-97.
- Lézine, A.-M., J.-C. Duplessy & J.-P. Cazet. 2005. West African monsoon variability during the last deglaciation and the Holocene: Evidence from fresh water algae, pollen and isotope data from core KW31, Gulf of Guinea. *Palaeogeography, Palaeoclimatology, Palaeoecology* 219(3-4):225-237.
- Lim, R.P. 2005. Impact of pesticides on the aquatic biota. Pp. 435-462 In: Fernando, C.H., F. Goltenboth & J. Margraf (eds.). *Aquatic Ecology of Rice Fields*. Volumes Publishing, Kitchener, Ontario. 472 pp. ISBN 0-9737503-0-8.
- Lin, Y.S., L.P. Fang, W.Q. Cao & S.J. Li. 2005. Mitochondrial DNA COI sequence analysis of *Calanus sinicus* (Copepod) in Qingdao Waters. *Xiamen Daxue Xuebao (Ziran Kexue Ban)* 44(1):90-93. [In Chinese.]
- Liu, H., M.J. Dagg, C.J. Wu & K.P. Chiang. 2005. Mesozooplankton consumption of microplankton in the Mississippi River plume, with special emphasis on planktonic ciliates. *Marine Ecology Progress Series* 286:133-144.
- López, C. & E. Zoppi de Roa. 2005. Day-night vertical distribution and feeding patterns of fourth instar of *Chaoborus* larvae in a neotropical reservoir (Socuy Reservoir, Venezuela). *International Review of Hydrobiology* 90(2):171-184.
- Ludovisi, A., M. Minozzo, P. Pandolfi & M.I. Taticchi. 2005. Modelling the horizontal spatial structure of planktonic community in Lake Trasimeno (Umbria, Italy) using multivariate geostatistical methods. *Ecological Modelling* 181(2-3):247-262.
- Ludovisi, A., P. Pandolfi & M.I. Taticchi. 2005. The strategy of ecosystem development: specific dissipation as an indicator of ecosystem maturity. *Journal of Theoretical Biology* 235(1):33-43.
- Ma, H., C. Cahu, J. Zambonino, H. Yu, Q. Duan, M.-M. Le Gall & K. Mai. 2005. Activities of selected digestive enzymes during larval development of large yellow croaker (*Pseudosciaena crocea*). *Aquaculture* 245(1-4):239-248.
- Mackas, D.L. & K.O. Coyle. 2005. Shelf-offshore exchange processes, and their effects on mesozooplankton biomass and community composition patterns in the northeast Pacific. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(5-6):707-725.
- Mackie, D.S. & K.A. Hunter. 2005. The partitioning of zinc, manganese, cadmium and selenium within copepods in oceanic waters east of New Zealand. *Marine and Freshwater Research* 56(1):95-100.
- Makrakis, M., K. Nakatani, A. Bialecki, P. Sanches, G. Baumgartner & L. Gomes. 2005. Ontogenetic shifts in digestive tract morphology and diet of fish larvae of the Itaipu Reservoir, Brazil. *Environmental Biology of Fishes* 72(1):99-107.
- Manning, C. & A. Bucklin. 2005. Multivariate analysis of the copepod community of near-shore waters in the western Gulf of Maine (NW Atlantic). *Marine Ecology Progress Series* 292:233-249.
- Maps, F., J.A. Runge, B. Zakardjian & P. Joly. 2005. Egg production and hatching success of *Temora longicornis* (Copepoda, Calanoida) in the southern Gulf of St. Lawrence. *Marine Ecology Progress Series* 285:117-128.
- Markhaseva, E.L. & F. Ferrari. 2005. New species of *Lucicutia* and taxonomic status of *L. grandis* (Copepoda, Calanoida, Lucicutiidae). *Journal of Natural History* 39(15):1077-1100.
- Marquet, P.A., R.A. Quiñones, S. Abades, F. Labra, M. Tognelli, M. Arim & M. Rivadeneira. 2005. Scaling and power-laws in ecological systems. *Journal of Experimental Biology* 208:1749-1769.
- Martin, P., X. Boes, B. Goddeeris & N. Fagel. 2005. A qualitative assessment of the influence of bioturbation in Lake Baikal sediments. *Global and Planetary Change* 46(1-4):87-99.
- Martinetto, P., O. Iribarne & G. Palomo. 2005. Effect of fish predation on intertidal benthic fauna is modified by crab bioturbation. *Journal of Experimental Marine Biology and Ecology* 318(1):71-84.
- **Martínez-Arbizu, P. & H.K. Schminke (eds.). 2005. Results of the DIVA-1 expedition of "METEOR". *Organisms, Diversity & Evolution* 5 (Supplement 1):1-238.
- **Martínez-Arbizu, P. & H.K. Schminke. 2005. DIVA-1 expedition to the deep sea of the Angola Basin in 2000 and DIVA-1 workshop in 2003. *Organisms, Diversity & Evolution* 5 (Supplement 1):1-2.
- Matthews, B. & A. Mazumder. 2005. Temporal variation in body composition (C : N) helps explain seasonal patterns of zooplankton $\delta^{13}\text{C}$. *Freshwater Biology* 50(3):502-515.
- Mayzaud, P., M. Boutoute, S. Gasparini, L. Mousseau & D. Lefevre. 2005. Respiration in marine zooplankton-the other side of the coin: CO₂ production. *Limnology and Oceanography* 50(1):291-298.
- McDowall, R.M. 2005. Falkland Islands biogeography: converging trajectories in the South Atlantic Ocean. *Journal of Biogeography* 32 (1):49-62.
- Mehner, T., F. Hölker & P. Kasprzak. 2005. Spatial and temporal heterogeneity of trophic variables in a deep lake as reflected by repeated singular samplings. *Oikos* 108(2):401-409.
- Metts, B.S., W.A. Hopkins & J.P. Nestor. 2005. Interaction of an insecticide with larval density in pond-breeding salamanders (*Ambystoma*). *Freshwater Biology* 50(4):685-696.
- Michels, J. & S.B. Schnack-Schiel. 2005. Feeding in dominant Antarctic copepods – does the morphology of the mandibular gnathobases relate to diet? *Marine Biology* 146(3):483-495.
- Moeller, R.E., S. Gilroy, C.E. Williamson, G. Grad & R. Sommaruga. 2005. Dietary acquisition of

- photoprotective compounds (mycosporine-like amino acids, carotenoids) and acclimation to ultraviolet radiation in a freshwater copepod. *Limnology and Oceanography* 50(2):427-439.
- Møller, E.F. 2005. Sloppy feeding in marine copepods: prey-size dependent production of dissolved organic carbon. *Journal of Plankton Research* 27(1):27-35.
- Moren, M., T.E. Gundersen & K. Hamre. 2005. Quantitative and qualitative analysis of retinoids in *Artemia* and copepods by HPLC and diode array detection. *Aquaculture* 246(1-4):359-365.
- Morton, A., R. Routledge, C. Peet & A. Ladwig. 2005. Sea lice (*Lepeophtheirus salmonis*) infection rates on juvenile pink (*Oncorhynchus gorbuscha*) and chum (*Oncorhynchus keta*) salmon in the nearshore marine environment of British Columbia, Canada. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 61(2):147-157.
- Motta, R.L. & V.S. Uieda. 2005. Food web structure in a tropical stream ecosystem. *Austral Ecology* 30(1):58-73.
- Muñoz, G. & T.H. Cribb. 2005. Infracommunity structure of parasites of *Hemogymnus melapterus* (Pisces: Labridae) from Lizard Island, Australia: the importance of habitat and parasite body size. *Journal of Parasitology* 91(1):38-44.
- Mustard, A.T. & T.R. Anderson. 2005. Use of spherical and spheroidal models to calculate zooplankton biovolume from particle equivalent spherical diameter as measured by an optical plankton counter. *Limnology and Oceanography Methods* 3:183-189.
- Muthiah, R., S. Kagen & R.S. Burton. 2005. Copepods: Worldwide sources of allergens — Partial sequences of three unique proteins. *Journal of Allergy and Clinical Immunology* 115(2, Supplement 1): 91.
- Negassa, A. & A. Getahun. 2005. Food habits and diel feeding rhythm of introduced fish, *T. zillii* Gervais, 1948 (Pisces: Cichlidae) in Lake Zwai, Ethiopia. *SINET: Ethiopian Journal of Science* 27(1):9-16.
- Netto, S.A., F. Gallucci & G.F.C. Fonseca. 2005. Meiofauna communities of continental slope and deep-sea sites off SE Brazil. *Deep Sea Research Part I: Oceanographic Research Papers* 52(5):845-859.
- Niehoff, B. & H.J. Hirche. 2005. Reproduction of *Calanus glacialis* in the Lurefjord (western Norway) – indication for temperature-induced female dormancy. *Marine Ecology Progress Series* 285:107-115.
- Nishida, S. & N. Cho. 2005. A new species of *Tortanus* (*Atortus*) (Copepoda, Calanoida, Tortanidae) from the coastal waters of Nha Trang, Vietnam. *Crustaceana* 78(2):223-236.
- Nomaki, H., P. Heinz, T. Nakatsuka, M. Shimanaga & H. Kitazato. 2005. Species-specific ingestion of organic carbon by deep-sea benthic foraminifera and meiobenthos: In situ tracer experiments. *Limnology and Oceanography* 50(1):134-146.
- Norlin, J.I., S.E. Bayley & L.C.M. Ross. 2005. Submerged macrophytes, zooplankton and the predominance of low-over high-chlorophyll states in western boreal, shallow-water wetlands. *Freshwater Biology* 50(5):868-881.
- O'Brien, W.J., M. Barfield, N. Bettez, A.E. Hershey, J.E. Hobbie, G. Kipphut, G. Kling & M.C. Miller. 2005. Long-term response and recovery to nutrient addition of a partitioned arctic lake. *Freshwater Biology* 50(5):731-741.
- Ohtsuka, S. & D.V.P. Conway. 2005. A new species of *Tortanus* (*Atortus*) (Copepoda: Calanoida: Tortanidae) from the Seychelles, Mauritius and Madagascar. *Journal of the Marine Biological Association of the United Kingdom* 85(1):65-70.
- Øines, Ø. & P.A. Heuch. 2005. Identification of sea louse species of the genus *Caligus* using mtDNA. *Journal of the Marine Biological Association of the United Kingdom* 85(1):73-79.
- Okun, N., W.-C. Lewin & T. Mehner. 2005. Top-down and bottom-up impacts of juvenile fish in a littoral reed stand. *Freshwater Biology* 50(5):798-812.
- Okun, N. & T. Mehner. 2005. Distribution and feeding of juvenile fish on invertebrates in littoral reed (*Phragmites*) stands. *Ecology of Freshwater Fish* 14(2):139-149.
- Okun, N. & T. Mehner. 2005. Interactions between juvenile roach or perch and their invertebrate prey in littoral reed versus open water enclosures. *Ecology of Freshwater Fish* 14(2):150-160.
- Olsen, D.A. & C.R. Townsend. 2005. Flood effects on invertebrates, sediments and particulate organic matter in the hyporheic zone of a gravel-bed stream. *Freshwater Biology* 50(5):839-853.
- Ooishi, S. 2005. *Haplostomides hibernicus* (Copepoda: Cyclopoida) living in the compound ascidian *Polyclinum aurantium*. *Journal of Crustacean Biology* 25(2):181-189.
- Paffenhöfer, G.-A., A. Ianora, A. Miralto, J.T. Turner, G.S. Kleppel, M. Ribera d'Alcala, R. Casotti, G.S. Caldwell, G. Pohnert, D. Müller-Navarra, S. Jonasdottir, V. Armbrust, U. Bamstedt, S. Ban, M.G. Bentley, M. Boersma, M. Bundy, I. Buttino, A. Calbet, F. Carlotti, Y. Carotenuto, G. d'Ippolito, A. Fontana, B. Frost, C. Guisande, W. Lampert, R. Lee, S. Mazza, M.G. Mazzocchi, J. Nejstgaard, S.A. Poulet, G. Romano, V. Smetacek, S. Uye, S. Wakeham, S. Watson & T. Wichard. 2005. Colloquium on diatom-copepod interactions. *Marine Ecology Progress Series* 286:293-305.
- Persaud, A.D. & C.E. Williamson. 2005. Ultraviolet and temperature effects on planktonic rotifers and crustaceans in northern temperate lakes. *Freshwater Biology* 50(3):467-476.
- Pickhardt, P.C., C.L. Folt, C.Y. Chen, B. Klaue & J.D. Blum. 2005. Impacts of zooplankton composition and algal enrichment on the accumulation of mercury in an

- experimental freshwater food web. *Science of the Total Environment* 339(1-3): 89-101.
- Pinto-Coelho, R., B. Pinel-Alloul, G. Méthot & K.E. Havens. 2005. Crustacean zooplankton in lakes and reservoirs of temperate and tropical regions: variation with trophic status. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(2):348-361.
- Poly, W.J. 2005. *Argulus yucatanus* n. sp. (Crustacea: Branchiura) parasitic on *Cichlasoma urophthalmus* from Yucatan, Mexico. *Gulf and Caribbean Research* 17:1-13.
- Poulin, R. 2005. Relative infection levels and taxonomic distances among the host species used by a parasite: insights into parasite specialization. *Parasitology* 130(1):109-115.
- Purcell, J.E. & M.B. Decker. 2005. Effects of climate on relative predation by scyphomedusae and ctenophores on copepods in Chesapeake Bay during 1987-2000. *Limnology and Oceanography* 50(1):376-387.
- Rawlinson, K.A., J. Davenport & D.K.A. Barnes. 2005. Tidal exchange of zooplankton between Lough Hyne and the adjacent coast. *Estuarine, Coastal and Shelf Science* 62(1-2):205-215.
- Reese, D.C., T.W. Miller & R.D. Brodeur. 2005. Community structure of near-surface zooplankton in the northern California Current in relation to oceanographic conditions. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(1-2):29-50.
- Regier, J.C., J.W. Shultz & R.E. Kambic. 2005. Pancrustacean phylogeny: hexapods are terrestrial crustaceans and maxillopods are not monophyletic. *Proceedings of the Royal Society of London, B, Biological Sciences* 272(1561):395-401.
- Reiss, C., I. McLaren, P. Avendaño & C. Taggart. 2005. Feeding ecology of silver hake larvae on the Western Bank, Scotian Shelf, and comparison with Atlantic cod. *Journal of Fish Biology* 66 (3):703-720.
- Rejas, D., S. Declerck, J. Auwerkerken, P. Tak & L. De Meester. 2005. Plankton dynamics in a tropical floodplain lake: fish, nutrients, and the relative importance of bottom-up and top-down control. *Freshwater Biology* 50(1):52-69.
- Revie, C., G. Gettinby, J.W. Treasurer & C. Wallace. 2005. Evaluating the effect of clustering when monitoring the abundance of sea lice populations on farmed Atlantic salmon. *Journal of Fish Biology* 66(3):1-11.
- Rezai, H., F.M. Yosoff, A. Arshad & R. Othman. 2005. Spatial and temporal variations in calanoid copepods distribution in the Straits of Malacca. *Hydrobiologia* 537(1-3):157-167.
- Roberts, M.J. 2005. Chokka squid (*Loligo vulgaris reynaudii*) abundance linked to changes in South Africa's Agulhas Bank ecosystem during spawning and the early life cycle. *ICES (International Council for the Exploration of the Sea) Journal of Marine Science* 62(1):33-55.
- Robertson, T.L. & J.S. Weis. 2005. A comparison of epifaunal communities associated with the stems of salt marsh grasses *Phragmites australis* and *Spartina alterniflora*. *Wetlands* 25(1):1-17.
- Romare, P., D.E. Schindler, M.D. Scheuerell, J.M. Scheuerell, A.H. Litt & J.H. Shepherd. 2005. Variation in spatial and temporal gradients in zooplankton spring development: the effect of climatic factors. *Freshwater Biology* 50(6):1007-1021.
- Rosa, L.C. & C.E. Bemvenuti. 2005. Effects of the burrowing crab *Chasmagnathus granulata* (Dana) on meiofauna of estuarine intertidal habitats of Patos Lagoon, Southern Brazil. *Brazilian Archives of Biology and Technology* 48(2):267-274.
- **Rose, A., S. Seifried, E. Willen, K.H. George, G. Veit-Köhler, K. Bröhdick, J. Drewes, G. Moura, P. Martínez Arbizu & H. K. Schminke. 2005. A method for comparing within-core alpha diversity values from repeated multicorer samplings, shown for abyssal Harpacticoida (Crustacea: Copepoda) from the Angola Basin. *Organisms, Diversity & Evolution* 5 (Supplement 1):3-17.
- Saarinen, M. & J. Taskinen. 2005. Long-lasting effect of stress on susceptibility of a freshwater clam to copepod parasitism. *Parasitology* 130(5):523-529.
- Sancho, G., C.R. Fisher, S. Mills, F. Micheli, G.A. Johnson, H.S. Lenihan, C.H. Peterson & L.S. Mullineaux. 2005. Selective predation by the zoarcid fish *Thermarces cerberus* at hydrothermal vents. *Deep Sea Research Part I, Oceanographic Research Papers* 52(5):837-844.
- Sardiña, P. & A.C. Lopez-Cazorla. 2005. Feeding habits of the juvenile striped weakfish, *Cynoscion guatucupa* Cuvier 1830, in Bahía Blanca estuary (Argentina): seasonal and ontogenetic changes. *Hydrobiologia* 532(1):23-38.
- Schoemann, V., S. Becquevort, J. Stefels, V. Rousseau & C. Lancelot. 2005. *Phaeocystis* blooms in the global ocean and their controlling mechanisms: a review. *Journal of Sea Research* 53(1-2):43-66.
- Schotte, M. 2005. Brian Frederick Kensley, 17 April 1944–19 January 2004. *Journal of Crustacean Biology* 25(1):165-174.
- Schram, T.A., L. Iversen, P.A. Heuch & S. Sterud. 2005. *Argulus* sp. (Crustacea: Branchiura) on cod, *Gadus morhua* L., from Finnmark, northern Norway. *Journal of the Marine Biological Association of the United Kingdom* 85(1):81-86.
- Schünemann, H. & I. Werner. 2005. Seasonal variations in distribution patterns of sympagic meiofauna in Arctic pack ice. *Marine Biology* 146(6):1091-1102.
- Sedlacek, C. & N.H. Marcus. 2005. Egg production of the copepod *Acartia tonsa*: The influence of hypoxia and food concentration. *Journal of Experimental Marine Biology and Ecology* 318(2):183-190.
- Serrano, L. & K. Fahd. 2005. Zooplankton communities across a hydroperiod gradient of temporary ponds in the

- Doñana National Park (SW Spain). *Wetlands* 25(1):101-111.
- Sevatdal, S., L. Copley, C. Wallace, D. Jackson & T.E. Horsberg. 2005. Monitoring of the sensitivity of sea lice (*Lepeophtheirus salmonis*) to pyrethroids in Norway, Ireland and Scotland using bioassays and probit modelling. *Aquaculture* 244(1-4):19-27.
- Shahidul Islam, Md., H. Ueda & M. Tanaka. 2005. Spatial distribution and trophic ecology of dominant copepods associated with turbidity maximum along the salinity gradient in a highly embayed estuarine system in Ariake Sea, Japan. *Journal of Experimental Marine Biology and Ecology* 316(1):101-115.
- **Shimanaga, M., Y. Shirayama & H. Kitazato. 2004. Seasonal patterns of reproductive activities among deep-sea benthic copepod species in the bathyal Sagami Bay, central Japan. *Hydrobiologia* 533(1):29-39.
- Shoden, S., T. Ikeda & A. Yamaguchi. 2005. Vertical distribution, population structure and life cycle of *Eucalanus bungii* (Copepoda: Calanoida) in the Oyashio region, with notes on its regional variations. *Marine Biology* 146(3):497-511.
- Shoji, J., E.W. North & E.D. Houde. 2005. The feeding ecology of *Morone americana* larvae in the Chesapeake Bay estuarine turbidity maximum: the influence of physical conditions and prey concentrations. *Journal of Fish Biology* 66(5):1328-1341.
- Signoretto, C., G. Burlacchini, C. Pruzzo & P. Canepari. 2005. Persistence of *Enterococcus faecalis* in aquatic environments via surface interactions with copepods. *Applied and Environmental Microbiology* 71(5):2756-2761.
- Skovgaard, A. 2005. Infection with the dinoflagellate parasite *Blastodinium* in two Mediterranean copepods. *Aquatic Microbial Ecology* 38:93-101.
- Slater, L.M. & R.R. Hopcroft. 2005. Development, growth, and egg production of *Centropages abdominalis* in the eastern subarctic Pacific. *Journal of Plankton Research* 27(1):71-78.
- Smit, N.J., L.L. Van As & J.G. Van As. 2005. Redescription of *Argulus multipoculus* Barnard, 1955 (Crustacea: Branchiura) collected on the west coast of South Africa. *Systematic Parasitology* 60(1):75-80.
- Sommer, F., A. Saage, B. Santer, T. Hansen & U. Sommer. 2005. Linking foraging strategies of marine calanoid copepods to patterns of nitrogen stable isotope signatures in a mesocosm study. *Marine Ecology Progress Series* 286:99-106.
- Sommer, U., T. Hansen, O. Blum, N. Holzner, O. Vadstein & H. Stibor. 2005. Copepod and microzooplankton grazing in mesocosms fertilised with different Si:N ratios: no overlap between food spectra and Si:N influence on zooplankton trophic level. *Oecologia* 142(2):274-283.
- Souissi, S., L. Seuront, F.G. Schmitt & V. Ginot. 2005. Describing space-time patterns in aquatic ecology using IBMs and scaling and multi-scaling approaches. *Nonlinear Analysis: Real World Applications* 6(4):705-730.
- Stead, T.K., J.M. Schmid-Araya & A.G. Hildrew. 2005. Secondary production of a stream metazoan community: Does the meiofauna make a difference? *Limnology and Oceanography* 50(1):398-403.
- Steiner, C.F. 2005. Temporal stability of pond zooplankton assemblages. *Freshwater Biology* 50(1):105-112.
- Stephenson, J. 2005. Mosquito eaters curb dengue. *Journal of the American Medical Association* 293:1316.
- Stien, A., P.A. Bjørn, P.A. Heuch & D. Elston. 2005. Population dynamics of salmon lice *Lepeophtheirus salmonis* on Atlantic salmon and sea trout. *Marine Ecology Progress Series* 290:263-275.
- Stone, M.L., M.R. Whiles, J.A. Webber, K.W. Williard & J.D. Reeve. 2005. Macroinvertebrate communities in agriculturally impacted southern Illinois streams: patterns with riparian vegetation, water quality, and in-stream habitat quality. *Journal of Environmental Quality* 34(3):907-917.
- Suárez-Morales, E., J.W. Reid & M. Elías-Gutiérrez. 2005. Diversity and distributional patterns of the Neotropical freshwater diaptomid copepods. *International Review of Hydrobiology* 90(1):71-83.
- Subba Rao, D.V. 2005. Comprehensive review of the records of the biota of the Indian Seas and introduction of non-indigenous species. *Aquatic Conservation: Marine and Freshwater Ecosystems* 15(2):117-146.
- Sundarabharathy, T.V., U. Edirisinghe & C.M.B. Dematawewa. 2005. Breeding and larval rearing of threatened, endemic fish stony sucker, *Garra ceylonensis* (Bleeker). *Aquaculture Research* 36(2):196-201.
- Sutor, M.M., T.J. Cowles, W.T. Peterson & S.D. Pierce. 2005. Acoustic observations of finescale zooplankton distributions in the Oregon upwelling region. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(1-2):109-121.
- Szito, A. 2005. Rice field ecology (benthos). Pp. 209-230 In: Fernando, C.H., F. Goltenboth & J. Margraf (eds.). *Aquatic Ecology of Rice Fields*. Volumes Publishing, Kitchener, Ontario. 472 pp. ISBN 0-9737503-0-8.
- Tadokoro, K., S. Chiba, T. Ono, T. Midorikawa & T. Saino. 2005. Interannual variations in *Neocalanus* biomass in the Oyashio waters of the western North Pacific. *Fisheries Oceanography* 14(3):210-222.
- Takahashi, M. & Y. Watanabe. 2005. Effects of temperature and food availability on growth rate during late larval stage of Japanese anchovy (*Engraulis japonicus*) in the Kuroshio-Oyashio transition region. *Fisheries Oceanography* 14(3):223-235.
- Tang, K.W. 2005. Copepods as microbial hotspots in the ocean: effects of host feeding activities on attached bacteria. *Aquatic Microbial Ecology* 38:31-40.
- Tang, K.W. & M. Taal. 2005. Trophic modification of food quality by heterotrophic protists: species-specific effects

- on copepod egg production and egg hatching. *Journal of Experimental Marine Biology and Ecology* 318(1):85-98.
- Tannous, B.A., D.-E. Kim, J.L. Fernandez, R. Weissleder & X.O. Breakefield. 2005. Codon-optimized *Gaussia* luciferase cDNA for mammalian gene expression in culture and *in vivo*. *Molecular Therapy* 11(3):435-443.
- Taraschewski, H., J. Boomker, K. Knopf & F. Moravec. 2005. *Anguillicola papernai* (Nematoda: Anguillicolidae) and other helminths parasitizing the African longfin eel *Anguilla mossambica*. *Diseases of Aquatic Organisms* 63(2-3):185-195.
- Tarpgaard, E., M. Mogensen, P. Grønkjær & J. Carl. 2005. Using short-term growth of enclosed 0-group European flounder, *Platichthys flesus*, to assess habitat quality in a Danish bay. *Journal of Applied Ichthyology* 21(1):53-63.
- Thistle, D., K.R. Carman, L. Sedlacek, P.G. Brewer, J.W. Fleeger & J.P. Barry. 2005. Deep-ocean, sediment-dwelling animals are sensitive to sequestered carbon dioxide. *Marine Ecology Progress Series* 289:1-4.
- Thor, P., T.G. Nielsen, P. Tiselius, T. Juul-Pedersen, C. Michel, E.F. Møller, K. Dahl, E. Selander & S. Gooding. 2005. Post spring bloom community structure of pelagic copepods in the Disko Bay, Western Greenland. *Journal of Plankton Research* 27(4):341-356.
- Timi, J.T., A.L. Lanfranchi & R. Poulin. 2005. Is there a trade-off between fecundity and egg volume in the parasitic copepod *Lernanthropus cynoscicola*? *Parasitology Research* 95(1):1-4.
- Tolonen, K.T., I.J. Holopainen, H. Hämäläinen, M. Rahkola-Sorsa, P. Ylöstalo, K. Mikkonen & J. Karjalainen. 2005. Littoral species diversity and biomass: concordance among organismal groups and the effects of environmental variables. *Biodiversity and Conservation* 14(4):961-980.
- Tomikawa, K., T. Ito, N. Minakawa & S.F. Mawatari. 2005. Two new species of *Ochridacyclops* (Kiefer, 1937) (Copepoda, Cyclopoida) from Kenya and Nepal. *Zoological Science* 22(4):477-487.
- Tönnesson, K. & P. Tiselius. 2005. Diet of the chaetognaths *Sagitta setosa* and *S. elegans* in relation to prey abundance and vertical distribution. *Marine Ecology Progress Series* 289:177-190.
- Torres, E. & A.C. Cohen. 2005. *Vargula morini*, a new species of bioluminescent ostracode (Myocopida: Cypridinidae) from Belize and an associated copepod (Copepoda: Siphonostomatoida: Nicothoidae). *Journal of Crustacean Biology* 25(1):11-24.
- Toumi, N., H. Ayadi, O. Abid, J.-F. Carrias, T. Sime-Ngando, M. Boukhris & A. Bouain. 2005. Zooplankton distribution in four ponds of different salinity: a seasonal study in the solar salterns of Sfax (Tunisia). *Hydrobiologia* 534(1-3):1-9.
- Tronstad, L.M., B.P. Tronstad & A.C. Benke. 2005. Invertebrate seedbanks: rehydration of soil from an unregulated river floodplain in the south-eastern U.S. *Freshwater Biology* 50(4):646-655.
- Tsuda, A., H. Saito, J. Nishioka & T. Ono. 2005. Mesozooplankton responses to iron-fertilization in the western subarctic Pacific (SEEDS2001). *Progress in Oceanography* 6(2-4): 237-251.
- Uye, S.-i. & H. Shimauchi. 2005. Population biomass, feeding, respiration and growth rates, and carbon budget of the scyphomedusa *Aurelia aurita* in the Inland Sea of Japan. *Journal of Plankton Research* 27(3):237-248.
- van Moorsel, G. 2005. *Doridicola agilis* Leydig, 1853 (Copepoda, Poecilostomatoida, Rhynchomolgidae), een symbiont van naaktslakken. *Doridicola agilis* Leydig, 1853 (Copepoda, Poecilostomatoida, Rhynchomolgidae), a symbiont of nudibranch molluscs. *Zeepaard* 65(1):14-21. [In Dutch.]
- Van Nieuwerburgh, L., I. Wänstrand, J. Liu & P. Snoeijs. 2005. Astaxanthin production in marine pelagic copepods grazing on two different phytoplankton diets. *Journal of Sea Research* 53(3):121-212.
- Van Wijngaarden, R.P.A., T.C.M. Brock & P.J. Van Den Brink. 2005. Threshold levels for effects of insecticides in freshwater ecosystems: A review. *Ecotoxicology* 14(3):355-380.
- Vanni, M.J., K.K. Arend, M.T. Bremigan, D.B. Bunnell, J.E. Garvey, M.J. González, W.H. Renwick, P.A. Soranno & R.A. Stein. 2005. Linking landscapes and food webs: effects of omnivorous fish and watersheds on reservoir ecosystems. *BioScience* 55(2):155-167.
- **Veit-Köhler, G. 2005. First deep-sea record of the genus *Kliopsyllus* Kunz, 1962 (Copepoda: Harpacticoida) with the description of *Kliopsyllus diva* sp. n. – the most abundant member of Paramesochridae at two different sites of the Angola Basin. *Organisms, Diversity & Evolution* 5(Supplement 1):29-41.
- Vestheim, H., S. Kaartvedt & B. Edvardsen. 2005. State-dependent vertical distribution of the carnivore copepod *Pareuchaeta norvegica*. *Journal of Plankton Research* 27(1):19-26.
- Vu, S.N., T.Y. Nguyen, V.P. Tran, U.N. Truong, Q.M. Le, V.L. Le, T.N. Le, A. Bektas, A. Briscoe, J.G. Aaskov, P.A. Ryan & B.H. Kay. 2005. Elimination of dengue by community programs using *Mesocyclops* (Copepoda) against *Aedes aegypti* in Central Vietnam. *American Journal of Tropical Medicine and Hygiene* 72(1):67-73.
- Wall, T. 2005. Control of sea lice in Atlantic salmon. *Veterinary Record* 156(3):96.
- Walters, C.J., V. Christensen, S.J. Martell & J.F. Kitchell. 2005. Possible ecosystem impacts of applying MSY policies from single-species assessment. *ICES Journal of Marine Science* 62(3):558-568.
- Wang, G., X. Jiang, L. Wu & S. Li. 2005. Differences in the density, sinking rate and biochemical composition of *Centropages tenuiremis* (Copepoda: Calanoida) subitaneous and diapause eggs. *Marine Ecology Progress Series* 288:165-171.

- Wang, X. & W.-X. Wang. 2005. Uptake, absorption efficiency and elimination of DDT in marine phytoplankton, copepods and fish. *Environmental Pollution* 136(3):453-464.
- Ward, P., R. Shreeve, M. Whitehouse, B. Korb, A. Atkinson, M. Meredith, D. Pond, J. Watkins, C. Goss & N. Cunningham. 2005. Phyto- and zooplankton community structure and production around South Georgia (Southern Ocean) during Summer 2001/02. *Deep Sea Research Part I: Oceanographic Research Papers* 52(3):421-441.
- Werner, I. 2005. Living conditions, abundance and biomass of under-ice fauna in the Storfjord area (western Barents Sea, Arctic) in late winter (March 2003). *Polar Biology* 28(4):311-318.
- **Willen, E. 2005. A new species of *Paranannopus* Lang, 1936 (Copepoda, Harpacticoida, Pseudotachidiidae) with atrophic mouthparts from the abyssal of the Angola Basin. *Organisms Diversity & Evolution* 5 (Supplement 1):19-27.
- Winkler, G., P. Sirois, L.E. Johnson & J.J. Dodson. 2005. Invasion of an estuarine transition zone by *Dreissena polymorpha* veligers had no detectable effect on zooplankton community structure. *Canadian Journal of Fisheries and Aquatic Sciences* 62(3):578-592.
- Wollenberger, L., L. Dinan & M. Breitholtz. 2005. Brominated flame retardants: activities in a crustacean development test and in an ecdysteroid screening assay. *Environmental Toxicology and Chemistry* 24(2):400-407.
- Work, K., K. Havens, B. Sharfstein & T. East. 2005. How important is bacterial carbon to planktonic grazers in a turbid, subtropical lake? *Journal of Plankton Research* 27(4):357-372.
- Wyngaard, G.A., E.M. Rasch, N.M. Manning, K. Gasser & R. Domangue. 2005. The relationship between genome size, development rate, and body size in copepods. *Hydrobiologia* 532(1):123-137.
- Yahel, R., G. Yahel, T. Berman, J.S. Jaffe & A. Genin. 2005. Diel pattern with abrupt crepuscular changes of zooplankton over a coral reef. *Limnology and Oceanography* 50(3):930-944.
- Yamaguchi, A., Y. Watanabe, H. Ishida, T. Harimoto, M. Maeda, J. Ishizaka, T. Ikeda & M.M. Takahashi. 2005. Biomass and chemical composition of net-plankton down to greater depths (>5800 m) in the western North Pacific Ocean. *Deep Sea Research Part I: Oceanographic Research Papers* 52(2):341-353.
- Yang, Y.F., X.F. Huang, J.K. Liu & N.Z. Jiao. 2005. Effects of fish stocking on the zooplankton community structure in a shallow lake in China. *Fisheries Management & Ecology* 12(2):81-89.
- Zagami, G., G. Costanzo & N. Crescenti. 2005. First record in Mediterranean Sea and redescription of the benthoplanktonic calanoid copepod species *Pseudocyclops xiphophorus* Wells, 1967. *Journal of Marine Systems* 55(1-2):67-76.
- Zagmutt-Vergara, F.J., T.E. Carpenter, T.B. Farver & R.P. Hedrick. 2005. Spatial and temporal variations of sea lice (Copepoda: Caligidae) infestations in three salmonid species farmed in net pens in southern Chile. *Diseases of Aquatic Organisms* 64:163-173.
- Zamon, J.E. & D.W. Welch. 2005. Rapid shift in zooplankton community composition on the northeast Pacific shelf during the 1998-1999 El Niño - La Niña event. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(1):133-144.
- Zampini, M., C. Pruzzo, V.P. Bondre, R. Tarsi, M. Cosmo, A. Bacciaglia, A. Chhabra, R. Srivastava & B.S. Srivastava. 2005. *Vibrio cholerae* persistence in aquatic environments and colonization of intestinal cells: Involvement of a common adhesion mechanism. *FEMS Microbiology Letters* 244(2):267-273.
- Zeldis, J.R., J. Oldman, S.L. Ballara & L.A. Richards. 2005. Physical fluxes, pelagic ecosystem structure, and larval fish survival in Hauraki Gulf, New Zealand. *Canadian Journal of Fisheries and Aquatic Sciences* 62(3):593-610.
- Zhang, F.J., Y.S. Yansong, X.L. Zhang, X.W. Guo & Z.L. Liang. 2005. Diversity of benthic boundary layer fauna in a section of the Yellow Sea in summer. *Shengwu Duoyangxing* 13(1):1-11. [In Chinese.]
- Zhang, G.-T., S. Sun & F. Zhang. 2005. Seasonal variation of reproduction rates and body size of *Calanus sinicus* in the Southern Yellow Sea, China. *Journal of Plankton Research* 27(2):135-143.
- Zmora, O., A. Findiesen, J. Stubblefield, V. Frenkel & Y. Zohar. 2005. Large-scale juvenile production of the blue crab *Callinectes sapidus*. *Aquaculture* 244(1-4):129-139.

RECENT THESES and DISSERTATIONS

- Almeida de Sousa, Leila Cristina. 2003. Diversidade e distribuição da comunidade zooplanctônica em diferentes lagos de várzea na bacia Amazônica, Amazonas, Brasil. [Diversity and distribution of the zooplankton community in different várzea lakes of the Amazon Basin, Brazil.] Dissertação de Mestrado, Instituto Nacional de Pesquisas da Amazônia, Manaus, Amazônia, Brazil. [In Portuguese.]
- Baguley, Jeffrey G. 2004. Meiofauna community structure and function in the northern Gulf of Mexico deep sea. Ph.D. Thesis, The University of Texas at Austin, Austin, Texas, U.S.A. 201 pp.
- Bejarano, Adriana C. 2004. Toxicological evaluation of urban-related contaminants in estuarine ecosystems: 1. Effects of contaminants on the development and reproduction of the estuarine copepod *Amphiascus tenuiremis*; and 2. the role of sediment constituents on pesticide bioavailability to the estuarine bivalve *Mercenaria mercenaria*. Ph.D. Thesis, University of

- South Carolina, Columbia, South Carolina, U.S.A. 144 pp.
- Bharathi, Dharmar. 2004. Limnological studies of few freshwater habitats in and around Chennai City. Ph.D. Thesis, University of Madras, Guindy, Chennai, India. 200 pp.
- Bi, Honsheng. 2004. Population dynamics of *Clausocalanus furcatus* (Copepoda, Calanoida) in the northern Gulf of Mexico. Ph.D. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 210 pp.
- Binks, Jessie Alexandra Helen. 2004. Local versus regional factors: What controls the recovery of zooplankton species diversity from cultural acidification? M.Sc. Thesis, University of Toronto, Toronto, Canada. 55 pp.
- Boronat-Chirivella, Maria Dolores. 2004. Distribución de los microcrustáceos en lagunas de Castilla-La Mancha. Ciclos estacionales y migración vertical en lagunas cársicas estratificadas. [Distribution of the micrustaceans in lakes of Castile-La Mancha. Seasonal cycles and vertical migration in stratified karstic lakes.] Ph.D. Thesis, Universitat de València, Valencia, Spain. [In Spanish.]
- Bosques-Rodriguez, Luis Javier. 2004. Metazoan parasites of snappers, Lutjanidae (Pisces) from Puerto Rico. M.S. Thesis, University of Puerto Rico, Mayaguez, Puerto Rico, U.S.A. 191 pp.
- Bouck, Lori A. 2003. Two new diosaccids (Copepoda, Harpacticoida) from the northern Gulf of Mexico and their responses to winter storms. Ph.D. Thesis, Florida State University, Tallahassee, Florida, U.S.A. 52 pp.
- **Bröhdick, K. 2003. Die Arten der Idyanthidae (Harpacticoida, Copepoda, Crustacea) und ihre Verbreitung in der Tiefsee des Angola-Beckens. Diplomarbeit an der Universität Oldenburg, Oldenburg, Germany. 94 pp.
- Chen, Wei-Shi. 2004. Seasonal distribution of chaetognaths in relation to environmental factors in Tamshui and Kaoping estuaries and adjacent coastal waters. Ph.D. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Clauser, Aaron Strohecker. 2004. Zooplankton to amphibians: Sensitivity to UVR in temporary pools. Ph.D. Thesis, Lehigh University, Bethlehem, Pennsylvania, U.S.A. 136 pp.
- Cohen, Jonathan H. 2004. Visual sensitivity and diel vertical migration of the marine copepod *Calanopia americana*. Ph.D. Thesis, Duke University, Durham, North Carolina, U.S.A. 282 pp.
- **Drewes, J. 2005. Morphologie, Systematik und Verbreitung von Vertretern der Taxa *Metahuntemannia* und *Talpina*. [Morphology, systematics and distribution of representatives of the taxa *Metahuntemannia* and *Talpina*.] Diplomarbeit an der Universität Oldenburg, Oldenburg, Germany. 177 pp. [In German.]
- Endo, Satoshi. 2005. Seasonal changes in environment and enzyme activity in the neritic copepod. *Acartia* spp. in Onagawa Bay. M.Sc. Thesis, Tohoku University, Sendai, Japan.
- Fallang, Anders. 2005. Resistance towards organophosphates and pyrethroids in sea lice, *Lepeophtheirus salmonis*. Ph.D. Thesis, Norwegian School of Veterinary Science, Oslo, Norway.
- Finlay, Kerri P. 2004. Nauplii and copepodites: an evaluation of trophodynamic roles in a north temperate bay - and implications beyond. Ph.D. Thesis, University of Guelph, Guelph, Ontario, Canada. 219 pp.
- Goetze, Erica. 2004. Speciation in the open ocean: The phylogeography of the oceanic copepod family Eucalanidae. Ph.D. Thesis, University of California, San Diego, California, U.S.A. 236 pp.
- Gopikrishna, Mantha. 2005. Studies on the marine Cyclopoid copepods. Ph.D. Thesis, University of Madras, Madras, India. 209 pp.
- Guenther, Lisa Robin. 2003. Development of aquatic communities in aggregate ponds in southern Ontario. University of Guelph, Guelph, Ontario, Canada. 204 pp.
- Jackson, Jered Benjamin. 2004. Changes in biomass production and diets of bay anchovy, Atlantic croaker, and spot in Mobile Bay over seasons, and as a result of wind-driven resuspension events. M.S. Thesis, University of South Alabama, Mobile, Alabama, U.S.A. 173 pp.
- Long, Jeremy D. 2004. Plasticity of consumer-prey interactions in the sea: Chemical signaling, learned aversion, and ecological consequences. Ph.D. Thesis, Georgia Institute of Technology, Atlanta, Georgia, U.S.A. 127 pp.
- Maar, Marie. 2003. Distributions of zooplankton in relation to biological-physical factors. Ph.D. Thesis, National Environmental Research Institute, University of Aarhus, Aarhus, Denmark. 142 pp. Available at: http://www.dmu.dk/1_viden/2_publicationer/3_ovrige/rapporter/phd_MAM.pdf
- Pipan, Tanja. 2003. Ecology of copepods (Crustacea: Copepoda) in percolation water of the selected karst caves. Ph.D. Dissertation, University of Ljubljana, Ljubljana, Slovenia. [In Slovenian; English abstract.]
- Prioleau, Algernon W. 2004. Frequency of *Vibrio* sp. in planktonic size fractions in estuarine water samples of the ports of Baltimore, Maryland and Norfolk, Virginia. M.S. Thesis, Morgan State University, Baltimore, Maryland, U.S.A. 41 pp.
- Robertson, Tish L. 2004. An analysis of epifaunal communities associated with the salt marsh grasses *Phragmites australis* and *Spartina alterniflora*. Ph.D. Thesis, Rutgers, The State University of New Jersey, Newark, New Jersey, U.S.A. 114 pp.
- Scheinberg, Rebecca D. 2004. Food web structure and trophic dynamics of a subtropical plankton community, with an emphasis on appendicularians. Ph.D. Thesis, University of Hawai'i, Manoa, Hawai'i, U.S.A. 263 pp.

- Schultes, Sabine. 2004. The role of mesozooplankton grazing in the biogeochemical cycle of silicon and carbon in the Southern Ocean. Ph.D. Thesis, University of Bremen, Bremen, Germany. 167 pp.
- Sevatdal, Sigmund. 2005. Sea lice resistance to chemotherapeutants: Bioassays as diagnostic tools for determination of sensitivity patterns in sea lice (*Lepeophtheirus salmonis* Krøyer). Ph.D. Thesis, Norwegian School of Veterinary Science, Oslo, Norway.
- Sutor, Malinda M. 2004. Vertical distribution patterns of plankton and their relationship to physical factors over the continental shelf off Oregon. Ph.D. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 297 pp.
- Taylor, J. Christopher. 2004. Distribution, behavior and trophic interactions of pelagic planktivores and copepods in an intermittently stratified estuary. Ph.D. Thesis, North Carolina State University, Raleigh, North Carolina, U.S.A. 167+ix pp.
- Tsotetsi, Ana Mbokeling. 2005. Aspects of the ecology, life cycle and pathology of *Lamproglena clariae* (Copepoda:Lernaecidae), collected from the gills of *Clarias gariepinus* from the Vaal River system, South Africa. Ph.D. Thesis, Rand Afrikaans University, Johannesburg, South Africa.
- Vukanic, V. 2002. Pregled isitematsko ekoloskih istrazivanja zooplanktona Bokokotorskog zaliva kao pokazatelja kvaliteta mora. A survey of systematic ecological researches of zooplankton in the Gulf of Boka Kotorska as indications of water quality. Specijalisticki Rad. Bioloski Fakultet Univerziteta u Beogradu. Specialist Thesis, Specialist in Environmental Protection and Advancement, Faculty of Biology, University of Belgrade, Belgrade, Jugoslavia. 72 pp.
- Vukanic, V. 2004. Ecological study of zooplankton in function of analysis of present state and conservation of biodiversity of Boka Kotorska Bay. M.S. Thesis, Environmental Protection and Advancement, Faculty of Biology, University of Belgrade, SCG, Belgrade, Jugoslavia.
- Waggett, Rebecca. 2005. Ecological, biomechanical and neurological correlates of escape behavior in calanoid copepods. Ph.D. Dissertation, Marine Science Institute, The University of Texas at Austin, Port Aransas, Texas, U.S.A. 116 pp.
- Wojtaszek, Barbara F. 2004. In situ investigation of the effects of Vision(R) and Release(R) silvicultural herbicides on plankton and larval amphibians. Ph.D. Thesis, University of Guelph, Guelph, Ontario, Canada. 253 pp.

**** Titles received by the Monoculus-Library are indicated by asterisks. ****