

MONOCULUS Copepod Newsletter

The Newsletter of the World Association of Copepodologists

Number 51 – Supplement

April 2006

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recent Publications	1

MONOCULUS Editor: Janet W. Reid

Research Associate, Division of Science & Learning
Virginia Museum of Natural History
Martinsville, Virginia 24112, U.S.A.

Tel. +1 276 656 6719; Fax. +1 276 656 6701

E-mail jwrassociates@sitestar.net

Deadline for submissions to the next number of
MONOCULUS: 15 September 2006

Material in *MONOCULUS* is reviewed only by the Editor.
This newsletter is not part of the scientific literature and is
not to be cited, abstracted, or reprinted as a published
document. Using the illustrations or text for other purposes
requires previous agreement by the Editor.

ISSN 1543-0731 (On-line version)

ISSN 0722-5741 (Printed version)

WAC Homepage

<http://www.copepoda.uconn.edu>

MONOCULUS Homepage

<http://www.copepoda.uconn.edu/newsletter>

MONOCULUS Homepage – University of Oldenburg

<http://www.uni-oldenburg.de/monoculus>

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*. Grateful thanks to the donors of reprints to the Monoculus and C. B. Wilson libraries.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different.

This supplement will be posted in pdf format on the WAC website. For their convenience, WAC members may request a copy of the file from me. I will send it as an e-mail attachment in Word.

Jim Carlton, Susan Dippenaar, Hendrik Gheerardyn, Michel Hendrickx, Rodrigo Johnsson, Elena Krupa, Shigeo Ooishi, Ivan Pandourski, Motohiro Shimanaga, Frank Sommer, and Marco Uttieri all graciously provided literature references and, in some cases, reprints. Many other colleagues have already donated reprints of articles which were listed in previous numbers, to the Monoculus Library.

Particular thanks to Peter Heuch for help with translating titles in Norwegian, and to Süphan Karaytuğ for help with Turkish. Translations of titles in languages other than English (if not given by the source) are provided by the management.

— Jan Reid
Martinsville, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!

Address of the Monoculus-Library:

C/o Prof. Kurt Schminke
Fachbereich 7
Universität Oldenburg
D-26111 Oldenburg, Germany

Mail to the C. B. Wilson Library should be sent to the address below. Mail sent to other (older) addresses may be irradiated, which will severely damage the paper.

C/o T. Chad Walter
Smithsonian Institution
PO Box 37012
NMNH, MRC-163
Washington DC 20013-7012, U.S.A.

Recent Publications on Copepoda

Compiled by Chad Walter
(National Museum of Natural History, Washington,
D.C., U.S.A.) and Jan Reid

Older publications that were recently listed in the "World of Copepoda" bibliographic database (C. B. Wilson Library)

are included. Please advise us if you learn of publications (including theses and “gray literature”), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the “World of Copepoda” database.

1996 and before

- Aagaard, K. & D. Dolmen. 1996. Limnofauna Norvegica. Katalog over Norsk Ferskvannsfåuna. Tapir, Trondheim. 310 pp. [In Norwegian; summary in English.]
- Aagaard, K., A.K.L. Schartau, O. Hanssen, S. Lierhagen & B. Wilmann. 1994. Effects of cadmium on population and community structures in littoral zone of a boreal lake: An experimental study using limnocostracans. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 25:2021-2025.
- Abarca-Rivas, J.L. 1986. Contribución al estudio de los copepodos (Crustacea -- Copepoda) de la Bahía de Acapulco. Gro. Mexico. Ciclo 1984-85. [Contribution to the study of the copepods (Crustacea – Copepoda) of Acapulco Bay, Guerrero, Mexico, 1984-85 cycle.] Tesis de Licenciatura en Ciencias Biológicas, Universidad Autónoma del Estado de Morelos (U.A.E.M.), Cuernavaca, Morelos, Mexico. [In Spanish.]
- Abbasi, S.A., P.C. Nipanay & R. Soni. 1988. Studies on environmental management of mercury (II), chromium (VI) and zinc (II) with respect to the impact on some arthropods and protozoans. *International Journal of Environmental Studies* 32:181-187.
- Adema, D.M.M. & G.J. Vink. 1981. A comparative study of the toxicity of 1,1,2-trichloroethane, dieldrin, pentachlorophenol, and 3,4 dichloroaniline for marine and fresh water. *Chemosphere* 10(6):533-554.
- Albers, C. 1995. Zusammensetzung der Speicher- und Membranlipide von polaren Copepoden. [Composition of the storage and membrane lipids of polar copepods.] Diplomarbeit, Alfred-Wegener-Institut für Polar- und Meeresforschung, Bremerhaven, Germany. [In German.]
- Alden, R.W., III, R.C. Dahiya & R.J. Young, Jr. 1982. A method for the enumeration of zooplankton subsamples. *Journal of Experimental Marine Biology and Ecology* 59(2-3):185-206.
- Ali, A. & J. Lord. 1980. Impact of experimental insect growth regulators on some nontarget aquatic invertebrates. *Mosquito News* 40(4):564-571.
- Ali, A. & M.S. Mulla. 1978. Effects of chironomid larvicides and diflubenzuron on nontarget invertebrates in residential-recreational lakes. *Environmental Entomology* 7(1):21-27.
- Ali, A., H.N. Nigg, J.H. Stamper, M.L. Kok-Yokomi & M. Weaver. 1988. Diflubenzuron application to citrus and its impact on invertebrates in an adjacent pond. *Bulletin of Environmental Contamination and Toxicology* 41(5):781-790.
- Ali, A. & B.H. Stanley. 1982. Effects of a new carbamate insecticide, Larvin (UC-51762), on some nontarget aquatic invertebrates. *Florida Entomologist* 65(4):477-483.
- Allison, E.H., K. Irvine, A.B. Thompson & B. Ngatunga. 1996. Diets and food consumption rates of pelagic fish in Lake Malawi, Africa. *Freshwater Biology* 35:489-515.
- Allison, E.H., G. Patterson, K. Irvine, A.B. Thompson & A. Menz. 1995. The pelagic ecosystem. Pp. 351-368 In: Menz, A. (ed.). *Fishery potential and productivity of the pelagic zone of Lake Malawi/Niassa*. Natural Resources Institute, Chatham, Kent, U.K.
- Allison, E.H., A.B. Thompson, B.P. Ngatunga & K. Irvine. 1995. The diet and food consumption rates of the offshore fish. Pp. 233-278 In: Menz, A. (ed.). *Fishery potential and productivity of the pelagic zone of Lake Malawi/Niassa*. Natural Resources Institute, Chatham, Kent, U.K.
- Anderson, B.G., T.F. Andrews, D.C. Chandler & W.J. Jahoda. 1948. The Evaluation of Aquatic Invertebrates as Assay Organisms for the Determination of the Toxicity of Industrial Wastes. American Petroleum Institute Project Final Report No. 51, The Ohio State University, Columbus, Ohio, U.S.A.
- Apperson, C.S., B.A. Federich, F.R. Tarver & W. Stewart. 1992. Biotic and abiotic parameters associated with an epizootic of *Coelomomyces punctatus* in a larval population of the mosquito *Anopheles quadrimaculatus*. *Journal of Invertebrate Pathology* 60(3):219-228.
- Ardaya, D., C. Castedo, A.L. de Cerruto, D.A. Conroy, N. Corcuay, A.M. Cuellar & G. Morales. 1996. Evaluación preliminar de la presencia de algunas enfermedades y parásitos en el cultivo de cachama (*Colossoma macropomun*) y pacu (*Piaractus mitrei*) en Santa Cruz, Bolivia. [Preliminary evaluation of the presence of some diseases and parasites in the cultivation of the cachama (*Colossoma macropomun*) and pacu (*Piaractus mitrei*) in Santa Cruz, Bolivia.] *Memorias III Congreso de Ciencias Veterinarias, Maracay, Venezuela*. Pp. 116-118. [In Spanish.]
- Arunachalam, M., O. Divakaran, N.B. Nair & N.K. Balasubramanian. 1982. Seasonal variation of zooplankton of the Veli lake, southeast coast of India. *Archiv für Hydrobiologie* 93(3):359-374.
- Barcelo, J.A. & A. Calkins. 1980. The kinetics of avoidance of simulated solar UV radiation by two arthropods. *Biophysical Journal* 32(3):921-929.
- Baudouin, M.F. & P. Scoppa. 1974. Acute toxicity of various metals to freshwater zooplankton. *Bulletin of Environmental Contamination and Toxicology* 12(6):745-751.
- Baudouin, M.F. & P. Scoppa. 1974. Accumulation and retention of chromium-51 by freshwater zooplankton. Commission of the European Communities, Joint Nuclear Research Center, Ispra, Italy. 23 pp.

- Beers, J.R. & G.L. Stewart. 1971. Micro-zooplankters in the plankton communities of the upper waters of the eastern tropical Pacific. *Deep Sea Research and Oceanographic Abstracts* 18(9):861-883.
- Beeton, A.M., P.K. Kovacic & A.S. Brooks. 1976. Effects of Chlorine and Sulfite Reduction on Lake Michigan Invertebrates. EPA-600/3-76-036, U.S. Environmental Protection Agency, Duluth, Minnesota. 133 pp. (U.S. NTIS PB-253127)
- Bengtsson, B.E. & M. Tarkpea. 1983. The acute aquatic toxicity of some substances carried by ships. *Marine Pollution Bulletin* 14(6):213-214.
- Bengtsson, B.E., L. Renberg & M. Tarkpea. 1984. Molecular structure and aquatic toxicity - an example with C1-C13 aliphatic alcohols. *Chemosphere* 13(5-6):613-622.
- Bersano, J.G.F. 1994. Zooplâncton da zona de arrebentação de praias arenosas do sul do Brasil. [Zooplankton of the breaker zone of sandy beaches in southern Brazil.] M.S. Thesis, Fundação Universidade Federal do Rio Grande, FURG, Rio Grande, Rio Grande do Sul, Brazil. [In Portuguese.]
- Beyerle-Pfnur, R., G. Burkhardt & A. Peither. 1991. Chronic ecotoxicity of 3,4-dichloroaniline to freshwater ecosystems. *Toxicology and Environmental Chemistry* 31/32:367-373.
- Bick, A. & G. Arlt. 1993. The influence of *Hediste diversicolor* (O.F. MÜLLER, 1776) on the macro- and meiozoobenthos of a shallow water area of Mecklenburg Bay (Western Baltic Sea). *Rostocker Meeresbiologische Beiträge* 1:9-24.
- Biesinger, K.E., A.E. Lemke, W.E. Smith & R.M. Tyo. 1976. Comparative toxicity of polyelectrolytes to selected aquatic animals. *Journal of the Water Pollution Control Federation* 48(1):183-187.
- Bohn, A. 1975. Arsenic in marine organisms from West Greenland. *Marine Pollution Bulletin* 6(6):87-89.
- Bollens, S.M. 1996. Diel vertical migration in marine zooplankton. *Oceanus* 39:19.
- Bonecker, A.C.T., S.L.C. Bonecker, C.R. Nogueira & L.A.S. Krauss. 1995. Studies on zooplankton and ichthyoplankton in the estuarine systems of Ilha Grande Bay (RJ-Brazil). *Brazilian Archives of Biology and Technology, Curitiba* 38(2):593-604.
- Bonecker, A.C.T., C.R. Nogueira, S.L.C. Bonecker, L.H.S. Santos, C.O. Dias, J.M.L. Reis & A.S. Dias-Neto. 1990. Distribution and diversity of zooplankton off Rio de Janeiro (RJ-Brazil). In: *Ecossistemas da Costa Sul e Sudeste Brasileira: Estrutura, Função e Manejo*, 1990, Águas de Lindoia. II Simpósio de Ecossistemas da Costa Sul e Sudeste Brasileira: Estrutura, Função e Manejo, 1990, 1:171-185.
- Bonecker, S.L.C. 1994. Dinâmica do zooplankton no sistema estuarino do rio Mucuri-BA. [Dynamics of the zooplankton in the estuarine system of the Rio Mucuri – Bahía.] Tese de Doutorado, Universidade de São Paulo, USP, São Paulo, Brazil. [In Portuguese.]
- Bonecker, S.L.C., A.C.T. Bonecker, D.R. Tenenbaum, C.T.B. Bastos, C.R. Nogueira, L.H.S. Santos, J.M.L. Reis, M.V. Reynier, A.S. Dias & M.J. Coelho. 1989. Distribuição espaço-temporal das comunidades planctônicas da Baía do Espírito Santo (ES-Brasil). [Spatio-temporal distribution of the planktonic communities of Espírito Santo Bay (ES-Brazil).] *Proceedings of the 2nd Congresso Latinoamericano sobre Ciencias del Mar*. Pp. 155-179. [In Portuguese.]
- Bonecker, S.L.C., C.R. Nogueira & A.C.T. Bonecker. 1989. Zooplâncton da Baía de Guanabara (RJ-Brasil). Composição e variações espaço-temporal. [Zooplankton of Guanabara Bay (RJ-Brazil).] *Memórias do III Encontro Brasileiro de Plâncton*: 151-157. [In Portuguese.]
- Bonecker, S.L.C., C.R. Nogueira, A.C.T. Bonecker, L.H.S. Santos, M.V. Reynier & D.R. Tenenbaum. 1992. Estudo hidrográfico e planctológico da região entre Cabo Frio (RJ) e o Arquipélago de Abrolhos (BA). [Hydrographic and planktonological study of the region between Cabo Frio (RJ) and the Abrolhos Archipelago (BA).] *Nerítica, Curitiba* 7(1/2):71-86. [In Portuguese.]
- Branchaud, A., D. Hatin, P. Cayer, L. Côté, P. Dumont & R. Fortin. 1995. Reproduction artificielle et élevage du suceur cuivré. [Artificial reproduction and rearing of the copper redhorse.] Québec, Ministère de l'Environnement et de la Faune, Direction Régionale de Montréal, Laval, Lanaudière, Laurentides, Montérégie, Service de l'Aménagement et de l'Exploitation de la Faune, Montréal, *Rapport de Travaux* 06-34. 49 pp. [In French.]
- Brandt, F.H. & M.L. Eberhard. 1990. *Dracunculus insignis* in ferrets: comparison of inoculation routes. *Journal of Parasitology* 76(1):93-95.
- Brooks, A.S. & G.L. Seegert. 1977. The effects of intermittent chlorination on the biota of Lake Michigan. Center for Great Lakes Studies, University of Wisconsin-Milwaukee, Special Report No. 31. 167 pp.
- Brown, M.D. 1989. Evaluation of *Mesocyclops* (Copepoda: Cyclopoida) for the biological control of mosquitoes in north Queensland. M.S. Thesis, University of Queensland, Brisbane, Australia.
- Canning, E.U. 1988. Nuclear division and chromosome cycle in microsporidia. *Biosystems* 21(3-4):333-340.
- Car, M. 1983. The influence of water-level fluctuation on the drift of *Simulium chatteri* Lewis, 1965 (Diptera, Nematocera) in the Orange River, South Africa. *Ondoorsteport Journal of Veterinary Research* 50(3):173-177.
- Carey, A.G., Jr. 1992. The ice fauna in the shallow southwestern Beaufort Sea, Arctic Ocean. *Journal of Marine Systems* 3(3):225-236.
- Castello, J.P., A.K. Duarte, O.O. Moller, F. Niencheski, C. Odebrechet, G. Weiss, R.P. Habiaga, V.R. Belloto, D. Kitzman, C. Souto, R.B. Souza, A.M. Ciotti, G. Fillman,

- P.R. Schingel, J.G.F. Bersano, M. Cirano, K. Freire, I. Lima Jr., R. Mello, A. Monteiro, C. Resgalla Jr., I Soares & M. Suzuki. 1991. On the importance of the Coastal and Subantarctic waters for the shelf ecosystem off Rio Grande do Sul. *Anais do II Simpósio de Ecossistemas da Costa Sul e Sudeste Brasileira*, São Paulo, 71(1):112-129.
- Cauchie, H.M., L. Hoffmann, M.F. Jaspas-Versali, M. Salvia & J.P. Thomé. 1995. Freshwater planktonic crustaceans as a source of chitin: ecological and biochemical aspects. Pp. 158-164 In: Domard, A., C. Jeuniaux, R. Muzzarelli & G. Roberts (eds.). *Advances in Chitin Science*, Volume 1, Editions Jacques André, Lyon.
- Chagouri, G. 1979. Untersuchungen über den Zusammenhang zwischen Aufquellvorgängen und der Entwicklung von *Calanoides carinatus* (Krøyer 1849) (Copepoda Calanoidea) im Seegebiet vor Northwest-Afrika. [Investigations of the relationship between upwelling events and the development of *Calanoides carinatus* (Krøyer 1849) (Copepoda Calanoidea) in the ocean region off northwest Africa.] Ph.D. Thesis, Universität Rostock, Rostock, Germany. 173 pp. [In German.]
- Chandler, G.T., B.C. Coull & J.C. Davis. 1994. Sediment- and aqueous-phase fenvalerate effects on meiobenthos: implications for sediment quality criteria development. *Marine Environmental Research* 37(3):313-327.
- Chapman, G. & C.H. Fernando. 1994. The diets and related aspects of feeding of Nile tilapia (*Oreochromis niloticus* L.) and common carp (*Cyprinus carpio* L.) in lowland rice fields in northeast Thailand. *Aquaculture* 123(3-4):281-307.
- Chattopadhyay, D.N. & S.K. Konar. 1990. Removal of toxicity of linear alkyl benzene sulfonate through aging. *Environment and Ecology*, Kalyani 8(1B):352-355.
- Chattopadhyay, D.N. & S.K. Konar. 1991. Removal of toxicity of linear alkyl benzene sulfonate through algae culture. *Environment and Ecology*, Kalyani 9(2):342-344.
- Chaudhuri, H., R.D. Chakrabarty, P.R. Sen, N.G.S. Rao & S. Jena. 1975. A new high in fish production in India with record yields by composite fish culture in freshwater ponds. *Aquaculture* 6(4):343-355.
- Chernogorenko, M.I., T.I. Komarovova & D.P. Kurandina. 1978. [Life cycle of the trematode, *Plagioporus skrjabini* Kowal, 1951 (Allocreadiata, Opecoelidae).] *Parazitologiya* 12(6):479-486. [In Russian.]
- Clarke, T.A. 1974. Some aspects of the ecology of stomiatoid fishes in the Pacific Ocean near Hawaii. *U.S. Fishery Bulletin* 72:337-351.
- Clouse, C.P. 1991. Evaluation of zooplankton inoculation and organic fertilization for pond-rearing walleye fry to fingerlings. M.S. thesis. Iowa State University, Ames, Iowa, U.S.A.
- Colton, J.B., Jr., D.E. Smith & J.W. Jossi. 1975. Further observations on a thermal front in the Sargasso Sea. *Deep Sea Research and Oceanographic Abstracts* 22(6):433-439.
- Columbera, D., I. Lazzaretto-Columbera & L. Ongaro. 1975. Ultrastructure of distant paired homologues in oocyte of *Tisbe holothuriae* (Copepoda). *Experientia* 31(2):225-227.
- Cooney, J.D. & C.W. Gehrs. 1984. Effects of temperature, feeding and acridine on development and mortality of eggs and nauplii of *Diaptomus clavipes* Schacht. *Aquatic Toxicology* 5(3):197-209.
- Corner, E.D.S. & B.W. Sparrow. 1956. The modes of action of toxic agents I. Observations on the poisoning of certain crustaceans by copper and mercury. *Journal of the Marine Biological Association of the United Kingdom* 35:531-548.
- Cosper, T.C. & M.R. Reeve. 1975. Digestive efficiency of the chaetognath *Sagitta hispida* Conant. *Journal of Experimental Marine Biology and Ecology* 17(1):33-38.
- Courties, C. 1978. Contribution à l'étude du Copépode pélagique *Calanoides carinatus* (Krøyer) Plateau continental du Gabon et du Congo. [Contribution to the study of the pelagic copepod *Calanoides carinatus* (Krøyer) on the continental shelf of Gabon and the Congo.] Ph.D. Thesis, University of Bordeaux, Bordeaux, France. 89 pp. [In French.]
- Crane, M., T. Flower, D. Holmes & S. Watson. 1992. The toxicity of selenium in experimental freshwater ponds. *Archives of Environmental Contamination and Toxicology* 23(4):440-452.
- Crossland, N.O. 1984. Fate and biological effects of methyl parathion in outdoor ponds and laboratory aquaria: II. Effects. *Ecotoxicology and Environmental Safety* 8(5):482-495.
- Crossland, N.O. & K.E. Elgar. 1983. Fate and biological effects of insecticides in ponds. In: Miyamoto, J. & P.C. Kearney (eds.). *Pesticide Chemistry: Human Welfare and the Environment*. Pergamon Press, New York. Pp. 551-556.
- Dalla Venezia, L., V.U. Fossato & S. Scarfi. 1980. Combined effects of dodecyl benzene sulfonate and low salinities on *Tisbe bulbisetosa* (Copepoda: Harpacticoida). *Progress in Water Technology* 12(1):109-117.
- D'Angelo, A.M. & G. Signorile. 1978. Study on the toxicity of methyl acrylate and acrylonitrile in vitro on some planktonic Crustacea. *Igiene Moderna* 71(8):973-979. [In Italian; abstract in English.]
- Das, B.K. & A. Kaviraj. 1994. Individual and interactive lethal toxicity of cadmium, potassium permanganate and cobalt chloride to fish, worm and plankton. *Geobios*, Jodhpur 21(4):223-227.
- Day, K.E., N.K. Kaushik & K.R. Solomon. 1987. Impact of fenvalerate on enclosed freshwater planktonic communities and on in situ rates of filtration of zooplankton. *Canadian Journal of Fisheries and Aquatic*

- Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques 44(10):1714-1728.
- De Stasio, B.T., Jr. & N.G. Hairston, Jr. 1992. Environmental variability and the persistence of multiple emergence strategies. *Bulletin of Mathematical Biology* 54(2-3):313-334.
- Devasundaram, M.P. & J.C. Roy. 1954. A preliminary study of the plankton of Chilka lake for the years 1950-51. In: Symposium on Marine and Freshwater Plankton in the Indo-Pacific, Bangkok, 1-7 Jan. 1954. FAO Indo-Pacific Fisheries Council, Bangkok, and UNESCO, Jakarta. Pp. 48-54.
- Dhandapani, P. 1995. Fauna of Chilka lake: zooplankton in relation to phytoplankton. Wetland Ecosystem Series, Part I. ZSI, Calcutta. Pp. 655-672.
- Dimitrov, M. 1974. Mineral fertilization of carp ponds in polycultural rearing. *Aquaculture* 3(3):273-285.
- Feind, D., F.J. Zieris & W. Huber. 1988. Effects of sodium pentachlorophenate on the ecology of a freshwater model ecosystem. *Environmental Pollution* 50:211-223.
- Fields, D.M. 1991. Outer limits and inner structure: the 3-dimensional flow field of *Pleuromamma xiphias*. M.S. Thesis, State University of New York – Stony Brook, Stony Brook, New York, U.S.A.
- Fields, D.M. & J. Yen. 1996. The escape behavior of *Pleuromamma xiphias* from a quantifiable fluid mechanical disturbance. Pp. 323-340 In: Lenz, P.H., D.K. Hartline, J.E. Purcell & D.L. Macmillan (eds.). *Zooplankton: Sensory Ecology and Physiology*. Vol. 1. Gordon and Breach Publishers, Amsterdam.
- Fischer, S.A. 1987. Chronology of parasite infestation in juvenile bluegill and largemouth bass. M.S. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 96 pp.
- Fores, E. & F.A. Comin. 1988. Action of malathion plus lindane pesticide on crustacean populations. *Ecotoxicology and Environmental Safety* 15(2):180-185.
- Fujiki, M. 1980. Methylmercury accumulation in plankton and fish. In: Baker, R.A. (ed.). *Contaminants and Sediments*, Vol. 2, Ann Arbor Science Publications, Ann Arbor, Michigan. Pp. 485-491.
- Gabriel, P.L., N.S. Dias & A. Nelson-Smith. 1975. Temporal changes in the plankton of an industrialized estuary. *Estuarine and Coastal Marine Science* 3(2):145-151.
- Ghosh, T.K. 1983. Effect of phenol pollution on aquatic life. *Aquatic Science and Fisheries Abstracts Part 1*, 15(6):257 (1985), and *Environment and Ecology*, Kalyani 1(1):1-3.
- Ghosh, T.K., J.P. Kotangale & K.P. Krishnamoorthi. 1990. Toxicity of selective metals to freshwater algae, ciliated protozoa and planktonic crustaceans. *Environment and Ecology*, Kalyani 8(1B):356-360.
- Giesy, J.P., Jr., H.J. Kania, J.W. Bowling, R.L. Knight, S. Mashburn & S. Clarkin. 1979. Fate and biological effects of cadmium introduced into channel microcosms. U.S. Environmental Protection Agency EPA-600/3-79-039, Savannah River Ecology Laboratory, Institute of Ecology, University of Georgia, Aiken, South Carolina, U.S.A. 157 pp.
- Gladden, J.E. & L.A. Smock. 1990. Macroinvertebrate distribution and production on the floodplains of two lowland headwater streams. *Freshwater Biology* 24:533-545.
- Gonçalves, J.M.A., C.A. Sousa Reis & A. Sacadura Monteiro. 1988. Estrutura das comunidades zooplanctónicas na Ria Formosa, zona de Quatro-Aguas, Tavira. [Structure of the zooplankton communities in the Ria Formosa, Quatro-Aguas zone, Tavira.] *Congresso do Algarve* 5:413-418. [In Portuguese.]
- González, L. & J. Carvajal. 1994. Parásitos en los cultivos marinos de salmónidos en el sur de Chile. *Investigaciones Pesqueras* 38:87-96.
- Gorbach, S. & W. Knauf. 1971. Endosulfan und Umwelt - das Rückstandsverhalten von Endosulfan in Wasser und seine Wirkung auf Organismen, die im Wasser leben. [Endosulfan and environment - the Endosulfan residue in water and its effects on aquatic organisms.] *Schriftenreihe des Vereins für Wasser-, Boden- und Lufthygiene*, Dahlem 34:85 pp. [In German.]
- Granados-Ramírez, J.G., T.I. Gómez & A.C. Martínez. 1985. Comportamiento del plankton de la Presa Emiliano Zapata. [Behavior of the plankton of Emiliano Zapata Reservoir.] *Universidad Autónoma del Estado de Morelos (U.A.E.M.), Revista de la Universidad, Investigación Acuicola No. 4:19-24*. [In Spanish.]
- Green, A.S., G.T. Chandler & E.R. Blood. 1993. Aqueous-, pore-water-, and sediment-phase cadmium: Toxicity relationships for a meiobenthic copepod. *Environmental Toxicology and Chemistry* 12(8):1497-1506.
- Gündüz, E. 1984. Karamik ve Hoyran Gollerinde Zooplankton Türlerinin Tespiti ve Kirlenmenin Zooplankton Üzerindeki Ektisi. [Determination of zooplanktonic species and effect of pollution on zooplankton of Karamik and Hoyran lakes.] Ph.D. Thesis, Hacettepe Üniversitesi, Fen Bilimleri Enstitüsü (Institute of Science), Biyoloji Anabilim Dalı (Department of Biology), Ankara, Turkey. 83 pp. [In Turkish.]
- Hanazato, T., T. Iwakuma & M. Yasuno. 1989. Effects of Temephos on zooplankton communities in enclosures in a shallow eutrophic lake. *Environmental Pollution* 59(4):305-314.
- Harding, G.C. 1966. Zooplankton distribution in the Arctic Ocean with notes on life cycles. M.S. Thesis, McGill University, Montreal, Québec, Canada.
- Harris, R.P., V. Berdugo, S.C.M. O'Hara & E.D.S. Corner. 1977. Accumulation of ¹⁴C-1-naphthalene by an oceanic and an estuarine copepod during long-term exposure to low-level concentrations. *Marine Biology* 42:187-195.
- Hauch, R.G., D.R. Norris & R.H. Pierce, Jr. 1980. Acute and chronic toxicity of sodium pentachlorophenate to the

- copepod, *Pseudodiaptomus coronatus*. Florida Scientist 43(Suppl.1):36. [Abstract.]
- Havens, K.E. 1994. Structural and functional responses of a freshwater plankton community to acute copper stress. Environmental Pollution 86(3):259-266.
- Heath, M., M. Leaver, A. Matthews & N. Nicoll. 1989. Dispersion and feeding of larval herring (*Clupea harengus* L.) in the Moray Firth during September 1985. Estuarine, Coastal and Shelf Science 28(6):549-566.
- Heckmann, R. & D.G. Farley. 1973. Ectoparasites of the western roach from two foothill streams. Journal of Wildlife Diseases 9(3):221-224.
- Helgen, J.C., N.J. Larson & R.L. Anderson. 1988. Responses of zooplankton and *Chaoborus* to Temephos in a natural pond and in the laboratory. Archives of Environmental Contamination and Toxicology 17(4):459-471.
- Herman, A.W. & T. Platt. 1983. Numerical modelling of diel carbon production and zooplankton grazing on the Scotian shelf based on observational data. Ecological Modelling 18(1):55-72.
- Hessen, D.O. 1982. Eksperimentelle innhegningsforsøk I Gjersjøen med spesiell vekt på zooplanktonets relasjon til fytoplankton, bakterier og planktivor fisk. [Experimental enclosure experiments in Lake Gjersjøen with special reference to the relations between zooplankton, phytoplankton, bacteria and planktivorous fish.] Cand. real. Thesis, University of Oslo, Oslo, Norway. 141 pp. [In Norwegian.]
- Hessen, D.O. 1988. Carbon metabolism in the pelagial of the humic lake, with special reference to feeding and interactions in the zooplankton community. Ph.D. Thesis, University of Oslo, Oslo, Norway.
- Hirche, H.-J., K. Knickmeier, N. Mumm & S. Nehring. 1989. Zooplanktological investigations. In: Spindler, M. (ed.). Die Expedition ARKTIS V/1a, 1b und 2 mit FS "Polarstern" 1988. Berichte zur Polarforschung 59:164-165.
- Hopkins, T.L. & R.C. Baird. 1977. Aspects of the feeding ecology of oceanic midwater fishes. Pp. 325-360 In: Anderson, N.R. & B.J. Zahuranec (eds.). Oceanic Sound Scattering Prediction. Plenum Press, New York.
- Hopkins, T.L. & R.C. Baird. 1985. Aspects of the trophic ecology of the mesopelagic fish *Lampanyctus alatus* (Family Myctophidae) in the eastern Gulf of Mexico. Biological Oceanography 3:285-313.
- Hughes, D.N. 1977. The effects of three organophosphorus insecticides on zooplankton and other invertebrates in natural and artificial ponds. M.S. Thesis, York University, Toronto, Ontario, Canada. 100 pp.
- Hughes, D.N., M.G. Boyer, M.H. Papst, C.D. Fowle, G.A.V. Rees & P. Baulu. 1980. Persistence of three organophosphorus insecticides in artificial ponds and some biological implications. Archives of Environmental Contamination and Toxicology 9(3):269-279.
- Hurlbert, S.H., M.S. Mulla, J.O. Keith, W.E. Westlake & M.E. Dusch. 1970. Biological effects and persistence of Dursban in freshwater ponds. Journal of Economic Entomology 63:43-62.
- Hurlbert, S.H., M.S. Mulla & H.R. Willson. 1972. Effects of an organophosphorus insecticide on the phytoplankton, zooplankton, and insect populations of fresh-water ponds. Ecological Monographs 42(3):269-299.
- Ikuta, K. & T. Makioka. 1993. Structure of the ovary in *Argulus japonicus* (Crustacea: Branchiura). Proceedings of the Arthropod Embryological Society of Japan 28:1-2.
- Ikuta, K. & T. Makioka. 1994. Notes on the postembryonic development of the ovary in *Argulus japonicus* (Crustacea: Branchiura). Proceedings of the Arthropod Embryological Society of Japan 29:15-17.
- Ikuta, K. & T. Makioka. 1995. Notes on the ultrastructure of female germ cells in the adult ovary in *Argulus japonicus* (Crustacea: Branchiura). Proceedings of the Arthropod Embryological Society of Japan 30:9-11.
- Ingole, B.S. & A.H. Parulekar. 1995. Biochemical composition of Antarctic zooplankton from the Indian Ocean sector. Indian Journal of Marine Sciences 24(2):73-76.
- Irvine, K. 1995. Standing biomasses, production and spatio-temporal distributions of the crustacean zooplankton. Pp. 85-108 In: Menz, A. (ed.). Fishery potential and productivity of the pelagic zone of Lake Malawi/Niassa. Natural Resources Institute, Chatham, Kent, U.K.
- Irvine, K. 1995. Ecology of the Lakefly, *Chaoborus edulis*. Pp. 109-140 In: Menz, A. (ed.). Fishery potential and productivity of the pelagic zone of Lake Malawi/Niassa. Natural Resources Institute, Chatham, Kent, U.K.
- Irvine, K. & R. Waya. 1995. The zooplankton: General sampling methods and estimation of biomass and development rates. Pp. 69-84 In: Menz, A. (ed.). Fishery potential and productivity of the pelagic zone of Lake Malawi/Niassa. Natural Resources Institute, Chatham, Kent, U.K.
- Ishibashi, N., E. Kondo & S. Ito. 1983. Effects of application of certain herbicides on soil nematodes and aquatic invertebrates in rice paddy fields in Japan. Crop Protection 2(3):289-304.
- Jamet, J.L. 1995. Reproduction, condition and food of arctic charr (*Salvelinus alpinus*, L.) in Lake Pavin (Massif Central, France). In: Balvay, G. (ed.). Space partition within aquatic ecosystems. Hydrobiologia 300-301:279-288.
- Jamet, J.L. & A.S. Ferec-Corbel. 1996. Seasonal variations of the zooplankton community in a littoral marine ecosystem: Toulon Bay (Var, France). Marine Life 6(1-2):15-20.
- Johannessen, A. 1975. Lakselus, *Lepeophtheirus salmonis* Krøyer (Copepoda, Caligidae). Frittlevende stadier, vekst og infeksjon på laks (*Salmon salar* L.) fra oppdrettsanlegg og kommersielle fangster i vestnorske farvann 1973-1974. [Salmon lice, *Lepeophtheirus*

- salmonis* Krøyer (Copepoda, Caligidae). Free-living stages, growth and infection of salmon (*Salmon salar* L.) from salmon farms and commercial catches in West-Norwegian waters 1973-1974.] Candidatus Realium Thesis, University of Bergen, Bergen, Norway. 113 pp. [In Norwegian.]
- Kampa, E.M. 1975. Observations of a sonic-scattering layer during the total solar eclipse 30 June, 1973. Deep Sea Research and Oceanographic Abstracts 22(6):417-420.
- Kennedy, C.R. 1993. The distribution of some crustacean fish parasites in Britain in relation to the introduction and movement of freshwater fish. Journal of Fish Biology 43:287-301.
- Khan, M.A.Q., A. Kamal, R.J. Wolin & J. Runnels. 1972. In vivo and in vitro epoxidation of aldrin by aquatic food chain organisms. Bulletin of Environmental Contamination and Toxicology 8(4):219-228.
- Klemp, H. 1979. Die Copepoden (Crustacea) des Breitenbaches (Schlitz/Oberhessen). [The copepods (Crustacea) of Breiten Brook (Schlitz/Oberhessen).] Diplomarbeit, Universität Darmstadt, Darmstadt, Germany. [In German.]
- Klesius, P. & W. Rogers. 1995. Parasitism of catfish and other farm raised food fish. Journal of the American Veterinary Medicine Association 207:1473-1478.
- Knuckles, J.L. 1984. The shell cracker, *Lepomis microlophus* (Gunther), a new host for *Argulus maculosus* (Wilson). Journal of Parasitology 70(3):371.
- Koch, K.-D. 1980. Beiträge zur Systematik und Biologie der Copepoden und Ostracoden der Bäreninsel (Björnöya 74°30'N, 19°E). [Report on the systematics and biology of the copepods and ostracods of Bären Island (Björnöya 74°30'N, 19°E).] Diplomarbeit, Universität Giessen, Giessen, Germany. [In German.]
- Konar, S.K. 1970. Toxicity of Heptachlor to aquatic life. Journal of the Water Pollution Control Federation 42(8 Pt. 2):R299-R303.
- Konar, S.K. & T.K. Ghosh. 1981. Effects of organophosphorus insecticides on fish and fish food organisms. IAWPC Technical Annual, Indian Association for Water Pollution Control 8:147-160.
- Kristoffersen, R. 1993. Parasites in northern salmonids: Effects of overpopulation and perturbations in systems with arctic charr - *Salvelinus alpinus* (L), and whitefish (*Coregonus lavaretus* L. s.l.) in northern Norway. Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Kuang, P.R. 1980. A new parasitic copepod of the genus *Tracheliastes* and in comparison with its affinities. Zoological Research 1:547-552. [In Chinese.]
- Kuiper, J. 1981. Fate and effects of mercury in marine plankton communities in experimental enclosures. Ecotoxicology and Environmental Safety 5(1):106-134.
- Kurashov, E.A. 1986. Characteristics of meiobenthos and its distribution in Lake Ladoga. In: Problems of Hydrophysics, Hydrochemistry and Hydrobiology of Lakes, Leningrad. Pp. 209-217. [In Russian.]
- Kurashov, E.A. 1987. Quantitative development, interrelation of components of meiobenthic community and influence on it some environment factors in Lake Ladoga' coastal zone. Proceedings of GOSNIORH, Leningrad 264:138-146. [In Russian.]
- Kurashov, E.A. 1987. Spatial heterogeneity of distribution of meiobenthos and meio/macrobenthic relation. In: Modern State of Lake Ladoga Ecosystem, Nauka, Leningrad. Pp. 140-148. [In Russian.]
- Kurashov, E.A. 1989. The use of meiobenthic community for indicating ecological state of environment in Lake Ladoga. In: Actual Problems of Modern Limnology, St. Petersburg. Pp. 33-34. [In Russian.]
- Kurashov, E.A. 1989. The use of meiobenthic community for indicating ecological state of environment in Lake Ladoga. In: Proceedings of GOSNIORH, Leningrad, 291:73-80. [In Russian.]
- Kurashov, E.A. 1989. The estimation of the present state and the role of the meiobenthos in benthic communities of the Ladoga Lake. Ph.D. Dissertation, Zoological Institute, Leningrad. 24 pp. [In Russian.]
- Kurashov, E.A. 1992. Role of meiobenthos in the lake ecosystem. In: Petrova, N.A. & A.Yu.Terzhevik (eds.). Ladoga Lake: Criteria of Ecosystem State. Nauka, Leningrad. Pp. 187-204. [In Russian.]
- Kurashov, E.A. 1993. Restoration of meiobenthic community in Lake Ladoga after closing of pulp and paper mills. In: Ecological State of Reservoirs of the Baltic Sea Basin (within area of the Finnish Gulf), St. Petersburg. Pp. 37-38. [In Russian.]
- Kurashov E.A. 1994. Meiobenthos as component of lake ecosystem. Alga-Found, St. Petersburg. 224 pp. [In Russian.]
- Kurashov, E.A. 1994. Faunistic composition of meiobenthos of Lake Ladoga. Report on Lake Ladoga Research in 1991-1993. Publications of the Karelian Institute, University of Joensuu, No. 111:123-131.
- Kurashov, E.A. & A.Y. Gorichenskiy. 1992. The use of meiobenthic community for indication of ecological state of environment in lakes Ladoga and Onega. A comparative analysis of some methods and approaches. Russian Journal of Aquatic Ecology 1:125-136.
- Kurashov, E.A. & M.V. Menshutkina. 1985. Distribution of meiobenthos in Lake Ladoga. Relation of meio- and macrobenthos. In: Cycle of Matter and Energy in Water Bodies, Irkutsk. Vol. 3: 121-122. [In Russian.]
- Kurashov, E.A. & M.V. Menshutkina. 1986. Analysis of relation of meio- and macrobenthos in Lake Ladoga. In: Problems of Hydrophysics, Hydrochemistry and Hydrobiology of Lakes, Leningrad. Pp. 218-236. [In Russian.]
- Joseph, S.W., R.R. Colwell & J.B. Kaper. 1982. *Vibrio parahaemolyticus* and related halophilic Vibrios. CRC Critical Reviews in Microbiology 10(1):77-124.

- Kaur, K. & M.D. Ansal. 1996. Relative toxicity of some organophosphate pesticides to predatory copepod, *Mesocyclops* spp. Indian Journal of Ecology 23(2):133-135.
- Kerambrun, P. & G. Champalbert. 1975. [Polyacrylamide gel electrophoresis of proteins of *Anomalocera patersoni* (Copepoda, Pontellidea) and evidence for esterase activity. Elements of biochemical sexual dimorphism.] Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris, D 281(14):1019-1022. [In French.]
- Kjelson, M.A., P.F. Raquel & F.W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin Estuary, California. In: Kennedy, V.S. (ed.). Estuarine Comparisons. Academic Press, New York. Pp. 393-411.
- Kuiper, J. & A.O. Hanstveit. 1984. Fate and effects of 3,4-dichloroaniline (DCA) in marine plankton communities in experimental enclosures. Ecotoxicology and Environmental Safety 8(1):34-54.
- Lahav, M. & S. Sarig. 1968. *Ergasilus sieboldi* Nordmann infestation of grey mullet in Israel's fish ponds. Bulletin for Fish Culture in Israel - Bamidgheh 19:69-80.
- Lahav, M., M. Shilo & S. Sarig. 1962. Development of resistance to lindane in *Argulus* population of fish ponds. Bulletin for Fish Culture in Israel - Bamidgheh 14:67-76.
- Lalande, M. & B. Pinel-Alloul. 1984. Heavy metals toxicity on planktonic Crustacea of the Québec lakes. (Toxicité des métaux lourds sur les crustacés planctoniques des lacs du Québec.) Sciences et Techniques de l'Eau 17(3):253-259. [In French; abstract in English.]
- Lamberg, J.L. 1992. Tidepool ecology and cascading trophic effects: the tidepool sculpin, *Oligocottus maculosus*, as a predator of the harpacticoid copepod, *Tigriopus californicus*, in high tidepools. Senior Thesis, Princeton University, Princeton, New Jersey, U.S.A.
- Landry, R.C. 1997. Physicochemical influences on parasite assemblages of young-of-the-year largemouth bass in the lower Atchafalaya River Basin, Louisiana. M.S. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 110 pp.
- Larson, R.J. 1991. Diet, prey selection and daily ration of *Stomolophus meleagris*, a filter-feeding scyphomedusa from the NE Gulf of Mexico. Estuarine, Coastal and Shelf Science 32(5):511-525.
- Last, F.T. 1982. Effects of atmospheric sulphur compounds on natural and man-made terrestrial and aquatic ecosystems. Agriculture and Environment 7(3-4):299-387.
- Lay, J.P. & M.E. Herrmann. 1991. Ecotoxicological effects of trichloroethene upon plankton. Toxicology and Environmental Chemistry 31-32:409-416.
- Le Fèvre, J. & J.R. Grall. 1970. On the relationships of *Noctiluca* swarming off the western coast of Brittany with hydrological features and plankton characteristics of the environment. Journal of Experimental Marine Biology and Ecology 4(3):287-306.
- Lelong, P.P., M.A. Bianchi & Y.P. Martin. 1980. [Planktonic and bacterial population dynamics during experimental production of natural marine phytoplankton. II. Structure and physiology of populations and their interactions.] Canadian Journal of Microbiology 26(3):297-307. [In French.]
- Lenz, P.H., D.K. Hartline, J. Purcell & D.F. Macmillan (eds.). 1996. Zooplankton: Sensory Ecology and Physiology. Gordon and Breach Publishers, Amsterdam. 590 pp.
- Liber, K., N.K. Kaushik, K.R. Solomon & J.H. Carey. 1992. Experimental designs for aquatic mesocosm studies: A comparison of the "ANOVA" and "regression" design for assessing the impact of tetrachlorophenol. Environmental Toxicology and Chemistry 11(1):61-77.
- Lien, J.C. & Y.N. Lin. 1990. [The pathogens of Taiwan mosquitoes--*Coelomomyces* species.] Gaoxiong Yi Xue Ke Xue Za Zhi 6(7):350-359. [In Chinese.]
- Linden, E., B.E. Bengtsson, O. Svanberg & G. Sundstrom. 1979. The acute toxicity of 78 chemicals and pesticide formulations against two brackish water organisms, the bleak (*Alburnus alburnus*) and the harpacticoid (*Nitocra spinipes*). Chemosphere 8(11/12):843-851.
- Loncke, S., A.B. Failloux & Y. Séchan. 1990. [Proposal for a testing protocol of insecticides against the copepod crustacean *Mesocyclops aspericornis* Daday 1906.] Bulletin de la Société de Pathologie Exotique 83(3):406-407. [In French.]
- Ludemann, D. & H. Neumann. 1960. Studies on the acute toxicity of modern contact insecticides in fresh water. II. Zeitschrift für Angewandte Zoologie 47:303-321. [In German; abstract in English.]
- Ludemann, D. & H. Neumann. 1962. Über die Wirkung der Neuzeitlichen Kontaktinsektizide auf die Tiere des Süßwassers. [On the effect of modern contact insecticides on freshwater animals.] Anzeiger für Schädlingkunde Pflanzenschutz 35:5-9. [In German.]
- Madhavi, R. 1978. Life history of *Allocreadium fasciatusi* Kakaji, 1969 (Trematoda: Allocreadiidae) from the freshwater fish *Aplocheilus melastigma* McClelland. Journal of Helminthology 52(1):51-59.
- Mani, V.G.T. & S.K. Konar. 1984. Acute toxicity of malathion to fish, plankton and worm. Aquatic Sciences and Fisheries Abstracts 15(2, Pt.1):287 (1985) / Environment and Ecology, Kalyani 2(4):248-250.
- McIntosh, A.W. & N.R. Kevern. 1974. Toxicity of copper to zooplankton. Journal of Environmental Quality 3(2):166-170.
- Meadows, B.S. 1973. Toxicity of rotenone to some species of coarse fish and invertebrates. Journal of Fish Biology 5(2):155-163.
- Minzoni, F. 1984. Effects of aluminum on different forms of phosphorus and freshwater plankton. Environment and Technology Letters 5:425-432.

- Miura, T. & R.M. Takahashi. 1973. Insect developmental inhibitors. 3. Effects on nontarget aquatic organisms. *Journal of Economic Entomology* 66(4):917-922.
- Monteiro, M.T., R. Oliveira & C. Vale. 1995. Metal stress on the plankton communities of Sado River (Portugal). *Water Research* 29(2):695-701.
- Morrison, S. 1994. Study of the introduced Asian calanoid copepod *Pseudodiaptomus inopinus*. Senior Thesis, Biology Department, University of Puget Sound, Tacoma, Washington, U.S.A.
- Mukhopadhyay, M.K., B.B. Ghosh & M.M. Bacchi. 1994. Toxicity of heavy metals to fish, prawn and fish food organisms of Hooghly estuarine system. *Geobios, Jodhpur* 21(2):13-17.
- Mukhopadhyay, M.K. & S.K. Konar. 1984. Toxicity of copper, zinc and iron to fish, plankton and worm. *Geobios, Jodhpur* 11:204-207.
- Mullick, S. & S.K. Konar. 1991. Combined effects of zinc, copper, iron and lead on plankton. *Environment and Ecology, Kalyani* 9(1):187-198.
- Musko, I.B. 1987. Effect of pesticides on the ultrastructure of the alimentary canal of two freshwater copepods, Crustacea. *European Journal of Cell Biology* 43(Suppl.18):24. [Abstract.]
- Naqvi, S.M., V.O. Davis & R.M. Hawkins. 1985. Percent mortalities and LC₅₀ values for selected microcrustaceans exposed to Treflan, Cutrine-Plus, and MSMA herbicides. *Bulletin of Environmental Contamination and Toxicology* 35(1):127-132.
- Naqvi, S.M. & D.E. Ferguson. 1968. Pesticide tolerances of selected freshwater invertebrates. *Journal of the Mississippi Academy of Sciences* 14:121-127.
- Nash, C.E. & C.-M. Kuo. 1975. Hypotheses for problems impeding the mass propagation of grey mullet and other finfish. *Aquaculture* 5(2):119-133.
- Neilson, A.H., A.S. Allard, S. Fischer, M. Malmberg & T. Viktor. 1990. Incorporation of a subacute test with zebra fish into a hierarchical system for evaluating the effect of toxicants in the aquatic environment. *Ecotoxicology and Environmental Safety* 20(1):82-97.
- Nestrud, L.B. & R.L. Anderson. 1994. Aquatic safety of *Lagenidium giganteum*: Effects on freshwater fish and invertebrates. *Journal of Invertebrate Pathology* 64(3):228-233.
- Nichols, K.C. 1975. Observations on lesser-known flatworms: *Udonella*. *International Journal for Parasitology* 5(5):475-482.
- Nogueira, C.R., S.L.C. Bonecker, A.C.T. Bonecker & C.C. Santos. 1991. Studies of zooplankton near the Nuclear Power Plant - Angra I. Preoperational conditions (Rio de Janeiro - Brazil). *Coastal Zone, American Society of Civil Engineers, New York* 4:3221-3233.
- Nogueira, C.R., V.M.A.P. Silva, S.L.C. Bonecker, A.C.T. Bonecker & G. Skinner-Neto. 1987. Análise qualitativa e quantitativa do zooplâncton coletado na Baía da Ribeira (Rio de Janeiro). [Qualitative and quantitative analysis of the zooplankton collected in Ribeira Bay (Rio de Janeiro).] *Papéis Avulsos do Departamento de Zoologia, Rio de Janeiro* 34:1-19. [In Portuguese.]
- Notenboom, J., K. Cruys, J. Hoekstra & P. van Beelen. 1992. Effect of ambient oxygen concentration upon the acute toxicity of chlorophenols and heavy metals to the groundwater copepod *Parastenocaris germanica* (Crustacea). *Ecotoxicology and Environmental Safety* 24(2):131-143.
- Novak, A., B.S. Walters & D.R.M. Passino. 1980. Toxicity of contaminants to invertebrate food organisms. *Progress in Fisheries Research* 1980, Great Lakes Fisheries Laboratory, U.S. Fish and Wildlife Service, Ann Arbor, Michigan. P. 2.
- O'Brien, P., H. Feldman, E.V. Grill & A.G. Lewis. 1988. Copper tolerance of the life history stages of the splashpool copepod *Tigriopus californicus* (Copepoda, Harpacticoida). *Marine Ecology Progress Series* 44(1):59-64.
- O'Connell, C.P. & L.P. Raymond. 1970. The effect of food density on survival and growth of early post yolk-sac larvae of the northern anchovy (*Engraulis mordax* Girard) in the laboratory. *Journal of Experimental Marine Biology and Ecology* 5(2):187-197.
- Oliva, M.E., J.L. Luque & J.A. Iannacone. 1990. The metazoan parasites of *Stellifer minor* (Tschudi, 1844): an ecological approach. *Memórias do Instituto Oswaldo Cruz* 85(3):271-274.
- Packard, T.T., A.H. Devol & F.D. King. 1975. The effect of temperature on the respiratory electron transport system in marine plankton. *Deep Sea Research and Oceanographic Abstracts* 22(4):237-249.
- Pal, A.K. 1983. Acute toxicity of DDVP to fish, plankton and worm. *Aquatic Sciences and Fisheries Abstracts* 15(Part 1):260 (1985) / *Environment and Ecology, Kalyani* 1(1):25-26.
- Pal, A.K. & S.K. Konar. 1986. Toxicity of insecticides phosphamidon, methyl parathion and mixture of DDVP, phosphamidon, methyl parathion to fish, plankton and worm. *Aquatic Sciences and Fisheries Abstracts* 16(5, Pt.1):146 / *Environment and Ecology, Kalyani* 4(1):76-78.
- Palmer, P. 1975. Bijdrage tot de studie van mariene Calanoïda: *E. americana* met dauereier in de Spuikom te Oostende. [Contribution to the study on marine Calanoida: *E. americana* with resting eggs in the Sluice Dock, Oostende.] B.Sc. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 100 pp.
- Panigrahi, A.K. & S.K. Konar. 1989. Acute toxicity of some petroleum pollutants to plankton, fish and benthic organism. *Environment and Ecology, Kalyani* 7(1):44-49.
- Patnaik, P.K. 1986. On the spatial distribution of zooplankton in Chilka lake (Brackishwater Lagoon). *Geobios News Reports*: 31-34.

- Pedersen, G. 1995. Factors influencing the size and distribution of the copepod community in the Barents Sea with special emphasis on *Calanus finmarchicus* (Gunnerus). Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Pitman, R.L. & L.T. Balance. 1990. Daytime feeding by Leach's storm-petrel on a midwater fish in the eastern tropical Pacific. *The Condor* 92(2):524-527.
- Polk-Daro, M.H. 1974. De rol van het zooplankton in de ekologie van de Spuikom te Oostende. [The role of zooplankton in the ecology of the Sluice Dock at Oostende.] Ph.D. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 2 vols.
- Potera, G.T. 1975. The effects of benzene, toluene and ethylbenzene on several important members of the estuarine ecosystem. Ph.D.Thesis, Lehigh University, Bethlehem, Pennsylvania, U.S.A.
- Pramanik, A. & P.K. Sur. 1990. Acute toxicity of Sumithion to *Oreochromis mossambicus*, *Diatomus forbesi* and *Branchiura sowerbyi*. In: Hirano, R. & I. Hanyu (eds.). Proceedings of the 2nd Asian Fisheries Forum, April 17-22, 1989, Tokyo, Japan; Asian Fisheries Society, Manila, Philippines. Pp. 919-222.
- Presing, M. 1989. Data to the toxic effect of K-Othrine on crustaceans. *Archiv für Hydrobiologie* 114(4):621-629.
- Priemer, J. 1980. [Life cycle of *Proteocephalus neglectus* (Cestoda) from rainbow trout *Salmo gairdneri*.] *Angewandte Parasitologie* 21(3):125-133. [In German.]
- Puffer, H.W. & M.L. Beal. 1981. Control of parasitic infestations in killifish (*Fundulus parvipinnis*). *Laboratory Animal Science* 31(2):200-201.
- Qin, J.G., S.P. Madon & D.A. Culver. 1995. Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture. *Aquaculture* 130(1):51-65.
- Rajendran, N. & V.K. Venugopalan. 1988. Toxicity of organochlorine pesticides to zooplankton of Vellar Estuary. *Indian Journal of Marine Science* 17:168-169.
- Rao, S.V.R. & K.J. Nath. 1983. Biological effect of some poisons on *Canthocamptus* (Crustacea spp). *International Journal of Environmental Studies* 21(3-4):271-275.
- Ratnayake, W.N. & R.G. Ackman. 1979. Fatty alcohols in capelin, herring and mackerel oils and muscle lipids: I. Fatty alcohol details linking dietary copepod fat with certain fish depot fats. *Lipids* 14(9):795-803.
- Ravera, O. & J.L. Jamet. 1989. Il grado di omogeneità dello zooplankton pelagico del Lago di Comabbio, piccolo lago della provincia di Varese (Italia settentrionale). [The degree of homogeneity of the pelagic zooplankton of the Lago di Comabbio, a small lake of the province of Varese (northern Italy).] In: Montalenti, G., A. Renzoni & A. Anelli (eds.). *Atti del III Congresso Nazionale della Società Italiana di Ecologia* 7:285-288. [In Italian.]
- Raymont, J.E.G., R.J. Morris, C.F. Ferguson & J.K.B. Raymont. 1975. Variation in the amino-acid composition of lipid-free residues of marine animals from the northeast Atlantic. *Journal of Experimental Marine Biology and Ecology* 17(3):261-267.
- Reeve, M.R., G.D. Grice, V.R. Gibson, M.A. Walter, K. Darcy & T. Ikeda. 1976. A controlled environmental pollution experiment (CEPEX) and its usefulness in the study of larger marine zooplankton under toxic stress. *Effects of Pollutants on Aquatic Organisms* 2:145-162 (U.S.NTIS PB-259395/2ST).
- Rettich, F. 1979. Laboratory and field investigations in Czechoslovakia with Fenitrothion, Pirimiphos-Methyl, Temephos and other organophosphorous larvicides. *Mosquito News* 39(2):320-328.
- Reynolds, E.K. 1989. The zooplankton community of Lake O' the Pines Reservoir, TX. M.S. Thesis, Stephen F. Austin State University, Nacogdoches, Texas, U.S.A.
- Roth, M., G. Rae, A.S. McGill & K.W. Young. 1993. Current practices in the chemotherapeutic control of sea lice infections in aquaculture: a review. *Journal of Fish Diseases* 16:1-26.
- Saha, M.K. & S.K. Konar. 1983. Acute toxicity of some petroleum pollutants to plankton and fish. *Environment and Ecology*, Kalyani 1(1):117-119.
- Sameoto, D.D. 1988. Feeding of lantern fish *Benthosema glaciale* off the Nova Scotia Shelf. *Marine Ecology Progress Series* 44:113-129.
- Sarig, S. 1971. The prevention and treatment of diseases of warmwater fish under subtropical conditions, with special emphasis on intensive fish farming. T.F.H. Publications Inc., Jersey City, N.J. 127 pp.
- Sarkar, S.K. 1990. Toxicity evaluation of sodium cyanide to fish and aquatic organisms: effects of temperature. *Science and Culture* 56(4):165-168.
- Sarkar, S.K. 1990. Toxicity evaluation of superphosphate on some aquatic invertebrates exposed to temperature. *Journal of Environmental Biology* 11(2):97-100.
- Saunders, A.J. & J.C. Montgomery. 1985. Field and laboratory studies of the feeding behaviour of the piper *Hyporhamphus ihi* with reference to the role of the lateral line in feeding. *Proceedings of the Royal Society of London, B, Biological Sciences* 22; 224(1235):209-221.
- Sebastian, M.J. & V. Achuthan Nair. 1975. The induced spawning of the grey mullet, *Mugil macrolepis* (Aguas) Smith and the large-scale rearing of its larvae. *Aquaculture* 5(1):41-52.
- Serns, S.L. 1979. Effects of Pro-Noxfish on the benthos and zooplankton of Bug Lake, Forest County, Wisconsin. *Water Resources Bulletin* 15(5):1385-1393.
- Sharma, M.P. & A.K. Dattagupta. 1983. Response of some freshwater micrometazoans to DDT. *Proceedings of the Indian Academy of Sciences, Animal Sciences* 92(1):19-29.
- Sharma, M.S. & C.S. Selvaraj. 1994. Zinc, lead and cadmium toxicity to selected freshwater zooplankters. *Pollution Research* 13(2):191-201.

- Shevchenko, N.F. 1986. Feeding by *Vinciguerria nimbaria* (Gonostomatidae) in the tropical zone of the Atlantic Ocean. *Journal of Ichthyology* 26(4):50-56.
- Signorile, G. & A.M. D'Angelo. 1980. Toxic effect of hexavalent chromium on freshwater rotifers and planktonic crustaceans in vitro. *Igiene Moderna* 74(6):910-916. [In Italian.]
- Solomon, K.R., G.L. Stephenson & N.K. Kaushik. 1989. Effects of methoxychlor on zooplankton in freshwater enclosures: Influence of enclosure size and number of applications. *Environmental Toxicology and Chemistry* 8(8):659-699.
- Steinberg, D.K., M.W. Silver, C.H. Pilskaln, S.L. Coale & J.B. Paduan. 1994. Mid-water zooplankton communities on pelagic detritus (giant larvacean houses) in Monterey Bay, California. *Limnology and Oceanography* 39(7):1606-1620.
- Stephen, R. 1991. Variations in zooplankton density in the Cochin backwater consequent to environmental changes. *Proceedings of the Kerala Science Congress, February - March 1991, Kozhikode*. Pp. 57-58.
- Stephenson, R.R. & D.F. Kane. 1984. Persistence and effects of chemicals in small enclosures in ponds. *Archives of Environmental Contamination and Toxicology* 13(3):313-326.
- Strohal, P., D. Huljev, S. Lulić & M. Picer. 1975. Antimony in the coastal marine environment, North Adriatic. *Estuarine and Coastal Marine Science* 3(2):119-123.
- Suárez-Morales, E. 1992. Composición, distribución, abundancia y zoogeografía de los copépodos pelágicos (Crustacea) del Golfo de México y Mar Caribe mexicanos. [Composition, distribution, abundance and zoogeography of the pelagic copepods (Crustacea) of the Mexican Gulf of Mexico and Caribbean Sea.] Tesis Doctoral, Facultad de Ciencias, Universidad Nacional Autónoma de México, Mexico City, Mexico. [In Spanish.]
- Sullivan, J.J. & E.G. Long. 1988. Synthetic-fibre filters for preventing dracunculiasis: 100 versus 200 micrometres pore size. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 82(3):465-466.
- Sullivan, B.K. & P.J. Ritacco. 1985. Ammonia toxicity to larval copepods in eutrophic marine ecosystems: A comparison of results from bioassays and enclosed experimental ecosystems. *Aquatic Toxicology* 7(3):205-217.
- Surber, E.W. & O.L. Meehan. 1931. Lethal concentrations of arsenic for certain aquatic organisms. *Transactions of the American Fisheries Society* 61:225-239.
- Svobodova, Z. & R. Faina. 1994. Aquatic testing of Trichlorphon in the laboratory and field. In: Hill, I.R., F. Heimbach, P. Leeuwangh & P. Mattiessen (eds.). *Freshwater Field Tests for Hazard Assessment of Chemicals*, Chapter 23, Lewis Publishers, Boca Raton, Florida. Pp. 361-367.
- Svobodova, Z., J. Havlikova & J. Sauer. 1983. Acute toxicity of chemicals on the basis of copper oxychloride to fish and aquatic invertebrates. *Prirodni Vyzkumny Ustav Rybarsky a Hydrobiologicky Vodnany* 12:16-28.
- Swadling, K.M. 1992. A comparison of the natural diets of juvenile and adult *Acartia tonsa* (Copepoda: Calanoida). M.S. Thesis, Florida State University, Tallahassee, Florida, U.S.A.
- Thijssen, R., A.J. Lever & J. Lever. 1974. Food composition and feeding periodicity of O-group plaice (*Pleuronectes platessa*) in the tidal area of a sandy beach. *Netherlands Journal of Sea Research* 8(4):369-377.
- Tomec, M., M. Hacmanjek, E. Teskeredžić, Z. Teskeredžić & R. Čož-Rakovac. 1995. Kvaliteta vode i ektoparazitarnе bolesti ciprinidnih riba. (Water quality and ectoparasite diseases of cyprinidae fish.) *Ribarstvo, Split* 53(4):129-139. [In Croatian.]
- Toparlak, O. 1975. Gölü Copepodlarının Yıllık Tezahürleri ve Yayılışları Hakkında Ön Çalışmalar. [Preliminary investigations on appearance and distribution of copepods in Iznik Lake.] *Tubitak V. Bilim Kongresi, Ankara*. (The Scientific and Technological Research Council of Turkey V. Science Congress, Ankara) Pp. 375-377. [In Turkish.]
- Tort, L., P. Torres & J. Hidalgo. 1984. Short-term cadmium effects on gill tissue metabolism. *Marine Pollution Bulletin* 15(12):448-450.
- Urdal, K. 1992. Omfanget av lakselus på vill laksefisk i fylka Nordland, Nord- og Sør-Trøndelag, Møre og Romsdal og Sogn og Fjordane. [The amount of salmon lice on wild salmonids in the counties of Nordland, Nord- and Sør-Trøndelag, Møre and Romsdal, and Sogn and Fjordane.] Report of the Zoological Museum, Department of Animal Ecology, University of Bergen, Bergen, Norway. [In Norwegian.]
- Valkounova, J. 1983. [Biology of cestodes of domestic ducks and wild water birds.] *Veterinarni Medicina, Prague* 28(9):549-563. [In Czech.]
- Van den Brink, P.J., E. Van Donk, R. Gylstra, S.J.H. Crum & T.C.M. Brock. 1995. Effects of chronic low concentrations of the pesticides chlorpyrifos and atrazine in indoor freshwater microcosms. *Chemosphere* 31(5):3181-3200.
- Vandendaele, V. 1972. Bijdrage tot de studie van de autoecologie van *Eurytemora affinis* in de Spuikom te Oostende. [Contribution to the study on the autecology of *Eurytemora affinis* in the Sluice Dock, Oostende.] B.Sc. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 76 pp.
- Van Mieghem, R. 1996. Mesozooplankton in de Zeeschelde. [Mesozooplankton in the Zeeschelde.] B.Sc. Thesis, Vrije Universiteit Brussel, Brussels, Belgium. 28 pp. + appendices.
- Venneman, T.E. 1984. The zooplankton community of Caddo Lake, Texas and Louisiana, a lake with numerous offshore oil wells. M.S. Thesis, Stephen F. Austin State University, Nacogdoches, Texas, U.S.A.

- Verriopoulos, G. 1992. Effects of sublethal concentrations of zinc, chromium and copper on the marine copepods *Tisbe holothuriae* and *Acartia clausi*. In: Gabrielides, G.P. (ed.). Proceedings of the FAO/UNEP/IOC Workshop on the Biological Effects of Pollutants on Marine Organisms, Malta, 10-14 Sept. 1991, UNEP, Athens, Greece. MAP Technical Report Series No. 69:265-275.
- Verriopoulos, G. & S. Dimas. 1988. Combined toxicity of copper, cadmium, zinc, lead, nickel, and chrome to the copepod *Tisbe holothuriae*. *Bulletin of Environmental Contamination and Toxicology* 41(3):378-384.
- Vidaković, J. 1983. The influence of raw domestic sewage on density and distribution of meiofauna. *Marine Pollution Bulletin* 14(3):84-88.
- Vidaković, J. 1984. Meiofauna of silty sediments in the coastal area of the north Adriatic, with special reference to sampling methods. *Hydrobiologia* 118:67-72.
- Wang, G.Z., S.J. Li, F. Chen & W. Cao. 1994. Studies on the egg biology and seasonal succession of two common species of *Acartia* from Xiamen waters. *Journal of Xiamen University (Natural Science)*, 33 (Supplement):135-140. [In Chinese; abstract in English.]
- Whisler, H.C., S.L. Zebold & J.A. Shemanchuk. 1975. Life history of *Coelomomyces psorophorae*. *Proceedings of the National Academy of Sciences of the U.S.A.* 72(2):693-696.
- Wierzbicka, M. 1974. Influence of 2,4-D sodium salt on the survival of some Copepoda species. *Polski Archiwum Hydrobiologii* 21(2):275-282.
- Won, W.D., L.H. Disalvo & J. Ng. 1976. Toxicity and mutagenicity of 2,4,6-trinitrotoluene and its microbial metabolites. *Applied and Environmental Microbiology* 31(4):576-580.
- Yap, H.H., B.L. Lau & Y.P. Leong. 1982. Laboratory and field tests of temephos (Abate®) on mosquito larvae and non-target organisms in rice fields in Malaysia. *Southeast Asian Journal of Tropical Medicine and Public Health* 13(4):646-653.
- Yashuv, V.A., 1972. Efficacy of mullet growth in fish ponds. *Bulletin of Fish Culture in Israel - Bamidgeh* 24:12-25.
- Yasuno, M., T. Hanazato, T. Iwakuma, K. Takamura, R. Ueno & N. Takamura. 1988. Effects of permethrin on phytoplankton and zooplankton in an enclosure ecosystem in a pond. *Hydrobiologia* 159:247-258.
- Yuniarti, R.A., U. Widyastuti & S. Nalim. 1995. Pengaruh Kepadatan dan Species Jentik Nyamuk terhadap Kemampuan Makan *Mesocyclops* (Copepoda: Cyclopoida). (The influence of density and species of mosquitoes larvae on the feeding capability of *Mesocyclops* (Copepoda: Cyclopoida).) *Buletin Penelitian Kesehatan* 23(4):14-18. [In Bahasa Indonesia.]
- Zhang, Z.N., H.Y. Dang & Z.S. Yu. 1993. A study of meiobenthic community in an organically polluted beach of Qingdao Bay. *Journal of Ocean University of Qingdao* 23(1):83-91. [In Chinese.]
- Zhang, Z.N., Y.G. Li, L.H. Tu & Z. Yu. 1989. A preliminary study of meiobenthos in the submarine delta of Huanghe River estuary and its adjacent waters. *Oceanologia et Limnologia Sinica* 20(3):197-207. [In Chinese.]
- Zubarik, L.S. & J.M. O'Connor. 1978. A radioisotopic study of mercury uptake by Hudson River biota. In: Thorp, J.H. & J.W. Gibbons (eds.). *Energy Environmental Stresses on Aquatic Systems*, Augusta, Georgia. Pp. 273-289. (U.S. NTIS CONF-771114)

1997

- Akinsola, H.A. & O.O. Kale. 1997. Copepod filters for guinea-worm control – users have their say. *World Health Forum* 18(3-4):270-273.
- Battaglia, B., D. Walton & J. Valencia (eds.). 1997. *Antarctic Communities*. Cambridge University Press, Cambridge, U.K. 450 pp. ISBN 0521480337.
- Boubee, J.A.T. & F.J. Ward. 1997. Mouth gape, food size, and diet of the common smelt *Retropinna retropinna* (Richardson) in the Waikato River system, North Island, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 31:147-154.
- Boulton, A.J., M.R. Scarsbrook, J.M. Quinn & G.P. Burrell. 1997. Land-use effects on the hyporheic ecology of five small streams near Hamilton, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 31:609-622.
- Falkenhaus, T. 1997. Studies of spatio-temporal variations in a zooplankton community. Interactions between vertical behaviour and physical processes. Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Griffin, M. 1997. Effects of macrophyte composition, water quality, and predation on littoral zooplankton assemblages in the lower Atchafalaya Basin, Louisiana. M.S. Thesis, Louisiana State University, Baton Rouge, Louisiana, U.S.A. 69 pp.
- Ikuta, K. 1997. Evolution of the ovarian structure and oogenesis in the maxillopod crustaceans. Ph.D. Thesis, University of Tsukuba, Tsukuba, Japan. 118 pp.
- Jasinska, E.J.J. 1997. Faunae of aquatic root mats in caves of southwestern Australia: origins and ecology. Ph.D. Thesis, Zoology Department, University of Western Australia, Nedlands, Western Australia.
- Kent, M.L., D.J. Whitaker, J.D. Moran & Z. Kabata. 1997. *Haemobaphes disphaerocephalus*, an accidental parasite of seawater pen-reared Atlantic salmon. *The Canadian Veterinary Journal / La Revue Veterinaire Canadienne* 38(2):110-111.
- Knudsen, R. 1997. Relationships between parasite infection and feeding behaviour in Arctic charr (*Salvelinus alpinus* (L.)). Dr.Scient. Thesis, Norges Fiskerihøgskole - The

- Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Kurashov, E.A. 1997. Meiobenthos of lake ecosystems: ecology and reaction on anthropogenic impacts. Doctor of Biological Sciences Dissertation, Institute of Limnology, St. Petersburg, Russia.
- Lores, E.M. 1997. Bioavailability and trophic transfer of humic bound metals from bacteria to zooplankton. Ph.D. Dissertation, University of South Alabama, Mobile, Alabama, U.S.A. 149 pp.
- Naberejnâi, A., V. Esaulenco & V. Climenco. 1997. Diversitatea specifică și producția zooplanctonului în ecosistemele acvatice ale Moldovei. [Species diversity and production of zooplankton in aquatic ecosystems of Moldova.] Diversitatea și ecologia lumii animale în ecosistemele naturale și antropizate. Institutul de Zoologie, Chișinău, Moldova. Pp. 130-131. [In Romanian.]
- Piegorsch, W.W. & A.J. Bailer. 1997. Statistics for Environmental Biology and Toxicology. CRC Press, Boca Raton. 579 pp. ISBN 0412047314.
- Suwasono, H. 1997. Berbagai cara pemberantasan larva *Aedes aegypti*. Methods of *Ae. aegypti* larvae eradication. Cermin Dunia Kedokteran, Jakarta 119:32-34. [In Bahasa Indonesia; summary in English.]
- Widyastuti, U. & R.A. Yuniarti. 1997. Korelasi antara ukuran panjang dan predasi *Mesocyclops aspericornis* terhadap jentik nyamuk vektor. Correlation between *Mesocyclops aspericornis*' length and predation potential towards vector larvae. Cermin Dunia Kedokteran, Jakarta 119:54-57. [In Bahasa Indonesia; summary in English.]
- 1998**
- Abreu, S., E. Pereira, C. Duarte & M. Azeiteiro. 1998. Ciclo anual do zooplâncton na ria de Aveiro. [Annual cycle of the zooplankton in the Ria Aveiro.] 3º Simpósio sobre a margem Ibérica Atlântica :71-72. [In Portuguese.]
- Adrian, R. 1998. Effects of ice duration on the phyto- and zooplankton succession in a shallow lake. EcoSys. Beiträge zur Ökosystemforschung 7:43-49.
- Adrian, R. 1998. The timing of warming - an important regulator of change in lake plankton communities. Pp. 205-222 In: George, G.D. (ed.). Management of Lakes and Reservoirs During Global Climate Change. NATO ASI Series, Vol. 42. Kluwer Academic Publishers, Dordrecht. 340 pp.
- Alcocer, J. & U.T. Hammer. 1998. Saline lake ecosystems of Mexico. Aquatic Ecosystem Health and Management 1(3-4):291-315.
- Avdeev, G.V. & V.V. Avdeev. 1998. Parasites as indicators of *Theragra chalcogramma* (Gadidae) of the Comandor's populations. Parazitologiya 32(5):431-439. [Russian with English summary.]
- Bucher, C. 1998. Parasiten von Fischen der Kieler Förde. (Fish parasites from the Kiel Bight.) M.Sc. Thesis, Faculty for Mathematics and Natural Sciences, University of Kiel, Kiel, Germany. 111 pp.
- Cauchie, H.M. 1998. An attempt to estimate crustacean chitin production in the hydrosphere. Pp. 32-39 In: Domard, A., G.A.F. Roberts & K.M. Varum (eds.). Advances in Chitin Science Volume 2, Jacques André Publishers, Lyon.
- Chang, C.Y., S.M. Yoon, S.K. Lee & W. Kim. 1998. Distribution of mountainous cyclopoids in Korea. Korean Journal of Environmental Biology 16:299-304. [In Korean.]
- Cheng, C.C. 1998. The distributional correlation between planktonic copepods and ichthyoplankton in the western North Pacific. M.Sc. Thesis, National Taiwan Ocean University, Keelung, Taiwan.
- Dahl-Hansen, G.A.P. 1998. The relationship between selective feeding in pelagic Arctic charr, *Salvelinus alpinus* (L.), and crustacean plankton: A field study on the effects of an experimental mass removal of stunted Arctic charr. Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Fields, D.M. 1998. The implications of biologically and physically created fluid motion on the sensory horizon of copepods. Oceanography 11(2):26.
- Kreutzweiser, D.P., J.M. Gunn, D.G. Thompson, H.G. Pollard & M.J. Faber. 1998. Zooplankton community responses to a novel forest insecticide, Tebufenozide (RH-5992), in littoral lake enclosures. Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques 55(3):639-648.
- Pattnaik, P.K. & A.L.N. Sarma. 1998. Qualitative and quantitative composition of zooplankton communities of Rambha Bay (Chilka lake, Bay of Bengal). Journal of the Marine Biological Association of India 39(1&2):49-58. [For 1997.]
- Stephen, R. 1998. Geographical variation in the distribution of different calanid species in the Indian Ocean. In: Pierrot-Bults, A.C. & S. van der Spoel (eds.). Pelagic Biogeography ICoPB II. Proceedings of the 2nd International Conference. Final report of SCOR/IOC working group 93 "Pelagic Biogeography", Noordwijkerhout, The Netherlands, 9 July-14 July 1995. IOC Workshop Report 142:338-344.
- Tamminen, T. & H. Kuosa. 1998. Eutrophication in Planktonic Ecosystems. Springer, Berlin. 344 pp. ISBN 0792351118.
- Thys, I., A. Dohet, H.M. Cauchie & L. Hoffmann. 1998. Multivariate analysis of the longitudinal variation of the zooplankton community structure in a riverine reservoir. Internationale Revue der Gesamten Hydrobiologie 83:191-198.
- Widyastuti, U. & R.A. Yuniarti. 1997. Korelasi antara ukuran panjang dan predasi *M. aspericornis* terhadap jentik nyamuk vektor. Correlation between *Mesocyclops*

aspericornis' length and predation potential towards vector larvae. *Cermin Dunia Kedokteran* 119:54-57. [In Bahasa Indonesia; summary in English.]

1999

- Adrian, R., T. Hintze, N. Walz, S. Hoeg & R. Rusche. 1999. Effects of winter conditions on the plankton succession during spring in a shallow polymictic lake. *Freshwater Biology* 41:621-632.
- Bressan, M., R. Brunetti, S. Casellato, G.C. Fava, P. Giro, M. Marin, P. Negrisola, L. Tallandini, S. Thomann, L. Tosoni, M. Turchetto & G.C. Campesan. 1999. Effects of linear alkylbenzene sulfonate (LAS) on benthic organisms. *Tenside, Surfactants, Detergents* 26(2):148-158.
- Fockede, N. & J. Mees. 1999. Feeding of the hyperbenthic mysid *Neomysis integer* in the maximum turbidity zone of the Elbe, Westerschelde and Gironde estuaries. *Journal of Marine Systems* 22(2):207-228.
- Gündüz, E. 1999. Erratum — *Sinodiaptomus sarsi* (Rylov, 1923) (Copepoda, Calanoida) in Turkey. *Hydrobiologia* 392(2):261-262.
- Haacke, H. 1999. Limnologische Charakterisierung ausgewählter Ackerhohlformen (Sölle) des nordostdeutschen Jungmoränengebietes als Grundlage von Schutzmaßnahmen. (Limnological characterization of selected ponded depressions of the north German young moraine site as a basis for conservation.) Ph.D. Dissertation, Humboldt University Berlin, Berlin, Germany. [In German; abstract in English.]
- Ikuta, K. & T. Makioka. 1999. Evolution of ovarian structure and oogenesis in maxillopodan crustaceans. Pp. 91-100 In: Schram, F.R. & J. C. von Vaupel Klein (eds.). *Crustaceans and the Biodiversity Crisis. Proceedings of the Fourth International Crustacean Congress, Amsterdam, The Netherlands, July 20-24, 1998, vol. 1.* Brill, Leiden.
- Kreutzweiser, D.P. & M.J. Faber. 1999. Ordination of zooplankton community data to detect pesticide effects in pond enclosures. *Archives of Environmental Contamination and Toxicology* 36(4):392-398.
- Munger, C., L. Hare & A. Tessier. 1999. Cadmium sources and exchange rates for *Chaoborus* larvae in nature. *Limnology and Oceanography* 44(7):1763-1771.
- Nour El-Din, N.M. & A.F.A. Ghobashy. 1999. Distribution and numerical abundance of the copepod community along the coastal waters of Qatar (Arabian Gulf). *Bulletin of the National Institute of Oceanography & Fisheries, A.R.E.* 25:133-151.
- Nozais, C., G. Desrosiers, M. Gosselin, C. Belzile & S. Demers. 1999. Effects of ambient UVB radiation in a meiobenthic community of a tidal mudflat. *Marine Ecology Progress Series* 189:149-158.
- Ohtsuka, S., T. Hoshina, Y. Seike, S. Ohtani & H. Kunii. 1999. Seasonal changes of zooplankton community in Honjyo area and its neighboring waters of Lake Nakami. *Laguna* 6:73-87. [In Japanese.]
- Oliva, E. 1999. Zooplankton y su relación con eventos El Niño en la zona norte de Chile. [Zooplankton and its relationship to El Niño events in the northern zone of Chile.] Seminario Taller: Estado de Conocimiento sobre ENSO en el Norte del Chile, Coquimbo, 25-26 October 1999. <http://www.uantof.cl/Riben/EOLIVA.htm> [Abstract; in Spanish.]
- Palm, H.W., S. Klimpel & C. Bucher. 1999. Checklist of metazoan fish parasites of German coastal waters. *Berichte aus dem Institut für Meereskunde an der Christian-Albrechts-Universität Kiel* 307:148 pp.
- Schizas, N.V. 1999. Ecological genetics of a marine copepod inhabiting clean and contaminated intertidal mudflats. Ph.D. Dissertation, University of South Carolina, Columbia, South Carolina, U.S.A.
- Schröder, P. 1999. Parasiten von Fischen der Grossen Meteorbank (zentraler Ost-Atlantik). (Fish parasites from the Great Meteor Bank, Central East Atlantic). M.Sc. Thesis, Faculty for Mathematics and Natural Sciences, University of Kiel, Kiel, Germany. 69 pp.
- Schuchardt, B., M. Schirmer, G. Janssen, S. Nehring & H. Leuchs. 1999. Estuaries and brackish waters. In: De Jong, F., J.F. Bakker, C.J.M. van Berkel, N.M.J.A. Dankers, K. Dahl, C. Gätje, H. Marencic & P. Potel (eds.) *Wadden Sea Quality Status Report. Common Wadden Sea Secretariat Wilhelmshaven, Wadden Sea Ecosystem No. 9:175-186.*
- Vachon, N. 1999. Écologie des juvéniles 0+ et 1+ de chevalier cuirvé (*Moxostoma hubbsi*), une espèce menacée, comparée à celle des quatre autres espèces de *Moxostoma* (*M. anisurum*, *M. carinatum*, *M. macrolepidotum*, *M. valenciennesi*) dans le système de la rivière Richelieu. [Ecology of 0+ and 1+ juveniles of copper redhorse (*Moxostoma hubbsi*), an endangered species, compared to that of four other species of *Moxostoma* (*M. anisurum*, *M. carinatum*, *M. macrolepidotum*, *M. valenciennesi*) in the Richelieu stream system.] Mémoire présenté à l'Université du Québec à Montréal comme exigence partielle de la maîtrise en biologie. Société de la Faune et des Parcs du Québec, Direction de l'Aménagement de la Faune de la Montérégie, Longueuil, Rapport Technique 16-06. 175 pp. [In French.]

2000

- Avent, S.R., S.M. Bollens, W. Kimmerer & J. Cordell. 2000. Copepods invade the San Francisco estuary. *Ballast Exchange Newsletter, University of California Ballast Sea Grant Outreach Project*, 2:4-5.
- Bersano, J.G.F. 2000. Field and laboratory studies on effects of the Texas brown tide alga *Aureoumbra lagunensis* on the copepod *Acartia tonsa*. Ph.D. Thesis, Texas A&M University, College Station, Texas, U.S.A.

- Chen, D.-D. 2000. [Seasonal and spatial variabilities of species composition and numerical abundance of the copepods in relation to environment factors in the Kaohsiung Harbor.] Ph.D. Thesis, National Sun Yat-sen University, Kaohsiung, Taiwan. [In Chinese.]
- Cross, R.E. & M.C. Curran. 2000. Effects of feeding pit formation by rays on an intertidal meiobenthic community. *Estuarine, Coastal and Shelf Science* 51(3):293-298.
- Dobberfuhl, D.R. 2000. Elemental stoichiometry of lower food web components in arctic and temperate lakes. *Journal of Plankton Research* 22(7):1341-1354.
- Fuente del Pozo, C. de la. 2000. Levantamento ectoparasitológico em brânquias de Pacu *Piaractus mesopotamicus* (Holmberg, 1887) (Osteichthyes, Characidae) em pesque-pagues no município de Campo Grande, MS. [Ectoparasitological survey of gills of Pacu *Piaractus mesopotamicus* (Holmberg, 1887) (Osteichthyes, Characidae) in fee-fishing ponds in the Municipality of Campo Grande, MS.] Dissertação de Mestrado em Biologia Parasitária, Fundação Oswaldo Cruz, Rio de Janeiro, Brazil. [In Portuguese.]
- Gerten, D. & R. Adrian. 2000. Climate driven changes in spring plankton dynamics and the sensitivity of shallow polymictic lakes to the North Atlantic Oscillation. *Limnology and Oceanography* 45(5):1058-1066.
- Geyer, H.J., G.G. Rimkus, I. Scheunert, A. Kaune, K.-W. Schramm, A. Kettrup, M. Zeeman, D.C.G. Muir, L.G. Hansen & D. Mackay. 2000. Bioaccumulation and occurrence of endocrine-disrupting chemicals (EDCs), persistent organic pollutants (POPs), and other organic compounds in fish and other organisms including humans. *The Handbook of Environmental Chemistry Vol. 2 Part J. Bioaccumulation*. Springer-Verlag, Berlin. 166 pp.
- Kaehler, S., E.A. Pakhomov & C.D. McQuaid. 2000. Trophic structure of the marine food web at the Prince Edward Islands (Southern Ocean) determined by $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ analysis. *Marine Ecology Progress Series* 208:13-20.
- Klimpel, S. 2000. Untersuchungen zum Parasitenbefall von Kleinfischen aus der Nordsee und deren Bedeutung für den Transfer von Parasiten auf kommerziell genutzte Fischarten. (Importance of by-catch fishes for the transfer of parasites to commercially important fish species in the North Sea.) M.Sc. Thesis, Faculty for Mathematics and Natural Sciences, University of Kiel, Kiel, Germany. 105 pp.
- Lawrence, D.J. 2000. Estuarine calanoid copepod abundance in Waquoit Bay, Massachusetts: effects of season, salinity, and land-derived nitrogen loading. M.S. Thesis, Boston University Marine Program, Boston, Massachusetts, U.S.A.
- Lougee, L. 2000. The effects of haloclines on zooplankton in San Francisco Bay. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Moraitou-Apostolopoulou, M., S. Zervoudaki & K. Kapiris. 2000. Composition, bathymetric and temporal differentiation of zooplankton in an oligotrophic area (South Aegean Sea). *Marine Life* 2000, 10(1-2):43-55.
- Nour El-Din, N.M. & J.A. Al-Khayat. 2000. Impact of industrial discharges on the zooplankton community in the Messaieed industrial area, Qatar (Persian Gulf). *International Journal of Environmental Studies* 24:1-12.
- Purkerson, D. 2000. Selenium in San Francisco Bay zooplankton. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Reigstad, M. 2000. Plankton community and vertical flux of biogenic matter in north Norwegian fjords: Regulating factors, temporal and spatial variations. Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromso, Tromso, Norway.
- Ríos-Jara, E., E. Juárez-Carrillo, M. Pérez-Peña, E. López-Uriarte, E.G. Robles-Jarero, D. Hernández-Becerril & M. Silva-Briano (eds.). 2000. Estudios sobre plancton en México y el Caribe. Sociedad Mexicana de Planctología y Universidad de Guadalajara. ISBN 970-27-0134-1. 155 pp.
- Speckmann, C. 2000. The effects of ultraviolet radiation on the vertical distribution and mortality of zooplankton. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Straille, D. & R. Adrian. 2000. The North Atlantic Oscillation and plankton dynamics in two mid European lakes. *Global Change Biology* 6:1-8.
- Tavares-Dias, M. 2000. Estudos parasitológico e hematológico em peixes oriundos de pesque-pagues do município de Franca, SP. [Parasitological and hematological studies on fish from pay-to-fish ponds in the Municipality of Franca, São Paulo.] Dissertação (Mestrado em Aqüicultura), Universidade Estadual Paulista, Jaboticabal, São Paulo, Brazil. [In Portuguese.]
- Tavernini, S. 2000. [Analyses of zooplankton communities of water bodies located in the Northern Apennines.] B.S. Thesis, University of Parma, Parma, Italy. [In Italian.]
- Trejo-Albarran, R., J.G. Granados-Ramírez, H. Quiroz-Castellán, I.F. Molina-Astudillo & J. García-Rodríguez. 2000. El zooplankton del lago Zempoala en el Estado de Morelos, México. [The zooplankton of Zempoala Lake in the State of Morelos, Mexico.] *Memorias de la XI Reunion Nacional de la Sociedad Mexicana de Planctología*. Pp. 99-100.
- Wedekind, C., M. Christen, L. Schärer & N. Treichel. 2000. Relative helminth size in crustacean hosts: in vivo determination, and effects of host gender and within-host competition in a copepod infected by a cestode. *Aquatic Ecology* 34:279-285.

- Albaigés, J. 2001. Persistent organic pollutants in the Mediterranean Sea. P. 89 In: Beek, B. (ed.). Biodegradation and Persistence. The Handbook of Environmental Chemistry Vol. K. Springer-Verlag, Berlin.
- Al Mutairy, H. & M.R. Landry. 2001. Active export of carbon and nitrogen at Station ALOHA by diel migrant zooplankton. Deep Sea Research Part II, Topical Studies in Oceanography 48(8-9):2083-2103.
- Bojanić, N., M. Solić, N. Krstulović, I. Marasović, Z. Nincević & O. Vidjak. 2001. Seasonal and vertical distribution of the ciliated protozoa and micrometazoa in Kastela Bay (Central Adriatic). Helgoland Marine Research 55:150-159.
- Bühring, S.I. & B. Christiansen. 2001. Lipids in selected abyssal benthopelagic animals: links to the epipelagic zone? Progress In Oceanography 50(1-4):369-382.
- Eakin, S.B. 2001. Zooplankton abundance and community structure in Florida Bay, USA. M.S. Thesis, Department of Fisheries and Aquatic Sciences, University of Florida, Gainesville, Florida, U.S.A.
- Edvardsen, A. 2001. Biophysical rates of zooplankton - A study of methods for measurement of zooplankton dynamics. Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Elser, P. 2001. Assessing small-scale directional movements of benthic invertebrates in streams by using a multidirectional cage trap. Limnologia – Ecology and Management of Inland Waters 31(2):119-128.
- Hacmanjek, M. 2001. Zastupljenost i značenje nametnika riba na ribnjačarstvima Narta i Lipovljani. (Occurrence and importance of fish parasites on the fish farms Narta and Lipovljani.) Doctoral Dissertation, Veterinarski Fakultet, Sveučilište u Zagrebu, Zagreb, Croatia. 167 pp.
- Kittel, W., J. Sicinski, M.I. Zmijewska, L. Bielecka & K. Blachowiak-Samolyk. 2001. Antarctic neritic zooplankton community (Admiralty Bay, King George Island, South Shetland Islands). Polish Polar Research 22(1):11-33.
- Landry, M.R., H. Al Mutairi, K.E. Selph, S. Christensen & S. Nunnery. 2001. Seasonal patterns of mesozooplankton abundance and biomass at Station ALOHA. Deep Sea Research Part II Topical Studies in Oceanography 48(8-9):2037-2061.
- McNaught, D.C. 2001. Control of grazing in the Great Lakes of North America and Asia: natural and industrial controls. In: Munawar, M. & R.E. Hecky (eds.). The Great Lakes of the World (GLOW): Food-web, Health and Integrity. Ecovision World Monograph Series, Backhuys, Leiden, 471pp. Chapter pagination: 413-429.
- Mu, F.H., Z.N. Zhang & Y.Q. Guo. 2001. Abundance and biomass of the benthic meiofauna in the Bohai Sea. Journal of Ocean University of Qingdao 30(6):897-905. [In Chinese.]
- Murray, M.M. 2001. Survival and diapause egg production of the copepod *Centropages hamatus* raised on dinoflagellate diets. Ph.D. Thesis, Florida State University, Tallahassee, Florida, U.S.A.
- Neira, C., J. Sellanes, A. Soto, D. Gutiérrez & V.A. Gallardo. 2001. Meiofauna and sedimentary organic matter off Central Chile: response to changes caused by the 1997–1998 El Niño. Oceanologica Acta 24(3):313-328.
- Ohtsuka, S. & S. Nishida. 2001. Evolution in marine pelagic copepods: changes in reproductive and feeding systems. Kaiyo Monthly, Ext. (27):116-124.
- Roman, M.R., H.A. Adolf, M.R. Landry, L.P. Madin, D.K. Steinberg & X. Zhang. 2001. Estimates of oceanic mesozooplankton production: a comparison using the Bermuda and Hawaii time-series data. Deep Sea Research Part II: Topical Studies in Oceanography 49(1-3):175-192.
- Rückert, S. 2001. Fischparasitenfauna von Brasseln (*Abramis brama*) und Rotaugen (*Rutilus rutilus*) aus Süß- und Brackwasserhabitaten (Parasite fauna of bream (*Abramis brama*) and roach (*Rutilus rutilus*) in freshwater and brackish habitats). M.Sc. Thesis, Faculty for Mathematics and Natural Sciences, University of Kiel, Kiel, Germany. 105 pp.
- Ruffli, H. 2001. Seasonal abundance of zooplankton and the planktivorous fish, *Stolothrissa*, in Tanzanian waters of Lake Tanganyika. In: Munawar, M. & R.E. Hecky (eds.). The Great Lakes of the World (GLOW): Food-web, Health and Integrity. Ecovision World Monograph Series, Backhuys, Leiden, 471 pp. Chapter pagination: 97-108.
- Schartau, A.K.L., B. Walseng & E. Snucins. 2001. Correlation between microcrustaceans and environmental variables along an acidification gradient in Sudbury, Canada. Water, Air & Soil Pollution 130:1325-1330.
- Sushchenya, L.M., V.P. Semenchenko & G.A. Galkovskaya. 2001. Species diversity of pelagian zooplankton of lakes of different types. Doklady Natsional'noi Akademii Nauk Belarusi 45(6):83-85. [In Russian.]
- Tartarotti, B., I. Laurion & R. Sommaruga. 2001. Large variability in the concentration of mycosporine-like amino acids among zooplankton from lakes located across an altitude gradient. Limnology and Oceanography 46(6):1546-1552.
- Tavernini, S. & G. Rossetti. 2001. Lo zooplankton di laghi e pozze dell'appennino Ligure-Emiliano (Val d'Aveto, Val Trebbia, Val Nure, Vald'Arda e Val Taro). [The zooplankton of lakes and ponds of the Ligure-Emiliano Appennines (Aveto Valley, Trebbia Valley, Nure Valley, Arda Valley and Taro Valley).] Studi Trentini di Scienze Naturali, Acta Biologica, 78(1):139-148. [In Italian.]
- Uchikawa, K., D. Kitagawa & Y. Sakurai. 2001. Feeding habits of the mesopelagic fish *Gonostoma gracile* in the

- northwestern North Pacific. *Journal of Oceanography* 57:509-517.
- Valiela, I., J.L. Bowen, M.L. Cole, K.D. Kroeger, D. Lawrence, W.J. Pabich, G. Tomasky & S. Mazzilli. 2001. Following up on a Margalevian concept: interactions and exchanges among adjacent parcels of coastal landscapes. *Scientia Marina* 65(Suppl. 2):215-229.
- Wang, W.X., R.C.H. Dei & Y. Xu. 2001. Cadmium uptake and trophic transfer in coastal plankton under contrasting nitrogen regimes. *Marine Ecology Progress Series* 211:293-298.
- Zeldis, J. 2001. Mesozooplankton community composition, feeding, and export production during SOIREE. *Deep Sea Research Part II: Topical Studies in Oceanography* 48(11-12):2615-2634.
- 2002**
- Antezana, T., A. Giraldo & M. Hamamé. 2002. Clorofila y alimentación del zooplancton fraccionado por tamaño, en subcuencas del sistema de canales magallánicos y fueginos durante la primavera de 1998. [Chlorophyll and food of zooplankton by size fraction, in sub-basins of the Magellan and Tierra del Fuego straits during the spring of 1998.] *Ciencia y Tecnología Marina* 25 (1):109-130. [In Spanish.]
- Bjørn, P.A. 2002. The physiological and ecological effects of salmon lice, *Lepeophtheirus salmonis* Krøyer, infection on anadromous salmonids. Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Das, S.K. 2002. Primary production and zooplankton biodiversity in brackish water shrimp culture pond. *Journal of Ecobiology* 14(4):267-271.
- Gagneten, A.M. 2002. Respuesta de una comunidad zooplanctónica de agua dulce a la aplicación de cromo en clausuras experimentales. [Response of a freshwater zooplankton community to the application of chromium in experimental enclosures.] *Interciencia (INCI)* 27(10): 563-570. [In Spanish; abstracts in English and Portuguese.]
- González-Armas, R., R. Palomares-García & R. De Silva-Dávila. 2002. Copepod and macrozooplankton distribution associated to El Bajo Espíritu Santo Seamount. Pp. 183-193 In: Hendrickx, M.E. (ed.). *Contributions to the Study of East Pacific Crustaceans 1*. [Contribuciones al Estudio de los Crustáceos del Pacífico Este 1] Instituto de Ciencias del Mar y Limnología, UNAM. 383 pp.
- Guo, Y.Q., Z.N. Zhang & F.H. Mu. 2002. Biomass of meiofauna in the Bohai Sea, China. *Acta Oceanologica Sinica* 24(6):76-83. [In Chinese.]
- Guo, Y.Q., Z.N. Zhang & F.H. Mu. 2002. Large-scale patterns of meiofaunal abundance in the Bohai Sea. *Acta Ecologica Sinica* 22(9):1463-1469. [In Chinese.]
- Hooff, R. 2002. Ecology of the invasive, predatory copepod *Tortanus dextrilobatus*, in San Francisco Bay. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Kang, H.K. & Y.J. Kang. 2002. Effect of mesh size of net on biomass estimation of *Acartia steueri* (Copepoda: Calanoida). *Journal of the Korean Fisheries Society* 35(4):445-450. [In Korean.]
- Kiss, A. 2002. Distribution of Microcrustacea in different habitats of a shallow lake in the Fertő-Hanság National Park, Hungary. *Opuscula Zoologica, Budapest* 34:43-50.
- Li, C.L. & K. Wang. 2002. Feeding ecology progress of the herbivorous copepod. *Acta Ecologica Sinica* 22(4):593-596. [In Chinese.]
- Marcogliese, D.J. & Parasitology Module Steering Committee, Parasitology Section, Canadian Society of Zoologists. 2002. *Parasites of Fishes in Fresh Water. Ecological Monitoring and Assessment Network (EMAN): Protocols for Measuring Biodiversity*. Environment Canada Quebec Region, Environmental Conservation, St. Lawrence Centre, Montreal. <http://www.eman-rese.ca/eman/ecotools/protocols/freshwater/parasites/intro.html?language=english>
- Pickhardt, P.C., C.L. Folt, C.Y. Chen, B. Klauw & J.D. Blum. 2002. Algal blooms reduce the uptake of toxic methylmercury in freshwater food webs. *Proceedings of the National Academy of Sciences of the U.S.A.* 99:4419-4423.
- Rao, G.S. 2002. Impoverished production of meiobenthos of Vasishta-Godavari Estuary. *Proceeding of the Andhra Pradesh Academy of Science* 6(1):63-68.
- Ríos-Jara, E. 2002. Zooplankton studies in the Caribbean Sea: An overview of the literature from the last two decades. *Revista Scientia - CUCBA (Universidad de Guadalajara, Centro Universitario de Ciencias Biológicas y Agropecuarias)* 4(1):19-34.
- Schartau, A.K. & A. Hobæk. 2002. Zooplankton. Pp. 222-228 In: *Sur nedbør - tilførsler og effekter*. Landbruksforlaget, Oslo.
- Schartau, A.K. & B. Walseng. 2002. Microcrustaceans (Cladocera and Copepoda) as indicators of acidification and biological recovery of lakes. Pp. 30-32 In: Wright, R.F. & M.C. Lie (eds.). *Workshop on models for biological recovery from acidification in a changing climate*. 9-11 September 2002 in Grimstad, Norway. Workshop report. O-21840. Norsk Institutt for Vannforskning (NIVA), Oslo, Norway.
- Small, R. 2002. Trophic interactions between larval gizzard shad and resident zooplanktivores in Claytor Lake, Virginia. M.S. Thesis in Fisheries and Wildlife Sciences, Virginia Polytechnic Institute and State University, Blacksburg, Virginia, U.S.A. 130 pp.

- Tittensor, D. 2002. Population distribution of the copepod *Calanus finmarchicus* in the Labrador Sea: A modelling study. Ph.D. Thesis, Memorial University of Newfoundland, St. John's, Newfoundland, Canada.
- van Franeker, J.A., N.W. van den Brink, U.V. Bathmann, R.T. Pollard, H.J.W. de Baar & W.J. Wolff. 2002. Responses of seabirds, in particular prions (*Pachyptila* sp.), to small-scale processes in the Antarctic Polar Front. Deep Sea Research Part II: Topical Studies in Oceanography 49(18):3931-3950.
- Zhang, Z.N., F.H. Mu, Z.S. Yu & J. Han. 2002. Abundance and biomass of the benthic meiofauna in the spawning ground of anchovy (*Engraulis japonicus*) in the Southern Yellow Sea, China. Journal of Ocean University of Qingdao 32(2):251-258. [In Chinese.]
- Zhao, W. & S.L. Dong. 2002. Feeding ecology of *Sinocalanus tenellus* (Copepoda: Calanoida) grazing on phytoplankton in saline-alkaline ponds. Acta Ecologica Sinica 22(5):682-687. [In Chinese.]
- 2003**
- Arjariya, A. 2003. Physico-chemical profile and plankton diversity of Ranital lake, Chhatarpur, M.P. Nature Environment and Pollution Technology 2(3):327-328.
- Atencio-García, V., E. Zaniboni-Filho, S. Pardo-Carrasco & A. Arias-Castellanos. 2003. Influência da primeira alimentação na larvicultura e alevinagem do yamú *Brycon siebenthalae* (Characidae). (First feeding influence on yamú, *Brycon siebenthalae* (Characidae) larval rearing.) Acta Scientiarum, Animal Sciences, Universidade Estadual de Maringá 25(1):61-72. [In Portuguese; abstract in English.]
- Beck, D.R. 2003. Laboratory testing of select geotextiles as biointrusion barriers and sediment filters. M.S. Thesis, Western Michigan University, Kalamazoo, Michigan, U.S.A. 43 pp.
- Brown, L.R. 2003. Will tidal wetland restoration enhance habitats of native fishes? In: Brown, L.R. (ed.). Issues in San Francisco Estuary Tidal Wetlands Restoration. San Francisco Estuary and Watershed Science 1(1), article 2. <http://repositories.cdlib.org/jmie/sfew/vol1/iss1/art2>
- Climenco, V. 2003. Succesiunile zooplanctonului în lacul de acumulare Cuciurgan în condițiile presului termic. [Zooplankton succession in the Cuciurgan Reservoir in thermal conditions.] Analele științifice ale Universității de Stat din Moldova, Chișinău: CE USM. Pp. 46-48. [In Romanian.]
- Dejen, E., J.W.M. Osse & F.A. Sibbing. 2003. Ecological position of 'small barbs' and their potential for fisheries: an option to reduce fishing pressure on 'large barbs' of Lake Tana (Ethiopia)? Aquatic Ecosystem Health & Management 6(3):337-342.
- Dippenaar, S.M. & K.A. Crandall. 2003. An estimation of the familial relationships among Siphonostomatoida (Copepoda) parasitic on elasmobranchs using molecular data. Journal of the South African Veterinary Association 74(3):88. [Abstract.]
- Dippenaar, S.M., E.A. Sinclair, K.A. Crandall & R.A. Heckmann. 2003. Species designation in the parasitic copepod *Nemesis lamna*. Journal of South African Veterinary Association 74(3):97. [Abstract.]
- Dzierzbicka-Glowacka, L. & A. Zielinski. 2003. Growth rate of *Pseudocalanus* spp. as a function of food concentration, body weight and temperature. Oceanological and Hydrobiological Studies 32(4):171-197.
- Itoh, H. 2003. Ecology of copepods of the genus *Hemicyclops* (Poecilostomatoida, Clausidiidae) in Tokyo Bay and the Tama-River estuary. Ph.D. Thesis, The University of Tokyo, Tokyo, Japan. 94 pp. [In Japanese.]
- Klimpel, S., H.W. Palm & A. Seehagen. 2003. Metazoan parasites and food composition of juvenile *Etmopterus spinax* (L., 1758) (Dalatiidae, Squaliformes) from the Norwegian Deep. Parasitology Research 89:245-251.
- Laughlin, J.J. 2003. Inventory and analysis of plankton in Green River within Mammoth Cave National Park. M.S. Thesis, University of Tennessee, Knoxville, Tennessee, U.S.A. 92 pp.
- Lee, S.S., K.N. Han & W.D. Yoon. 2003. Energy budget of snotted halibut juvenile, *Eopsetta grigorjewi* with two different prey items. Journal of the Korean Fisheries Society 36(4):358-364. [In Korean.]
- Martynova, D.M. 2003. Copepod faecal pellets and their role in organic matter flux in the White Sea. Trudy Zoologicheskogo Instituta 299:83-90.
- Morgado, F., E. Rodrigues & U.M. Azeiteiro. 2003. Suprabenthos distribution in a shallow temperate estuary (Mondego estuary, western Portugal). Boletim del Instituto Español de Oceanografía 19(1-4):7-15.
- Nandi, N.C. & S.R. Das. 2003. Diversity and population density of macrozoobenthos and zooplankton of south 24-Parganas district, West Bengal. Journal of Aquaculture Biology 18(1):41-46.
- Nehring, S. 2003. Gebietsfremde Arten in den deutschen Gewässern - ein Risiko für die Biodiversität. [Alien species in German waters – a risk for biodiversity.] In: Senat der Bundesforschungsanstalten im Geschäftsbereich des BMVEL (ed.), Bedrohung der biologischen Vielfalt durch invasive gebietsfremde Arten – Erfassung, Monitoring und Risikoanalyse. Schriftenreihe des BMVEL (Bundesministeriums für Verbraucherschutz, Ernährung und Landwirtschaft), Reihe A, Angewandte Wissenschaft 498:40-52. [In German.]
- Oliveira, L.O.V. & J. Vanderli-Andreati. 2003. Hábitos alimentares de *Diapterus rhombeus* (Cuvier, 1829) (Perciformes, Gerreidae) na Baía da Ribeira, Angra dos Reis, Rio de Janeiro, Brasil. [Feeding habits of *Diapterus rhombeus* (Cuvier, 1829) (Perciformes, Gerreidae) of the Ribeira Bay, Angra dos Reis, Rio de Janeiro, Brazil.] Bios, Belo Horizonte 11(11):29-38. [In Portuguese.]

- Pinto-Coelho, R.M. 2003. Métodos de coleta, preservação, contagem e determinação da biomassa de zooplâncton de águas epicontinentais. [Methods of collection, preservation, and determination of the biomass of zooplankton of epicontinental waters.] In: Bicudo, C.E.M. & D. Bicudo (eds.) Amostragem em Limnologia. Ryma Editora, São Carlos, São Paulo. Pp. 149-166. ISBN 85-86552-82-8.
- Primicerio, R. 2003. Habitat choice and community dynamics of zooplankton in the subarctic lakes Takvatn and Lombola (northern Norway). Dr.Scient. Thesis, Norges Fiskerihøgskole - The Norwegian College of Fishery Science, University of Tromsø, Tromsø, Norway.
- Rash, J.M. 2003. Comparative ecology of juvenile striped bass and juvenile hybrid striped bass in Claytor Lake, Virginia. M.S. Thesis in Fisheries and Wildlife Sciences, Virginia Polytechnic Institute and State University, Blacksburg, Virginia, U.S.A. 118 pp.
- Rolston, D. & B. Proctor. 2003. Salmon farms and sea lice: A baseline report of the incidence of sea lice on juvenile salmonids on British Columbia's North Coast. David Suzuki Foundation, British Columbia, Canada. <http://www.davidsuzuki.org/Oceans/Publications.asp>
- Sabas, C.S.S. & J.L. Luque. 2003. Metazoan parasites of weakfish, *Cynoscion guatucupa* and Macrodon ancylodon (Osteichthyes: Sciaenidae), from the coastal zone of the State of Rio de Janeiro, Brazil. Revista Brasileira de Parasitologia Veterinária 12(4):171-178. [In English; abstract in Portuguese.]
- Semenchenko, V.P. & L.M. Sushchenya. 2003. Patterns of distribution of zooplankton in littoral zone of eutrophic lake. Doklady Natsional'noi Akademii Nauk Belarusi 47(6):74-76. [In Russian.]
- Sinha, B. & M.R. Islam. 2003. Seasonal variation in zooplankton population of two lentic bodies at Assam State Zoo cum Botanical Garden, Guwahati, Assam. Ecology Environment and Conservation 9(3):391-397.
- Sinha, R.K. & G. Sharma. 2003. Faunal diversity of the river Sarda, Uttar Pradesh, India. Journal of Ecophysiology and Occupational Health 3(1&2):103-116.
- Stephen, R., K.V. Jayalakshmy & V.R. Nair. 2003. Intermittent swarming of copepods in Versova Mangrove, Mumbai. Seshaiyana, ENVIS Newsletter on Estuaries, Mangroves, Coral Reefs and Lagoons 11(1):7-9.
- Stuge, T.S. & E.S. Bartosh. 2003. Species diversity of the planktonic crustaceans in the waterbodies of Nura river basin and evaluation of society state and water quality on materials 1998. Tethys Aqua Zoological Research 2:73-91. [In Russian.]
- Stuge, T.S. & T.T. Troshina. 2003. Short totals of Balkhash zooplankton investigations. Tethys Aqua Zoological Research 2:53-60. [In Russian.]
- Tadonleke, D.R., A. Thouvenot, D. Gilbert, T. Sime-Ngando, D. Debroas & J. Devaux. 2003. Size fractionated phytoplankton and relationships with metazooplankton in a newly flooded reservoir. International Review of Hydrobiology 88:614-634.
- Taranina, G.V., M.D. Linchevskaya & T.C. Stuge. 2003. Development of the Ekibastuz reservoir-2 plankton in the hydrochemical conditions of filling period. Tethys Aqua Zoological Research 2:125-136. [In Russian.]
- Tavernini, S. 2003. [Dispersal limitation, invasion resistance, and the structure of plankton communities in high mountain temporary ponds.] Ph.D. Thesis, University of Parma, Parma, Italy. [In Italian.]
- Temnykh, O.S., A.N. Starovoytov, I.I. Glebov, G.V. Khen, A.Ya. Efimkin, A.M. Slabinsky & V.V. Sviridov. 2003. The results of trawling survey in the epipelagic layer of the Russian Economic Zone in the Bering Sea during September – October, 2002. Pacific Scientific Research Fisheries Center (TINRO-Center), Vladivostok, Russia. NPAFC Document 682, Rev. 2. 39 pp.
- Thys, I. 2003. Influence des fluctuations saisonnières des ressources sur la nutrition et la reproduction du cladocère *Daphnia galeata* et du copépode calanoïde *Eudiaptomus gracilis*: importance de la sélectivité alimentaire. [Influence of the seasonal fluctuations of resources on the feeding and reproduction of the cladoceran *Daphnia galeata* and the calanoid copepod *Eudiaptomus gracilis*: influence of food selectivity.] Thèse de Doctorat, Facultés Notre Dame de la Paix de Namur, Belgium. [In French.]
- Trèková, K. & I. Sukop. 2003. Development of the zooplankton community of some localities of lower Podyjí region. Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis 51(5):29-42.
- Tronstad, L.M. 2003. Invertebrate survival strategies in ephemeral aquatic habitats of a subtropical floodplain. M.S. Thesis, University of Alabama, Tuscaloosa, Alabama, U.S.A.
- Usov, N.V. 2003. The winter zooplankton of the Chupa Inlet (the White Sea). Trudy Zoologicheskogo Instituta 299:181-186.
- Wongrat, L. & W. Pipatcharoenchai. 2003. Zooplankton of Kanchanaburi Province, Thailand. Kasetsart University Fisheries Research Bulletin 25:8-29.
- Yang, M.S. 2003. Food habits of the important groundfishes in the Aleutian Islands in 1994 and 1997. U.S. Department of Commerce, NOAA NMFS AFSC Processed Report 2003-07. 233 pp.

2004

- Bojanić, D. 2004. Family Candaciidae (Copepoda, Calanoida) in the central and south Adriatic Sea. In: Briand, F. (ed.). Rapport du 37e Congrès de la CIESM. CIESM, Barcelona. P. 314.
- Bonecker, S.L.C. & R. Schwamborn. 2004. Mesozooplankton grazing under conditions of extreme

- eutrophication in Guanabara Bay, Brazil. *Journal of Plankton Research* 26(9):983-992.
- Brugnoli-Olivera, E., E. Díaz-Ferguson, M. Delfino-Machin, A. Morales-Ramírez & A.D. Arosemena. 2004. Composition of the zooplankton community, with emphasis in copepods, in Punta Morales, Golfo de Nicoya, Costa Rica. *Revista de Biología Tropical / International Journal of Tropical Biology* 52(4):897-902.
- Cavalcanti, E.T.S., G.C. Pavanelli, S. Chellappa & R.M. Takemoto. 2004. Ocorrência de *Ergasilus versicolor* e *E. lizae* (Copepoda: Ergasilidae) na tainha *Mugil curema Valenciennes*, 1836 (Osteichthyes, Mugilidae) das águas costeiras de Ponta Negra, Rio Grande do Norte. [Occurrence of *Ergasilus versicolor* and *E. lizae* (Copepoda: Ergasilidae) on the tainha *Mugil curema Valenciennes*, 1836 (Osteichthyes, Mugilidae) from coastal waters of Ponta Negra, Rio Grande do Norte.] *Arquivo de Ciências do Mar, Fortaleza* 37:131-134. [In Portuguese.]
- Cavalcanti, E.T.S., G.C. Pavanelli, S. Chellappa & R.M. Takemoto. 2004. Comunidade de metazoários ectoparasitas de peixes de águas costeiras de Ponta Negra, Natal, RN, Brasil. [Metazoan ectoparasite community of fishes of coastal waters of Ponta Negra, Natal, RN, Brazil.] In: Chellappa, N.T., S. Chellappa & J.Z.O. Passavante (eds.). *Ecologia Aquática Tropical*, Natal. Pp. 151-158. [In Portuguese.]
- Centeno, L., A. Silva-Acuña, R. Silva-Acuña & J.L. Pérez. 2004. Fauna ectoparasitaria asociada a *Colossoma macropomum* y al híbrido de *C. macropomum* x *Piaractus brachypomus*, cultivados en el estado delta Amacuro, Venezuela. (Ectoparasitic fauna associated to *Colossoma macropomum* and to the hybrid of *C. macropomum* x *Piaractus brachypomus*, cultivated in Delta Amacuro State, Venezuela.) *Bioagro* 16(2):121-126. [In Spanish; abstract in English.]
- Chyn, S.S., C.L. Lee, W.F. Kang, S.G. Liau. 2004. Study on the aggregating behavior of zooplankton under fish attracting lamps. *Journal of Taiwan Fisheries Research* 12(2):1-13. [In Chinese.]
- El Serehy, H. & N.S. Abdel-Rahman. 2004. Distribution patterns of planktonic copepod crustaceans in the coral reef and sandy areas along the Gulf of Aqaba, Red Sea, Egypt. *Egyptian Journal of Biology* 6:126-135.
- Eswari, Y.N.K. & R. Ramanibai. 2004. Estuarine copepod abundance and diversity in relation to environmental variables, southeast coast of India. *Journal of the Marine Biological Association of India* 46(1):10-20.
- Hwang, J.-S., Y.-Y. Tu, L.-C. Tseng, L.-S. Fang, S. Souissi, T.-S. Fang, W.-T. Lo, W.-H. Twan, S.-H. Hsiao, C.-H. Wu, S.-H. Peng, T.-P. Wei & Q.-C. Chen. 2004. Taxonomic composition and seasonal distribution of copepod assemblages from waters adjacent to Nuclear Power Plant I and II in northern Taiwan. *Journal of Marine Science and Technology, Keelung* 12(5):380-391.
- Ingole, B.S. & R. Goltekar. 2004. Subtidal micro and meiobenthic community structure in the Gulf of Kachchh. In: Abidi, S.A.H., M. Ravindran, R. Venkatesan & M. Vijayakumaran (eds.). *Proceedings of the National Seminar on New Frontiers in Marine Bioscience Research*, January 22-23, 2004, National Institute of Ocean Technology, Chennai, India. Allied, New Delhi. Pp. 395-419.
- Johnsson, R. & E.G. Neves. 2004. The redescription of *Cheramomyzon abyssale* Humes, 1989 (Copepoda: Siphonostomatoida: Asterocheridae) and its position with the family. *Nauplius* 12(1):51-56.
- Kanou, K., M. Sano & H. Kohno. 2004. Diet shift with settlement in the yellowfin goby *Acanthogobius flavimanus* on a tidal mudflat. *Mer, Tokyo* 42(2):67-72.
- Kazmi, Q.B. 2004. Copepods from shore and offshore waters of Pakistan. *Journal of Marine Science and Technology, Keelung* 12(4):223-238.
- Lancelot, C., J. Staneva & N. Gypens. 2004. Modelling the response of coastal ecosystem to nutrient change. *Oceanis* 28:531-556.
- Lopes, P.R.D., L. Santos-Santiago, P. Machado-Santana & J.T. de Oliveira-Silva. 2004. Nota preliminar sobre a alimentação de juvenis metamorfoseados de *Albula vulpes* (Linnaeus, 1758) (Actinopterygii: Albulidae) na praia de São Tomé de Paripe (Salvador, Baía de Todos os Santos, Bahia). A preliminary, feeding study in metamorphosed juveniles of *Albula vulpes* (Linnaeus, 1758) (Actinopterygii: Albulidae) in São Tomé de Paripe beach (Salvador, Baía de Todos os Santos, Bahia). *Revista de Tecnologia e Ambiente* 10(1):41-48. [In Portuguese.]
- Mamani, M., C. Hamel & P.A. Van Damme. 2004. Ectoparasites (Crustacea: Branchiura) of *Pseudoplatystoma fasciatum* (surubí) and *P. tigrinum* (chuncuina) in Bolivian white-water floodplains. Ectoparasitos (Crustacea: Branchiura) de *Pseudoplatystoma fasciatum* (surubí) y *P. tigrinum* (chuncuina) en planicies de aguas blancas en Bolivia. *Ecología en Bolivia* 39(2):9-20. [Abstract in Spanish.]
- Markhaseva, E. & H.-U. Dahms. 2004. *Plesioscolecithrix* (Copepoda, Calanoida, Scolecitrichidae): a new genus, and a new species from the high Antarctic Weddell Sea (Southern Ocean). *Sarsia* 89(5):326-337.
- Mirabdullayev, I.M., I.M. Joldasova, Z.A. Mustafaeva, S. Kazakhbaev, S.A. Lyubimova & B.A. Tashmukhamedov. 2004. Succession of the ecosystems of the Aral Sea during its transition from oligohaline to polyhaline waterbody. *Journal of Marine Systems* 47:101-107.
- Moraes, L.E. de, P.R. Duarte-Lopes & J.T. de Oliveira-Silva. 2004. Alimentação de juvenis de *Larimus breviceps* (Cuvier, 1830) (Pisces: Actinopterygii: Sciaenidae) na praia de Ponta da Ilha, (Ilha de Itaparica, Bahia). The feeding of juveniles of *Larimus breviceps* (Cuvier, 1830) (Actinopterygii: Sciaenidae) in the Ponta

- da Ilha beach, (Itaparica Island, Bahia). *Revista das Ciências Exatas e Naturais* 6(2):245-256. [In Portuguese.]
- Nkwengulila, G. & C. Mwitwa. 2004. Spatial distribution of parasites along the gut of the catfish *Clarias gariepinus* (Burchell, 1822) (Clariidae) from the Mwanza Gulf, Lake Victoria. *Tanzania Journal of Science* 30(1):63-70.
- Ohtsuka, S., T. Horiguchi, R.M. Lopes, K.H. Choi & K. Iwasaki. 2004. Plankton introduction via ship ballast water: A review. *Bulletin of Plankton Society of Japan* 51(2):101-118. [In Japanese.]
- Osore, M.K.W., F. Fiers & M.H. Daro. 2004. Distribution and abundance of *Candacia* Dana, 1846 and *Paracandacia* Grice, 1963 (Copepoda, Calanoida, Candaciidae) off the Kenya coast. *Western Indian Ocean Journal of Marine Sciences* 3(2):189-197.
- Pavanelli, G.C., R.M. Takemoto, G.M. Guidelli, M. de los A. Perez Lizama, P.M.M. Aoyama, L.K. Tanaka, A. Isaac, S.T. Moreira, J.G. de França & K.F. Ito. 2004. Parasitic fauna of fishes from the upper Paraná River floodplain, Brasil. In: Agostinho, A.A., L. Rodrigues, L.C. Gomes, S.M. Thomaz & L.E. Miranda (eds.). *Structure and Functioning of the Paraná River and Its Floodplain*. Maringá. Pp. 193-197.
- Radin, F., S. Richard, J.L. Jamet & B. Pavoni. 2004. Zooplankton as a pollution monitor in a coastal marine environment (Toulon Bay, France). 37th CIESM Congress Proceedings. *Rapports de la Commission Internationale pour la Mer Méditerranée* 37:540.
- Takahashi, K. 2004. Feeding ecology of mysids in freshwater and coastal marine habitats: A review. *Bulletin of Plankton Society of Japan* 51(1):46-72. [In Japanese.]
- Takemoto, R.M., M. de Los A. Perez Lizama, G.M. Guidelli & G.C. Pavanelli. 2004. Parasitos de peixes de águas continentais. [Parasites of fishes of continental waters.] In: Paiva, M.J.R., R.M. Takemoto & M. de los A. Perez Lizama (eds.). *Sanidade de Organismos Aquáticos*, São Paulo. Pp. 179-198.
- Tavares, L.E.R., J.L. Luque & A.A. Bicudo. 2004. Metazoan parasites of the Brazilian menhaden, *Brevoortia aurea* (Spix & Agassiz, 1829) (Osteichthyes: Clupeidae) from the coastal zone of the State of Rio de Janeiro, Brazil. *Brazilian Journal of Biology* 64(3A):553-554.
- Teng, H.J., M.H. Hsue, Y.L. Wu & H.J. Lee. 2004. The mosquito fauna (Culicidae: Diptera) in the surface water of Hapen Creek, Ilan, Taiwan. *Formosan Entomologist* 24(4):293-303.
- Torchin, M.E., R.F. Hechinger, T.C. Huspeni, K.L. Whitney & K.D. Lafferty. 2004. The introduced ribbed mussel (*Geukensia demissa*) in Estero de Punta Banda, Mexico: interactions with the native cord grass, *Spartina foliosa*. *Biological Invasions* 7(4):607-614.
- Vo, M., D.E. Porter, G.T. Chandler, H. Kelsey, S.P. Walker & B.E. Jones. 2004. Assessing photoinduced toxicity of polycyclic aromatic hydrocarbons in an urbanized estuary. *Ecology and Society* 9(5):22 pp. <http://www.ecologyandsociety.org/vol9/iss5/art3/>
- Volkov, A.F., A.Ya. Efimkin, N.A. Kuznetsova & A.M. Slabinskyi. 2004. Characteristic of the Bering Sea plankton community in autumn 2003 (results of Russian-American expedition under the BASIS Program). *Izvestiya TINRO* 139:282-307.
- Willen, E. 2004. Harpacticoida (Crustacea, Copepoda) from a hydrothermal active submarine volcano in the New Ireland Fore-Arc system (Papua New Guinea) with the description of a new genus and species of Pseudotachidiidae. *Meiofauna Marina* 13:113-135.
- Zander, C.D. 2004. Ecology meets genetics - niche occupation as a factor of evolution interpreted by KOSSWIG's concepts. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 101:131-147.
- Zhang, Z.N., K.X. Lin, H. Zhou & R.Z. Wang. 2004. Abundance and biomass of meiobenthos in autumn and spring in the East China Sea. *Acta Ecologica Sinica* 24(5):997-1005. [In Chinese.]
- Zurek, R. & H. Bucka. 2004. Horizontal distribution of phytoplankton and zooplankton from the littoral towards open waters under wind stress. *Oceanological and Hydrobiological Studies* 33(3):69-81.

2005

- Abdel-Rahman, N.S. & M.Z. Nassar. 2005. Preliminary study on plankton communities associated with the mangrove forest habitats at Halayib-Shalatin sector, Red Sea, Egypt. *Journal of the Egyptian German Society of Zoology* 48(D):79-95.
- Abu-Samak, O.A. 2005. Mode of attachment and histopathological impacts associated with the parasitic copepod *Lernanthropus kroyeri* infesting gills of the sea bass fish, *Dicentrarchus labrax* in Egypt. *Journal of the Egyptian German Society of Zoology* 48(D):1-21.
- Agasild, H. & T. Nøges. 2005. Cladoceran and rotifer grazing on bacteria and phytoplankton in two shallow eutrophic lakes: *in situ* measurement with fluorescent microspheres. *Journal of Plankton Research* 27(11):1155-1174.
- Albuquerque-Marinho da Costal, R.A., M.L. Koenig & L.C.C. Pereira. 2005. Feeding adult of *Artemia salina* (Crustacea-Branchiopoda) on the dinoflagellate *Gyrodinium corsicum* (Gymnodiniales) and the Chrytophyta *Rhodomonas baltica*. *Brazilian Archives of Biology and Technology* 48(4):581-587.
- Alcalde, L. & P. Battistoni. 2005. *Hyla pulchella cordobae* (Cordoba treefrog). Parasitism. *Herpetological Review* 36(3):302.
- Anday, J.K. & R.W. Mercier. 2005. Gene ancestry of the cannabinoid receptor family. *Pharmacological Research* 52(6):463-466.

- Angeler, D.G. & G. García. 2005. Using emergence from soil propagule banks as indicators of ecological integrity in wetlands: advantages and limitations. *Journal of the North American Benthological Society* 24(4):740-752.
- Annabi-Trabelsi, N., M.N. Daly-Yahia, M.S. Romdhane & N. Ben Maïz. 2005. Seasonal variability of planktonic copepods in Tunis North Lagoon (Tunisia, North Africa). *Cahiers de Biologie Marine* 46(4):325-334.
- Ara, K. 2005. Investigating copepod reproduction in South American estuaries. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo, 326 pp. Pp. 203-218. [In Japanese.]
- Arscott, D.B., K. Tockner & J.V. Ward. 2005. Lateral organization of aquatic invertebrates along the corridor of a braided floodplain river. *Journal of the North American Benthological Society* 24(4):934-954.
- Ashjian, C.J., S.M. Gallager & S. Plourde. 2005. Transport of plankton and particles between the Chukchi and Beaufort Seas during summer 2002, described using a Video Plankton Recorder. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(24-26):3259-3280.
- Atila, N., J.W. Fleeger & C.M. Finelli. 2005. Effects of habitat complexity and hydrodynamics on the abundance and diversity of small invertebrates colonizing artificial substrates. *Journal of Marine Research* 63(6):1151-1172.
- Auel, H., W. Hagen, W. Ekau & H.M. Verheye. 2005. Metabolic adaptations and reduced respiration of the copepod *Calanoides carinatus* during diapause at depth in the Angola-Benguela Front and northern Benguela upwelling regions. *African Journal of Marine Science* 27(3):653-657.
- **Avdeev, G.V. & B.I. Sirenko. 2005. [New and recognized species of copepods (Chitonophilidae)--parasites of chitons of Northern Pacific.] *Parazitologiya* 39(6):516-543. [In Russian.]
- Avenant-Oldewage, A. & J.G. van As. 2005. The digestive system of the fish ectoparasite *Dolops ranarum* (Crustacea: Branchiura). *Journal of Morphology* 204(1):103-112.
- Aznar, F.J., D. Perdiguero, A. Perez del Olmo, A. Repulles, C. Agusti & J.A. Raga. 2005. Changes in epizootic crustacean infestations during cetacean die-offs: the mass mortality of Mediterranean striped dolphins *Stenella coeruleoalba* revisited. *Diseases of Aquatic Organisms* 67(3):239-247.
- Azovsky, A.I., M.A. Saburova, E.S. Chertoproud & I.G. Polikarpov. 2005. Selective feeding of littoral harpacticoids on diatom algae: hungry gourmands? *Marine Biology* 148(2):327-337.
- Baier, C.T. & M. Terazaki. 2005. Interannual variability in a predator-prey interaction: climate, chaetognaths, and copepods in the southeastern Bering Sea. *Journal of Plankton Research* 27(11):1113-1125.
- Balcombe, S.R., S.E. Bunn, F.J. McKenzie-Smith & P.M. Davies. 2005. Variability of fish diets between dry and flood periods in an arid zone floodplain river. *Journal of Fish Biology* 67(6):1552-1567.
- Ban, S. 2005. Good things come to those who 'sleep' and wait?! Diapause strategy in copepods. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water.*, Tokai University Press, Tokyo. 326 pp. Pp. 162-174. [In Japanese.]
- Barata, C., A. Calbet, E. Saiz, L. Ortiz & J.M. Bayona. 2005. Predicting single and mixture toxicity of petrogenic polycyclic aromatic hydrocarbons to the copepod *Oithona davisae*. *Environmental Toxicology & Chemistry* 24(11):2992-2999.
- Barbuto, P., E. Pinn & A. Jensen. 2005. Zooplankton distribution in Poole Harbour. Pp. 131-137 In: Humphreys, J. & V. May (eds.). *The ecology of Poole Harbour*. *Proceedings in Marine Science* 7. Elsevier, Amsterdam, Boston etc. 282 pp.
- Bartlett, D.H. & F. Azam. 2005. Microbiology: Chitin, cholera, and competence. *Science* 310:1775-1777.
- Baulch, H.M., D.W. Schindler, M.A. Turner, D.L. Findlay, M.J. Paterson & R.D. Vinebrooke. 2005. Effects of warming on benthic communities in a boreal lake: Implications of climate change. *Limnology and Oceanography* 50(5):1377-1392.
- Benz, G.W. 2005. Review of: *An Introduction to Copepod Diversity*. *Journal of Parasitology* 91(6):1512-1513.
- Bernard, K.S. & P.W. Froneman. 2005. Trophodynamics of selected mesozooplankton in the west-Indian sector of the Polar Frontal Zone, Southern Ocean. *Polar Biology* 28(8):594-606.
- Bernard, K.S. & P.W. Froneman. 2005. Trophodynamics of selected mesozooplankton in the west-Indian sector of the Polar Frontal Zone, Southern Ocean. Erratum. *Polar Biology* 28(12):971-975.
- Beyer, K., D. Kochanowska, M. Longshaw, S.W. Feist & R.E. Gozlan. 2005. A potential role for invasive sunbleak in the further dissemination of a non-native parasite. *Journal of Fish Biology* 67(6):1730-1733.
- Bezerra-Neto, J.F. & R.M. Pinto-Coelho. 2005. Avaliação da eficiência de dois amostradores na estimativa da abundância e biomassa de organismos planctônicos. (Evaluation of the efficiency of two samplers in estimating the abundance and biomass of planktonic organisms.) BIOS, Cadernos do Departamento de Ciências Biológicas da PUC Minas 11(11):19-27. [For 2003; ISSN 0104-4389; in Portuguese with English abstract.]
- Bhuthimethee, M., N.O. Dronen, Jr. & W.H. Neill. 2005. Metazoan parasite communities of sentinel bluegill caged in two urbanizing streams, San Antonio, Texas. *Journal of Parasitology* 91(6):1358-1367.
- Binks, J.A., S.E. Arnott & W.G. Sprules. 2005. Local factors and colonist dispersal influence crustacean zooplankton recovery from cultural acidification. *Ecological Applications* 15(6):2025-2036.

- Bishop, M.J. & S.L. Wear. 2005. Ecological consequences of ontogenetic shifts in predator diet: Seasonal constraint of a behaviorally mediated indirect interaction. *Journal of Experimental Marine Biology and Ecology* 326(2):199-206.
- Boix, D., S. Gascon, J. Sala, M. Martinoy, J. Gifre & X.D. Quintana. 2005. A new index of water quality assessment in Mediterranean wetlands based on crustacean and insect assemblages: the case of Catalunya (NE Iberian Peninsula). *Aquatic Conservation* 15(6):635-651.
- Boltovskoy, D. (ed.) 2005. Zooplankton of the South Atlantic Ocean. A taxonomic reference work with identification guides and spatial distribution patterns. ETI Bioinformatics, Amsterdam. Unpaginated.
- Boltovskoy, D., N. Correa & A. Boltovskoy. 2005. Diversity and endemism in cold waters of the South Atlantic: contrasting patterns in the plankton and the benthos. In: Arntz, W.E., G.A. Lovrich & S. Thatje (eds.). *The Magellan-Antarctic Connection: Links and Frontiers at High Southern Latitudes*. *Scientia Marina* 69 (Suppl. 2):17-26.
- Bottom, D.L., C.A. Simenstad, J. Burke, A.M. Baptista, D.A. Jay, K.K. Jones, E. Casillas & M.H. Schiewe. 2005. Salmon at River's End: the role of the estuary in the decline and recovery of Columbia River salmon. NOAA Technical Memorandum NMFS NWFS. 246 pp.
- Braune, B.M., P.M. Outridge, A.T. Fisk, D.C.G. Muir, P.A. Helm, K. Hobbs, P.F. Hoekstra, Z.A. Kuzyk, M. Kwan, R.J. Letcher, W.L. Lockhart, R.J. Norstrom, G.A. Stern & I. Stirling. 2005. Persistent organic pollutants and mercury in marine biota of the Canadian Arctic: An overview of spatial and temporal trends. *Science of the Total Environment* 351-352:4-56.
- Bronk, D.A. & B.B. Ward. 2005. Inorganic and organic nitrogen cycling in the Southern California Bight. *Deep Sea Research Part I: Oceanographic Research Papers* 52(12):2285-2300.
- Bulboa, C.R., J.E. Macchiavello, E.C. Oliveira & E. Fonck. 2005. First attempt to cultivate the carrageenan-producing seaweed *Chondracanthus chamissoi* (C. Agardh) Kutzing (Rhodophyta; Gigartinales) in Northern Chile. *Aquaculture Research* 36(11):1069-1074.
- Cabiddu, S., M.C. Follesa, D. Cuccu, C. Porcu & A. Cau. 2005. Dieta di *Chlorophthalmus agassizi* Bonaparte, 1840 nel Mediterraneo centro-occidentale. Diet of *Chlorophthalmus agassizi* Bonaparte, 1840 in the central-western Mediterranean. *Biologia Marina Mediterranea* 12(1):475-479. [In Italian.]
- Cahoon, L.B. 2005. Demersal zooplankton vs. net plankton abundances in Lake Waccamaw, North Carolina. *Journal of the North Carolina Academy of Science* 121(3):125-134.
- Calbet, A., M. Alcaraz, D. Atienza, E. Broglio & D. Vaqué. 2005. Zooplankton biomass distribution patterns along the western Antarctic Peninsula (December 2002). *Journal of Plankton Research* 27(11):1195-1203.
- Campbell, L.M., R.J. Norstrom, K.A. Hobson, D.C.G. Muir, S. Backus & A.T. Fisk. 2005. Mercury and other trace elements in a pelagic Arctic marine food web (Northwater Polynya, Baffin Bay). *Science of the Total Environment* 351-352:247-263.
- Caramujo, M.-J., E. Van der Grinten & W. Admiraal. 2005. Trophic interactions between benthic copepods and algal assemblages: a laboratory study. *Journal of the North American Benthological Society* 24(4):890-903.
- Cardigos, F., A. Colaço, P.R. Dando, S.P. Ávila, P.M. Sarradin, F. Tempera, P. Conceição, A. Pascoal & R. Serrão Santos. 2005. Shallow water hydrothermal vent field fluids and communities of the D. João de Castro Seamount (Azores). *Chemical Geology* 224(1-3):153-168.
- Carpenter, S.R., J.J. Cole, M.L. Pace, M. Van de Bogert, D.L. Bade, D. Bastviken, C.M. Gille, J.R. Hodgson, J.F. Kitchell & E.S. Kritzberg. 2005. Ecosystem subsidies: terrestrial support of aquatic food webs from ¹³C addition to contrasting lakes. *Ecology* 86(10):2737-2750.
- Castriota, L., M.G. Finoia & F. Andaloro. 2005. Trophic interactions between *Xyrichtys novacula* (Labridae) and juvenile *Pagrus pagrus* (Sparidae) in the central Mediterranean Sea. *Electronic Journal of Ichthyology* 2:54-60.
- Celona, A., A. De Maddalena & T. Romeo. 2005. Bluntnose sixgill shark, *Hexanchus griseus* (Bonnaterre, 1788), in the eastern north Sicilian waters. *Bollettino del Museo Civico di Storia Naturale di Venezia* 56:137-151.
- Centers for Disease Control and Prevention. 2005. Progress toward global eradication of dracunculiasis, January 2004–July 2005. *Journal of the American Medical Association* 294:2839-2840.
- Chang, K.-H. & T. Hanazato. 2005. The predacious cladoceran *Leptodora kindtii* as a prey for the cyclopoid copepod *Mesocyclops* sp.: laboratory observations of predator-prey interaction. *Journal of Freshwater Ecology* 20(4):655-660.
- Chen, F.Z., P. Xie, H.J. Tang & H. Liu. 2005. Negative effects of *Microcystis* blooms on the crustacean plankton in an enclosure experiment in the subtropical China. *Journal of Environmental Sciences (China)* 17(5):775-781.
- Chudakov, D.M., S. Lukyanov & K.A. Lukyanov. 2005. Fluorescent proteins as a toolkit for *in vivo* imaging. *Trends in Biotechnology* 23(12):605-613.
- Cobelas-Alvarez, M., J. Garcia-Aviles & E. Mayagoitia-Ortega. 2005. El plancton de la lagunas de gravera y el fosforo: el enriquecimiento de las paradojas. Plankton of gravel pit lakes and phosphorus: enrichment of paradoxes. *Limnetica* 24(1-2):67-82. [In Spanish.]
- Copp, G.H., M. Vranovský, J. Černý & V. Kováč. 2005. Dynamics of young fishes and zooplankton in a lentic

- side-channel of the River Danube over a 24-hour cycle in late summer. *Biologia, Bratislava* 60(2):179-188.
- Corgosinho, P.H.C. & P. Martínez-Arbizu. 2005. Two new interstitial species of *Remaneicaris* Jakobi 1972 from the Ribeirão do Ouro River, Minas Gerais, Brazil, with a redefinition of the genus (Crustacea, Copepoda, Harpacticoida, Parastenocarididae). *Senckenbergiana Biologica* 85(2):147-162.
- Counahan, D.F., R.F. Carline & J.W. Reid. 2005. The occurrence of the calanoid copepod *Eurytemora affinis* (Poppe) in the upper Ohio River. *Northeastern Naturalist* 12(4):541-545.
- Cui, F.Y., T. Lin, D.M. Liu & L.Q. Zhang. 2005. Excess propagation and biological control of zooplanktonic Cyclops in drinking water sources. *Water Science and Technology* 52(8):151-159.
- Cui, F.Y., Y.Q. Wu, D.M. Liu & M. Zhang. 2005. [O₃/H₂O₂ oxidation processes of cyclops of zooplankton inactivation in water.] *Huan Jing Ke Xue* 26(5):89-94. [In Chinese.]
- Dartnall, H.J.G. 2005. Freshwater invertebrates of subantarctic South Georgia. *Journal of Natural History* 39(37):3321-3342.
- Dartnall, H.J.G., W. Hollwedel & J.C. de Paggi. 2005. The freshwater fauna of Macquarie Island, including a redescription of the endemic water-flea *Daphnia gelida* (Brady) (Anomopoda: Crustacea). *Polar Biology* 28(12):922-939.
- Davies, P.E., L.S.J. Cook, P.D. McIntosh & S.A. Munks. 2005. Changes in stream biota along a gradient of logging disturbance, 15 years after logging at Ben Nevis, Tasmania. *Forest Ecology and Management* 219(2-3):132-148.
- Deimantovica, I. 2005. Spatial structure of zooplankton fauna in Lake Dridzis. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 29(2):683-684.
- De los Rios, P. 2005. Richness and distribution of zooplanktonic crustacean species in Chilean Andes Mountains and southern Patagonia shallow ponds. *Polish Journal of Environmental Studies* 14(6):817-822.
- de Souza, C.S., P. Mafalda Jr., S. Salles, T. Ramirez, D. Cortes, A. Garcia, J. Mercado & M. Vargas-Yanez. 2005. Tendencias estacionales y espaciales en la comunidad mesozooplanktonica en una serie temporal plurianual en el noroeste del Mar de Alboran, Espana. Seasonal and spatial trends in the mesozooplankton community at pluriannual temporal series in the NW of the Alboran Sea, Spain. *Revista de Biología Marina y Oceanografía* 40(1):45-54. [In Spanish.]
- Dhembare, A.J. 2005. Diversity of zooplankton and limnological investigations from Sadatpur dam, Ahmednagar, Maharashtra. *Journal of Experimental Zoology India* 8(2):313-320.
- Dippenaar, S.M. 2005. Attachment of *Nesippus orientalis* (Siphonostomatoida: Pandaridae) specimens to their hosts. *Journal of the South African Veterinary Association* 76(3):174. [Abstract.]
- Dockendorf, K.J. & M.S. Allen. 2005. Age-0 black crappie abundance and size in relation to zooplankton density, stock abundance, and water clarity in three Florida Lakes. *Transactions of the American Fisheries Society* 134(1):172-183.
- Dodson, S.I., R.A. Lillie & S. Will-Wolf. 2005. Land use, water chemistry, aquatic vegetation, and zooplankton community structure of shallow lakes. *Ecological Applications* 15(4):1191-1198.
- Ducrot, V., P. Usseglio-Polatera, A.R.R. Pery, J. Mouthon, M. Lafont, M.C. Roger, J. Garric & J.F. Ferard. 2005. Using aquatic macroinvertebrate species traits to build test batteries for sediment toxicity assessment: Accounting for the diversity of potential biological responses to toxicants. *Environmental Toxicology and Chemistry* 24(9):2306-2315.
- Dye, A.H. 2005. Meiobenthos in intermittently open/closed coastal lakes in New South Wales: spatial and temporal patterns in densities of major taxa. *Marine & Freshwater Research* 56(8):1055-1067.
- Dzierzbicka-Głowacka, L. 2005. Modelling the seasonal dynamics of marine plankton in the southern Baltic Sea. Part I. A Coupled Ecosystem Model. *Oceanologia* 47(4):591-619.
- Dzierzbicka-Głowacka, L. 2005. Equivalence of rates of growth and egg production of *Pseudocalanus*. *Oceanological and Hydrobiological Studies* 34(4):19-32.
- Eckelbarger, K.J. & P.I. Blades-Eckelbarger. 2005. Oogenesis in calanoid copepods. *Invertebrate Reproduction and Development* 47(3):167-182.
- El Rahman, A., A. El Gamal & N.M.M. Ismail. 2005. Food composition and feeding habits of some fresh water fishes in various water systems at Abbassa, Egypt, with special reference to snails transmitting diseases. *Journal of the Egyptian Society of Parasitology* 35(2):637-652.
- Emmett, R.L., R.D. Brodeur, T.W. Miller, S.S. Pool, G.K. Krutzikowsky, P.J. Bentley & J. McCrae. 2005. Pacific sardine (*Sardinops sagax*) abundance, distribution, and ecological relationships in the Pacific Northwest. *CalCOFI Reports* 46:122-143.
- Engel, M. 2005. Calanoid copepod resting eggs - a safeguard against adverse environmental conditions in the German Bight and the Kara Sea? *Berichte zur Polar und Meeresforschung* 508:7-107.
- Faase, M. 2005. De snotolf een dierentuin. Over *Caligus elongatus* (Copepoda) en *Udonella caligorum* (Platyhelminthes, Monogenea). The lumpfish as a zoological garden. On *Caligus elongatus* (Copepoda) and *Udonella caligorum* (Platyhelminthes, Monogenea). *Zeepaard* 65(4):123-127. [In Dutch.]
- Farias, I., I. Figueiredo, B. Serra-Pereira, P. Bordalo-Machado, T. Moura & L.S. Gordo. 2005. Diet comparison of four ray species [*Raja clavata* Linnaeus, 1758; *Raja brachyuran* Lafont, 1873; *Leucoraja naevus*

- (Müller & Henle, 1841) and *Raja montagui* Fowler, 1910] caught along the Portuguese continental coast. ICES CM 2005/N:28, Elasmobranch Fisheries Science. 28 pp.
- Fatema, K., M.M. Chowdhury & A.R. Abu-Ahmed. 2005. Impacts of pesticide on the physico-chemical variables and zooplankton abundance of *Argulus* sp. Muller infected brood carp pond. Dhaka University Journal of Biological Sciences 14(2):119-127.
- Feng, S.Y., J. Huang & S.C. Zhang. 2005. Binding research between cell membrane of copepod and WSSV. Journal of Fishery Sciences of China 12(4):458-464. [In Chinese.]
- Fernández-Severini, M.D. & M.S. Hoffmeyer. 2005. Mesozooplankton assemblages in two bays in the Beagle Channel (Argentina) during January 2001. In: Arntz, W.E., G.A. Lovrich & S. Thatje (eds.). The Magellan-Antarctic Connection: Links and Frontiers at High Southern Latitudes. Scientia Marina 69(Suppl. 2):27-37.
- Figueiredo, G.M. de, R.D. M. Nash & D.J.S. Montagnes. 2005. The role of the generally unrecognised microprey source as food for larval fish in the Irish Sea. Marine Biology 148(2):395-404.
- Flannery, M.C. 2005. An ever-bigger crowd. The American Biology Teacher 67(9):560-565.
- Flößner, D., W. Horn & M. Paul. 2005. Notes on the cladoceran and copepod Fauna of the Uvs Nuur Basin (northwest Mongolia). International Review of Hydrobiology 90(5-6):580-595.
- Fonda-Umani, S., L. Milani, D. Borme, A. de Olazabal, S. Parlato, R. Precali, R. Kraus, D. Lučić, J. Njire, C. Totti, T. Romagnoli, M. Pompei & M. Cangini. 2005. Inter-annual variations of planktonic food webs in the northern Adriatic Sea. Science of the Total Environment 353(1-3):218-231.
- Fonda-Umani, S., V. Tirelli, A. Beran & B. Guardiani. 2005. Relationships between microzooplankton and mesozooplankton: competition vs. predation on natural assemblages of the Gulf of Trieste (northern Adriatic Sea). Journal of Plankton Research 27(10):973-986.
- Friedman, C.S., H.M. Brown, T.W. Ewing, F.J. Griffin & G.N. Cherr. 2005. Pilot study of the Olympia oyster *Ostrea conchaphila* in the San Francisco Bay estuary: description and distribution of diseases. Diseases of Aquatic Organisms 65(1):1-8.
- Frisch, D. & A. Wohltmann. 2005. The bag-sampler: a simple device for collecting zooplankton in shallow vegetated ponds. International Review of Hydrobiology 90(5-6):596-602.
- Garcia, A.M., R.M. Geraldi & J.P. Vieira. 2005. Diet composition and feeding strategy of the southern pipefish *Syngnathus folletti* in a Widgeon grass bed of the Patos Lagoon Estuary, RS, Brazil. Neotropical Ichthyology 3(3):427-432.
- George, K.H. 2005. Sublittoral Harpacticoida (Crustacea, Copepoda) of the Magellan Region. Composition, distribution and species diversity of selected major taxa. In: Arntz, W.E., G.A. Lovrich & S. Thatje (eds.). The Magellan-Antarctic Connection: Links and Frontiers at High Southern Latitudes. Scientia Marina 69(Suppl. 2):147-158.
- Gilbert, O.M. & E.J. Buskey. 2005. Turbulence decreases the hydrodynamic predator sensing ability of the calanoid copepod *Acartia tonsa*. Journal of Plankton Research 27(10):1067-1071.
- Glebov, I.I., O.S. Temnykh, V.V. Sviridov & A.N. Starovoytov. 2005. Cruise Report of the 2004 R/V TINRO BASIS Survey in the western Bering Sea, September-October. Pacific Scientific Research Fisheries Center (TINRO-Centre), Vladivostok. NPAFC Document 901. 47 pp.
- Goetze, E. 2005. Global population genetic structure and biogeography of the oceanic calanoids *Eucalanus hyalinus* and *E. spinifer*. Evolution 59(11):2378-2398.
- Göksu, M.Z.L., A. Bozkurt, M. Taşdemir & E. Sarıhan. 2005. Asi Nehri (Hatay, Türkiye) Cladocera ve Copepoda (Crustacea) faunası. (Copepoda and Cladocera (Crustacea) fauna of Asi River (Hatay, Türkiye).) Journal of Fisheries and Aquatic Sciences, Ege University / Ege Üniversitesi Su Ürünleri Fakültesi Dergisi 22(1-2):17-19. [In Turkish; abstract in English.]
- Gorsky, G., M.J. Youngbluth & D. Deibel (eds.). 2005. Response of Marine Ecosystems to Global Change: Ecological Impact of Appendicularians. Éditions Scientifiques, Paris, www.eacgb.com, 434 pp. ISBN 2847030298.
- Grzegorz, G., N. Kuczynska-Kippen & P. Klimaszyk. 2005. Diel vertical distribution of zooplankton in Piaseczno Lake (WDA Landscape Park) - I. Crustacea. Oceanological and Hydrobiological Studies 34(4):97-108.
- Haddix, T. & P. Budy. 2005. Factors that limit growth and abundance of rainbow trout across ecologically distinct areas of Flaming Gorge Reservoir, Utah-Wyoming. North American Journal of Fisheries Management 25(3):1082-1094.
- Hammell, K.L. & I.R. Dohoo. 2005. Risk factors associated with mortalities attributed to infectious salmon anaemia virus in New Brunswick, Canada. Journal of Fish Diseases 28(11):651-661.
- Hammerschmidt, K. & J. Kurtz. 2005. Surface carbohydrate composition of a tapeworm in its consecutive intermediate hosts: Individual variation and fitness consequences. International Journal for Parasitology 35(14):1499-1507.
- Hammerschmidt, K. & J. Kurtz. 2005. Evolutionary implications of the adaptation to different immune systems in a parasite with a complex life cycle. Proceedings of the Royal Society, Series B, Biological Sciences 272(1580):2511-2518. [corrected citation]
- Hanson, S.D. & R.A. Curry. 2005. Effects of size structure on trophic interactions between age-0 smallmouth bass

- and juvenile anadromous alewives. *Transactions of the American Fisheries Society* 134(2):356-368.
- Hansson, L.J., O. Moeslund, T. Kjørboe & H.U. Riisgård. 2005. Clearance rates of jellyfish and their potential predation impact on zooplankton and fish larvae in a neritic ecosystem (Limfjorden, Denmark in 2003). *Marine Ecology Progress Series* 304:117-131.
- Hardman-Mountford, N.J., J.I. Allen, M.T. Frost, S.J. Hawkins, M.A. Kendall, N. Mieszkowska, K.A. Richardson & P.J. Somerfield. 2005. Diagnostic monitoring of a changing environment: An alternative UK perspective. *Marine Pollution Bulletin* 50(12):1463-1471.
- Havens, K.E. & D.E. Gawlik. 2005. Lake Okeechobee conceptual ecological model. *Wetlands* 25(4):908-925.
- Hawkins, S.L., J. Heifetz, C.M. Kondzela, J.E. Pohl, R.L. Wilmot, O.N. Katugin & V.N. Tuponogov. 2005. Genetic variation of rougheye rockfish (*Sebastes aleutianus*) and shortraker rockfish (*S. borealis*) inferred from allozymes. *Fishery Bulletin, Seattle* 103(3):524-535.
- Haya, K., L.E. Burrige, I.M. Davies & A. Ervik. 2005. A review and assessment of environmental risk of chemicals used for the treatment of sea lice infestations of cultured salmon. Pp. 305-340 In: *The Handbook of Environmental Chemistry Volume M*. Springer-Verlag GMBH, Berlin.
- Hessen, D.O., E. Van Donk & R. Gulati. 2005. Seasonal seston stoichiometry: Effects on zooplankton in cyanobacteria-dominated lakes. *Journal of Plankton Research* 27(5):449-460.
- Hieber, M., C.T. Robinson, U. Uehlinger & J.V. Ward. 2005. A comparison of benthic macroinvertebrate assemblages among different types of alpine streams. *Freshwater Biology* 50(12):2087-2100.
- Hiraoka, Y., T. Takatsu, A. Kurifuji, K. Imura & T. Takahashi. 2005. Feeding habits of pothead flounder *Cleisthenes pinetorum* larvae in and near Funka Bay, Hokkaido, Japan. *Bulletin of the Japanese Society of Fisheries Oceanography* 69(3):156-164.
- Ho, J.S. 2005. Seeking the origin of the Japan-invading purple mussel from its parasites. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 272-280. [In Japanese.]
- Hoffmeyer, M.S., F. Biancalana & A. Berasategui. 2005. Impact of a power plant cooling system on copepod and meroplankton survival (Bahía Blanca estuary, Argentina). *Iheringia, Série Zoologia* 95(3):311-318.
- Hondorp, D.W., S.A. Pothoven & S.B. Brandt. 2005. Influence of *Diporeia* density on diet composition, relative abundance, and energy density of planktivorous fishes in southeast Lake Michigan. *Transactions of the American Fisheries Society* 134(3):588-601.
- Hora, M. 2005. Hangers-on that wish for copepods' misfortune - ciliates that force a second look at the marine ecosystem. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 281-293. [In Japanese.]
- Horne, D.J. 2005. Homology and homoeomorphy in ostracod limbs. *Hydrobiologia* 538:55-80.
- Hua, E., Z.N. Zhang & Y. Zhang. 2005. Abundance and biomass of meiobenthos in the Changjiang (Yangtze River) estuary and its adjacent waters. *Acta Ecologica Sinica* 25(9):2234-2242. [In Chinese.]
- Huys, R. & S. Conroy-Dalton. 2005. *Aquilastacus* gen. nov. from the southern North Sea and the taxonomic position of *Leptastacus operculatus* Masry, 1970 (Copepoda: Harpacticoida: Leptastacidae). *Cahiers de Biologie Marine* 46(4):347-364.
- Ikedo, T. 2005. Clarifying copepod life histories in the Oyashio region. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 60-71. [In Japanese.]
- Imai, M., L.A. Wulandari, S. Gumiri & T. Iwakuma. 2005. A comparative study of zooplankton communities in some oxbow and floodplain lakes of central Kalimantan, Indonesia. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 29(2):742-747.
- Irfanullah, H.Md. & B. Moss. 2005. Effects of pH and predation by *Chaoborus* larvae on the plankton of a shallow and acidic forest lake. *Freshwater Biology* 50(12):1913-1926.
- Ishida, T. 2005. Clarifying the freshwater copepod fauna. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 149-161. [In Japanese.]
- Itoh, H., T. Mizushima & T. Kubota. 2005. Seasonal occurrence of the calanoid copepods from off Miho Key, Suruga Bay, Central Honshu, Japan. *Journal of the School of Marine Science and Technology Tokai University* 3(1):19-32. [In Japanese.]
- Itoh, H. & N. Mochioka. 2005. Plankton net designs for sampling mesoplankton in coastal waters. *Science Bulletin of the Faculty of Agriculture Kyushu University* 60(2):179-186. [In Japanese.]
- Iwasaki, N. 2005. How are harpacticoids spatially distributed on the sea bottom? In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 219-232. [In Japanese.]
- Jha, P. & S. Barat. 2005. Management induced changes in food selection, growth and survival of koi carp, *Cyprinus carpio* var. *koi* L., in tropical ponds. *Israeli Journal of Aquaculture, Bamidgheh* 57(2):115-124.
- Ji, J., C.L. Li, Z. Zhang & Z.C. Tao. 2005. Research progress on diatom-copepod interaction. *Shengtaixue Zazhi* 24(9):1085-1089. [In Chinese.]

- Jiang, H. & J.R. Strickler. 2005. Mass density contrast in relation to the feeding currents in calanoid copepods. *Journal of Plankton Research* 27(10):1003-1012.
- Jiménez-Melero, R., B. Santer & F. Guerrero. 2005. Embryonic and naupliar development of *Eudiaptomus gracilis* and *Eudiaptomus graciloides* at different temperatures: comments on individual variability. *Journal of Plankton Research* 27(11):1175-1187.
- Jindal, R. 2005. Diurnal variations in plankton in relation to hydrobiological factors of a fresh water pond. *Proceedings of the Zoological Society, Calcutta* 58(1):43-49.
- Jónasdóttir, S.H., H.T. Nguyen, F. Hansen & S. Gärtner. 2005. Egg production and hatching success in the Calanoid copepods *Calanus helgolandicus* and *Calanus finmarchicus* in the North Sea from March to September 2001. *Journal of Plankton Research* 27(12):1239-1259.
- Kabata, Z. 2005. *Lernanthropus lativentris* Heller, 1865 (Copepoda, Lernanthropidae) of Pillai (1985) recognised as a new species. *Acta Parasitologica* 50(4):352-354.
- Kaevats, L., W. Sprules & B. Shuter. 2005. Effects of wind-induced spatial variation in water temperature and zooplankton concentration on the growth of young-of-the-year smallmouth bass, *Micropterus dolomieu*. *Environmental Biology of Fishes* 74(3-4):273-281.
- Kamiyama, T., H. Yamauchi, T. Iwai, S. Hanawa, Y. Matsuyama, S. Arima & Y. Kotani. 2005. Comparison of environmental conditions in two representative oyster farming areas: Hiroshima Bay, western Japan and Oginohama Bay (a branch of Ishinomaki Bay), northern Japan. *Fisheries Science* 71(6):1295-1303.
- Karanovic, T. 2005. Two new subterranean Parastenocarididae (Crustacea, Copepoda, Harpacticoida) from Western Australia. *Records of the Western Australian Museum* 22(Part 4):353-374.
- Karatayev, A.Y., L.E. Burlakova & S.I. Dodson. 2005. Community analysis of Belarusian lakes: relationship of species diversity to morphology, hydrology, and land use. *Journal of Plankton Research* 27(10):1045-1053.
- Karaytug, S. & S. Sak. 2005. A new species of *Schizopera* Sars, 1906 (Copepoda: Harpacticoida) from Israel. *Zoology in the Middle East* 36:33-42.
- Karaytug, S. & S. Sak. 2005. A new record of *Psammopsyllus* Nicholls, 1945 (Copepoda, Harpacticoida, Leptopontiidae), with a description of a new species from the Black Sea. *Israel Journal of Zoology* 51(2):135-146.
- Karvonen, A., G.-H. Cheng & E.T. Valtonen. 2005. Within-lake dynamics in the similarity of parasite assemblages of perch (*Perca fluviatilis*). *Parasitology* 131(6):817-823.
- Kawabata, K. 2005. Lake Biwa, a copepod sea. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 175-188. [In Japanese.]
- Kawamura, A. 2005. The big unvarnished truth of copepods considered as food for baleen whales - 'swarms' of *Neocalanus*. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 110-128. [In Japanese.]
- Kikuchi, Y. & K. Nagasawa. 2005. Harpacticoid biology. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 33-46. [In Japanese.]
- Kikuchi, Y. & K. Nagasawa. 2005. My personal history of research on harpacticoids. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 233-242. [In Japanese.]
- Kim, B.W., H.Y. Soh & W. Lee. 2005. A new species of the genus *Attheyella* (Copepoda: Harpacticoida: Canthocamptidae) from Gosu Cave in Korea. *Zoological Science* 22(11):1279-1293.
- **Kim, I.H. 2005. Four new species of the genus *Panjakus* (Copepoda, Cyclopoida, Anchimolgidae) associated with scleractinian corals (Cnidaria) from the Moluccas. *Integrative Biosciences* 9:215-228.
- **Kim, I.H. 2005. Two new species of copepods (Crustacea) associated with the sponge *Phyllospongia foliascens* (Pallas) from the Moluccas. *Integrative Biosciences* 9:229-238.
- **Kim, I.H. 2005. Four new species of copepods (Crustacea) associated with gorgonacean corals (Cnidaria) from Bohol Island, the Philippines. *The Korean Journal of Systematic Zoology* 21(2):171-191.
- Kirn, T.J., B.A. Jude & R.K. Taylor. 2005. A colonization factor links *Vibrio cholerae* environmental survival and human infection. *Nature* 438(7069):863-866.
- Knapp, R.A., C.P. Hawkins, J. Ladau & J.G. McClory. 2005. Fauna of Yosemite National Park lakes has low resistance but high resilience to fish introductions. *Ecological Applications* 15(3):835-847.
- Koehler, J., S. Hilt, R. Adrian, A. Nicklisch, H.P. Kozerski & N. Walz. 2005. Long-term response of a shallow, moderately flushed lake to reduced external phosphorus and nitrogen loading. *Freshwater Biology* 50(10):1639-1650.
- Kotwicki, L., M. De Troch, B. Urban-Malinga, T. Gheskiere & J.M. Węslawski. 2005. Horizontal and vertical distribution of meiofauna on sandy beaches of the North Sea (The Netherlands, Belgium, France). *Helgoland Marine Research* 59(4):255-264.
- Kotwicki, L. & F. Fiers. 2005. *Paracrenhydrosoma oecaniae* sp. nov. (Copepoda: Harpacticoida), from Kongsfjorden, northwest Svalbard (Arctic). *Annales Zoologici* 55(3):45-56.
- Kotwicki, L., M. Szymelfenig, M. De Troch, B. Urban-Malinga & J.M. Weslawski. 2005. Latitudinal biodiversity patterns from sandy littoral beaches. *Biodiversity and Conservation* 14:461-474.

- Kristensen, R.M. 2005. Fifteen years investigation of the meiofauna of the Faroe Bank (NE Atlantic). *Biofar Proceedings* 2005:202-212.
- Krumme, U., H. Keuthen, M. Barletta, W. Villwock & U. Saint-Paul. 2005. Contribution to the feeding ecology of the predatory wingfin anchovy *Pterengraulis atherinoides* (L.) in north Brazilian mangrove creeks. *Journal of Applied Ichthyology* 21(6):469-477.
- **Krupa, E.G. 2005. Population densities, sex ratios of adults, and occurrence of malformations in three species of cyclopoid copepods in waterbodies with different degrees of eutrophy and toxic pollution. *Journal of Marine Science and Technology, Keelung* 13(2):1-12.
- Krupa, E.G. 2005. First record of *Mesocyclops ogunnus* Onabamiro, 1957 from Kazakhstan (Crustacea: Cyclopidae). *Zoosystematica Rossica* 14(1):23-26.
- Kudari, V.A., G.G. Kadadevaru & R.D. Kanamadi. 2005. Zooplankton composition in some ponds of Haveri District, Karnataka. *Zoos Print Journal* 20(12):2094-2099.
- Kuebar, K., H. Agasild, T. Virro & I. Ott. 2005. Vertical distribution of zooplankton in a strongly stratified hypertrophic lake. *Hydrobiologia* 547:151-162.
- Kurifuji, A., Y. Hiraoka, T. Takatsu, K. Imura, N. Kobayashi & Y. Kamei. 2005. Transportation of pothead flounder *Cleisthenes pinetorum* larvae in Funka Bay and its vicinity. *Bulletin of the Japanese Society of Fisheries Oceanography* 69(3):145-155. [In Japanese.]
- Lacroix, G.L. & D. Knox. 2005. Distribution of Atlantic salmon (*Salmo salar*) postsmolts of different origins in the Bay of Fundy and Gulf of Maine and evaluation of factors affecting migration, growth, and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 62(6):1363-1376.
- Lamb, J. & W. Peterson. 2005. Ecological zonation of zooplankton in the COAST study region off central Oregon in June and August 2001 with consideration of retention mechanisms. *Journal of Geophysical Research* 110, C10S15, doi:10.1029/2004JC002520. 14 pp.
- Lampadariou, N., E. Hatziyanni & A. Tselepidis. 2005. Meiofaunal community structure in Thermaikos Gulf: Response to intense trawling pressure. *Continental Shelf Research* 25(19-20):2554-2569.
- Lee, J.M., J.M. Jeon & C.Y. Chang. 2005. A pictorial key to the freshwater cyclopoid copepods from Korea. *Korean Journal of Environmental Biology* 23(4):343-356.
- Lee, J.M., G.S. Min & C.Y. Chang. 2005. *Eucyclops serrulatus* species group (Copepoda, Cyclopoida, Cyclopidae) from South Korea. *Korean Journal of Systematic Zoology* 21:137-156.
- Liebezeit, G. 2005. Aquaculture of "non-food organisms" for natural substance production. *Advances in Biochemical Engineering/ Biotechnology* 97:1-28.
- Leising, A.W., J.J. Pierson, S. Cary & B.W. Frost. 2005. Copepod foraging and predation risk within the surface layer during nighttime feeding forays. *Journal of Plankton Research* 27(10):987-1001.
- Lesutiene, J., Z.R. Gasiunaite & E. Griniene. 2005. Habitat-induced heterogeneity in the Curonian Lagoon littoral assemblages: mysids, juvenile fish and plankton crustaceans. *Acta Zoologica Lituonica* 15(4):312-323.
- Linhartova, S., V. Uvira & J. Linhart. 2005. Stream meiobenthos and flow velocity - do mossy and mineral substrata differ? *Proceedings of the International Association of Theoretical and Applied Limnology* 29(2):1069-1071.
- Lischka, S. & W. Hagen. 2005. Life history and seasonal variability in abundances of *Pseudocalanus minutus* (Calanoida) and *Oithona similis* (Cyclopoida) in the Arctic Kongsfjord (Svalbard). *Polar Biology* 28(12):910-921.
- Liston, S.E. & J.C. Trexler. 2005. Spatiotemporal patterns in community structure of macroinvertebrates inhabiting calcareous periphyton mats. *Journal of the North American Benthological Society* 24(4):832-844.
- Liu, X., Z. Zhang & Y. Huang. 2005. Abundance and biomass of meiobenthos in the spawning ground of anchovy (*Engraulis japonicus*) [sic] in the southern Huanghai Sea. *Acta Oceanologica Sinica* 24(3):94-104.
- Loick, N., W. Ekau & H.M. Verheye. 2005. Water-body preferences of dominant calanoid copepod species in the Angola-Benguela frontal zone. *African Journal of Marine Science* 27(3):597-608.
- Loka Bharathi, P.A., B. Nagender Nath B.S. Ingole, G. Parthiban, S.G.P. Matondkar, C. Raghukumar, N.H. Khadge, A.B. Valsangkar, A. Suryanarayana, S. Jai Sankar & R. Sharma. 2005. Impacts on surface productivity during sediment dispersal experiment in central Indian Basin. *Marine Georesources and Geotechnology* 23(4):315-330.
- Lopez-Lastra, C.C., A.C. Scorsetti, G.A. Marti & S. Coscaron. 2005. Trichomycetes living in the guts of aquatic insects of Misiones and Tierra del Fuego, Argentina. *Mycologia* 97(2):320-328.
- Lucic, D., A. Benovic, M. Batistic, J. Njire & V. Onofri. 2005. Calycophorae (Siphonophora) in the open waters of the central and southern Adriatic Sea during spring 2002. *Journal of the Marine Biological Association of the United Kingdom* 85:495-502.
- Luque, J.L., D.R. Alves & A.R. Paraguassu. 2005. Community ecology of the metazoan parasites of the grey triggerfish, *Balistes caprisus* Gmelin, 1789 and queen triggerfish *B. vetula* Linnaeus, 1758 (Osteichthyes: Balistidae) from Rio de Janeiro, Brazil. *Revista Brasileira de Parasitologia Veterinária* 14(2):71-77. [corrected author order]
- Madan, N.J., W.A. Marshall & J. Laybourn-Parry. 2005. Virus and microbial loop dynamics over an annual cycle in three contrasting Antarctic lakes. *Freshwater Biology* 50(8):1291-1300.

- Mageed, A.A. 2005. The effect of some environmental factors on zooplankton community biodiversity in Lake Qarun, Egypt. *African Journal of Aquatic Science* 30(2):195-200.
- Mair, A.M., P.G. Fernandes, A. LeBourges-Dhaussy & A.S. Brierley. 2005. An investigation into the zooplankton composition of a prominent 38 kHz scattering layer in the North Sea. *Journal of Plankton Research* 27(7):623-633.
- Marce, R., M. Comerma, J.C. Garcia, J. Goma & J. Armengol. 2005. The zooplankton community in a small, hypertrophic Mediterranean reservoir (Foix reservoir, NE Spain). *Limnetica* 24(3-4):275-294.
- Margaritora, F.G., B. Fumanti, S. Alfinito, G. Tartari, D. Vagaggini, M. Seminara, P. Cavacini, E. Vuillermoz & M. Rosati. 2005. Trophic condition of the volcanic Lake Nemi (Central Italy): environmental factors and planktonic communities in a changing environment. *Journal of Limnology* 64(2):119-128.
- Markhaseva, E.L. & T.N. Semenova. 2005. *Kirnesius groenlandicus* (Copepoda, Calanoida): a new genus and new species from the abyssal of the Greenland Sea. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut, Hamburg* 102:37-49.
- Martins, A.S., M. Haimovici & R. Palacios. 2005. Diet and feeding of the cutlassfish *Trichiurus lepturus* in the Subtropical Convergence Ecosystem of southern Brazil. *Journal of the Marine Biological Association of the United Kingdom* 85(5):1223-1229.
- Mathibela, R.B. & S.M. Dippenaar. 2005. Detailed morphology of the copepod parasite *Nesippus orientalis* (Siphonostomatoida, Pandaridae). *Journal of the South African Veterinary Association* 76(3):181. [Abstract.]
- Matsumura-Tundisi, T. & J.G. Tundisi. 2005. Plankton richness in a eutrophic reservoir (Barra Bonita Reservoir, SP, Brazil). *Hydrobiologia* 542:367-378.
- Mattiuci, S., V. Farina, A. Garcia, M.N. Santos, L. Mariniello & G. Nascetti. 2005. Metazoan parasitic infections of swordfish (*Xiphias gladius* L., 1758) from the Mediterranean Sea and Atlantic Gibraltar waters: implications for stock assessment. *Collective Volume of Scientific Papers, ICCAT* 58(4):1470-1482.
- Matveev, V.F. & L.K. Matveeva. 2005. Seasonal succession and long-term stability of pelagic community in a productive reservoir. *Marine & Freshwater Research* 56(8):1137-1149.
- Medina, P.B., Jr. & A.C. Rietzler. 2005. Limnological study of a Pantanal saline lake. *Brazilian Journal of Biology* 65(4):651-659.
- Mei, Z.-P., L. Legendre, J.-É. Tremblay, L.A. Miller, Y. Gratton, C. Lovejoy, P.L. Yager & M. Gosselin. 2005. Carbon to nitrogen (C:N) stoichiometry of the spring–summer phytoplankton bloom in the North Water Polynya (NOW). *Deep Sea Research Part I: Oceanographic Research Papers* 52(12):2301-2314.
- Meibom, K.L., M. Blokesch, N.A. Dolganov, C.-Y. Wu & G.K. Schoolnik. 2005. Chitin induces natural competence in *Vibrio cholerae*. *Science* 310:1824-1827.
- Merella, P., S. Cherchi, F. Salati & G. Garippa. 2005. Parasitological survey of sharpnose seabream *Diplodus puntazzo* (Cetti, 1777) reared in sea cages in Sardinia (western Mediterranean). *Bulletin of the European Association of Fish Pathologists* 25(4):140-147.
- Mesa, M., E. Arneri, V. Caputo & M. Iglesias. 2005. The transparent goby, *Aphia minuta*: Review of biology and fisheries of a paedomorphic European fish. *Reviews in Fish Biology and Fisheries* 15(1-2):89-109.
- Mine, T., Y. Kawamura & H. Ueda. 2005. Ability of *Amphiascus* sp. (Copepoda, Harpacticoida) to remove fouling diatoms on conchocelis-bearing oyster shells in nori culture. *Bulletin of the Japanese Society of Scientific Fisheries (Nippon Suisan Gakkaishi)* 71(6):923-927.
- Minutoli, R., E. Gangemi, R. Sitran & A. Sacca. 2005. Ciclo annuale delle comunità zoo- e fitoplanctoniche nell'amp 'Isole ciclopi' di Acicastello (Sicilia orientale). Annual cycle of zoo- and phytoplanktonic communities in the marine reserve 'Isole Ciclopi' of Acicastello (eastern Sicily, Italy). *Biologia Marina Mediterranea* 12(1):636-641. [In Italian.]
- Moellmann, C., G. Kornilovs, M. Fetter & F.W. Koester. 2005. Climate, zooplankton, and pelagic fish growth in the central Baltic Sea. *ICES (International Council for the Exploration of the Sea) Journal of Marine Science* 62(7):1270-1280.
- Morrone, J.J. & P. Posadas. 2005. Falklands: facts and fiction. *Journal of Biogeography* 32(12):2183-2187.
- Moravec, F., K. Nagasawa & M. Miyakawa. 2005. First record of ostracods as natural intermediate hosts of *Anguillicola crassus*, a pathogenic swimbladder parasite of eels *Anguilla* spp. *Diseases of Aquatic Organisms* 66(2):171-173.
- Muller, R. 2005. Guinea worm disease – the final chapter? *Trends in Parasitology* 21(11):521-524.
- Mulyadi. 2005. Two new species of *Hemicyclops* (Copepoda, Clausidiidae) and a new species of *Paramacrochiron* (Copepoda, Macrochironidae) from Indonesian waters. *Crustaceana* 78(8):917-930.
- Nagasawa, K. (ed.). *Introduction to Copepodology - World of Tiny Giants in Water*. Tokai University Press, Tokyo. 326 pp.
- Nagasawa, K. 2005. A mini-acquaintance with the parasitic copepods. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 19-32. [In Japanese.]
- Nagata, T., J.Y. Ha & T. Hanazato. 2005. The predation impact of larval *Pseudorasbora parva* (Cyprinidae) on zooplankton: a mesocosm experiment. *Journal of Freshwater Ecology* 20(4):757-763.

- Nakata, K. 2005. Investigating fluctuations in the standing crop of copepods - the intimate relationship with temperature and oceanic fluctuations. In: Nagasawa, K. (ed.). Introduction to Copepodology - World of tiny giants in water. Tokai University Press, Tokyo. 326 pp. Pp. 86-97. [In Japanese.]
- Nam, E.J. & W. Lee. 2005. A new species of the genus *Rhizothrix* (Copepoda: Harpacticoida: Rhizothricidae) from Korean waters. Proceedings of the Biological Society of Washington 118(4):692-705.
- Naydenko, S.V., A.Ya. Efimkin, A.F. Volkov, N.A. Kuznetsova & N.S. Kosenok. 2005. Food habits and trophic position of Pacific salmon in the Bering Sea epipelagic communities in autumn 2000-2004. Pacific Fisheries Centre (TINRO-Centre), Vladivostok. NPAFC Document 876. 30 pp.
- Nehring, S. 2005. International shipping - A risk for aquatic biodiversity in Germany. In: Nentwig, W. et al. (eds.). Biological Invasions - From Ecology to Control. Neobiota 6:125-143.
- Newman, W.A. 2005. Origin of the Ostracoda and their maxillopodan and hexapodan affinities. Hydrobiologia 538:1-21.
- Ohtsuka, S. 2005. What planktonic copepoda are. In: Nagasawa, K. (ed.). Introduction to Copepodology - World of tiny giants in water. Tokai University Press, Tokyo. 326 pp. Pp. 3-18. [In Japanese.]
- Oraic, D. & S. Zrnčić. 2005. An overview of health control in Croatian aquaculture. Veterinary Research Communications 29(Suppl. 2):139-142, 135.
- Oxley, A., D.R. Tocher, B.E. Torstensen & R.E. Olsen. 2005. Fatty acid utilisation and metabolism in caecal enterocytes of rainbow trout (*Oncorhynchus mykiss*) fed dietary fish or copepod oil. Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids 1737(2-3):119-129.
- **Pandourski, I. & V. Evtimova. 2005. Teratological morphology of copepods (Crustacea) from Iceland. Acta Zoologica Bulgarica 57(3):305-312.
- Park, O.H., H.-L. Suh & H.Y. Soh. 2005. Seasonal variation in the abundance of the demersal copepod *Pseudodiaptomus* sp. (Calanoida, Pseudodiaptomidae) in the Seomjin River estuary, southern Korea. Korean Journal of Environmental Biology 23(4):367-373.
- Park, S.H., C.Y. Chang & S.S. Shin. 2005. A new culture system for in situ observation of the growth and development of *Eucyclops serrulatus* (Copepoda: Cyclopoida). Korean Journal of Parasitology 43(4):141-147.
- Pasternak, A., P. Wassmann & C. Wexels Riser. 2005. Does mesozooplankton respond to episodic P inputs in the Eastern Mediterranean? Deep Sea Research Part II: Topical Studies in Oceanography 52(22-23):2975-2989.
- Pérez-Bote, J.L. 2005. First record of *Lernaea cyprinacea* (Copepoda: Cyclopoida) on the allis shad. Folia Biologica 53(3-4):197-198.
- Pertsova, N.M. & A.N. Pantyulin. 2005. Interrelationships between copepods (Copepoda, Calanoida) of the White and Barents seas and mechanisms of the independence of the White Sea population. Zoologicheskii Zhurnal 84(8):948-956. [In Russian.]
- Peterka, J. & J. Musil. 2005. Potrava 0+ okouna a candata - nekteře aspekty prechodu od planktivorie k piscivorii. The diet of 0+ perch and pikeperch - some of aspects of transition from planktivory to piscivory. Bulletin VURH Vodnany 41(3):99-106. [In Czech.]
- Pinto-Coelho, R.M., J.F. Bezerra Neto & L. Rull del Aguila. 2005. The importance of nutrient input, invertebrate predation and oxygen deficit governing the temporal and spatial distribution of plankton community in tropical reservoirs. In: Reddy, M. V. (ed.). Restoration and Management of Tropical Eutrophic Reservoirs. Science Publishers, Inc., Enfield, New Hampshire, U.S.A. Pp. 271-300.
- Pipan, T. & D.C. Culver. 2005. Estimating biodiversity in the epikarstic zone of a West Virginia cave. Journal of Cave and Karst Studies 67(2):103-109.
- Plourde, S., R.G. Campbell, C.J. Ashjian & D.A. Stockwell. 2005. Seasonal and regional patterns in egg production of *Calanus glacialis/marshallae* in the Chukchi and Beaufort Seas during spring and summer, 2002. Deep Sea Research Part II: Topical Studies in Oceanography 52(24-26):3411-3426.
- Pouder, D.B., E.W. Curtis & R.P.E. Yanong. 2005. Common Freshwater Fish Parasites Pictorial Guide: Crustaceans. Fact Sheet FA-115, Tropical Aquaculture Laboratory, Department of Fisheries and Aquatic Sciences, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, Florida, U.S.A. 4 pp. <http://edis.ifas.ufl.edu/FA115>
- Prabhu Matondkar, S.G., K.K.C. Nair & Z.A. Ansari. 2005. Biological characteristics of central Indian Basin waters during the southern summer. Marine Georesources and Geotechnology 23(4):299-314.
- Purcell, J.E. 2005. Climate effects on formation of jellyfish and ctenophore blooms: a review. Journal of the Marine Biological Association of the United Kingdom 85(3):461-476.
- Rajkumar, M., P. Perumal & J.P. Trilles. 2005. *Cymothoa indica* (Crustacea, Isopoda, Cymothoidae) parasitizes the cultured larvae of the Asian seabass *Lates calcarifer* under laboratory conditions. Diseases of Aquatic Organisms 66(1):87-90.
- Raubenheimer, D., W.L. Zemke-White, R.J. Phillips & K.D. Clements. 2005. Algal macronutrients and food selection by the omnivorous marine fish *Girella tricuspidata*. Ecology 86(10):2601-2610.
- Reigstad, M., C. Wexels Riser & C. Svensen. 2005. Fate of copepod faecal pellets and the role of *Oithona* spp. Marine Ecology Progress Series 304:265-270.
- Revie, C.W., G. Gettinby, E. McKenzie, L. Kelly, C. Wallace & J.W. Treasurer. 2005. Evidence of inter-

- species interaction between sea lice in Scottish salmon farms? Proceedings of the European Conference of the Society of Veterinary Epidemiology and Preventive Medicine. Society for Veterinary Epidemiology and Preventive Medicine. Pp. 124-134.
- Rip, W.J., M. Ouboter, E.H. van Nes & B. Beltman. 2005. Oscillation of a shallow lake ecosystem upon reduction in external phosphorus load. *Archiv für Hydrobiologie* 164(3):387-409.
- Rohr, J.R. & P.W. Crumrine. 2005. Effects of an herbicide and an insecticide on pond community structure and processes. *Ecological Applications* 15(4):1135-1147.
- Saeki, T., Y. Sakai, H. Hashimoto & K. Gushima. 2005. Foraging behavior and diet composition of *Trimma caudomaculata* and *Trimma caesiura* (Gobiidae) on coral reefs in Okinawa, Japan. *Ichthyological Research* 52(3):302-305.
- Saito, H., K. Suzuki, A. Hinuma, T. Ota, K. Fukami, H. Kiyosawa, T. Saino & A. Tsuda. 2005. Response of microzooplankton to in-situ iron fertilization in the western subarctic Pacific (SEEDS). *Progress in Oceanography* 64(2):223-236.
- Samchyshyna, L.V. 2005. Two new records of freshwater calanoid copepods (Copepoda, Calanoida) in the fauna of Ukraine. *Vestnik Zoologii* 39(3):58-71.
- Sassa, C.K. & K. Kawaguchi. 2005. Larval feeding habits of *Diaphus theta*, *Protomyctophum thompsoni*, and *Tarletonbeania taylori* (Pisces: Myctophidae) in the transition region of the western North Pacific. *Marine Ecology Progress Series* 298:261-276.
- Schalch, S.H.C., M.A.A. Bello, V.E. Soares, J.R.E. Moraes & F.R. Moraes. 2005. Eficácia do diflubenzuron no controle de *Dolops carvalhoi* (Crustacea: Branchiura) em jovens pacus *Piaractus mesopotamicus* (Osteichthyes: Characidae) naturalmente infectados. (Diflubenzuron effectiveness in *Dolops carvalhoi* (Crustacea: Branchiura) control in juvenile pacus *Piaractus mesopotamicus* (Osteichthyes: Characidae) naturally infected. *Acta Scientiarum, Animal Science, Universidade Estadual de Maringá* 27(2):297-302. [In Portuguese; abstract in English.]
- Schalch, S.A.C. & F.R. de Moraes. 2005. Distribuição sazonal de parasitos branquiais em diferentes espécies de peixes em pesque-pague do município de Guariba-SP, Brasil. Seasonal distribution of gill parasites in fishes from fee-fishing at Guariba, São Paulo State, Brazil. *Revista Brasileira de Parasitologia Veterinária / Brazilian Journal of Veterinary Parasitology* 14(4):141-146. [In Portuguese; abstract in English.]
- Scheuerell, J.M., D.E. Schindler, M.D. Scheuerell, K.L. Fresh, T.H. Sibley, A.H. Litt & J.H. Shepherd. 2005. Temporal dynamics in foraging behavior of a pelagic predator. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 62(11):2494-2501.
- Schindler, D.E., D.E. Rogers, M.D. Scheuerell & C.A. Abrey. 2005. Effects of changing climate on zooplankton and juvenile sockeye salmon growth in southwestern Alaska. *Ecology* 86(1):198-209.
- Schnack-Schiel, S.B. & E. Isla. 2005. The role of zooplankton in the pelagic-benthic coupling of the Southern Ocean. In: Arntz, W.E., G.A. Lovrich & S. Thatje (eds.). *The Magellan-Antarctic Connection: Links and Frontiers at High Southern Latitudes*. Scientia Marina 69 (Suppl. 2):39-55.
- Schnetzer, A. & D.A. Caron. 2005. Copepod grazing impact on the trophic structure of the microbial assemblage of the San Pedro Channel, California. *Journal of Plankton Research* 27(10):959-971.
- Seuront, L. 2005. First record of the calanoid copepod *Acartia omorii* (Copepoda: Calanoida: Acartiidae) in the Southern Bight of the North Sea. *Journal of Plankton Research* 27(12):1301-1306.
- Shadrin, N. & L. Litvinchuk. 2005. Impact of increased mineral particle concentration on the behavior, suspension-feeding and reproduction of *Acartia clausi* (Copepoda). *NATO Science Series IV Earth and Environmental Sciences* 47:137-146.
- Shams El Din, N.G., M.Z. Nasar & N.S. Abd El Rahman. 2005. Surveillance studies on plankton in the northern part of the Red Sea during winter and summer, 2002. *Journal of the Egyptian German Society of Zoology* 48(D):49-77.
- Shang, W., G.Z. Wang & S.J. Li. 2005. Relationship between salinity tolerance during different developmental phase and ecological distribution of *Schmackeria poplesia* in Jiulongjiang Estuary in Fujian. *Journal of Oceanography in Taiwan Strait* 24(3):330-338. [In Chinese.]
- Shang, X. 2005. Preliminary study on the species minimum of copepods in the low salinity zone of Jiulongjiang Estuary. *Journal of the Xiamen University of Natural Science* 44(5):706-709.
- Shilun, L. 2005. Study of meiobenthos solid-liquid electro-mechanical separate technique. *Chinese Journal of Scientific Instrument* 26(6):587-590.
- Shimanaga, M. 2005. How do harpacticoids meet, engage in courtship, and increase their progeny. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 243-256. [In Japanese.]
- Shimanaga, M. & Y. Shirayama. 2005. Precopulatory mate guarding of interstitial *Phyllopodopsyllus* sp. (Copepoda: Harpacticoida) in Otsuchi Bay, northeastern Japan. *Benthos Research* 60:39-44.
- Shimono, T. & H. Kawai. 2005. Harpacticoids that parasitize the brown alga taxon *Dictyota*. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 257-271. [In Japanese.]

- Shmeleva, A.A. 2005. Description [sic] of the female and redescription of the male *Centropages spinosus* (Copepoda, Centropagidae). *Vestnik Zoologii* 39(6):65-69.
- Siddiqi, S.Z. & T. Samantai. 2005. First record of fresh water crustacean zooplankton spp. from Orissa - a taxonomic inventory and ecology. *Environment and Ecology*, Kalyani 23(4):867-872.
- Siokou-Frangou, I., S. Zervoudaki, V. Kambouroglou & G. Belmonte. 2005. Distribution of mesozooplankton resting eggs in seabottom sediments of Thermaikos gulf (NW Aegean Sea, Greece) and possible effects of sediment resuspension. *Continental Shelf Research* 25(19-20):2597-2608.
- Skilleter, G.A., B.D. Russell, B.M. Degnan & M.J. Garson. 2005. Living in a potentially toxic environment: comparisons of endofauna in two congeneric sponges from the Great Barrier Reef. *Marine Ecology Progress Series* 304:67-75.
- Smit, N.J. & A.J. Davies. 2005. Intraerythrocytic merogony in *Haemogregarina koppiensis* (Apicomplexa: Adeleorina: Haemogregarinidae). *Folia Parasitologica, Ceske Budejovice* 52(3):277-278.
- Sorf, M. & M. Devetter. 2005. Druhove slozeni zooplanktonu Kaclerskeho rybnika u Jindřichova Hradce. The zooplankton species diversity of Kaclezsky pond near Jindřichuv Hradec. *Sbornik Jihočeského Muzea v Českých Budejovicích Přírodní Vědy* 45:103-111. [In Czech.]
- Soylu, E. 2005. Metazoan parasites of catfish (*Silurus glanis*, Linnaeus, 1758) from Durusu (Terkos) Lake. *Journal of the Black Sea Mediterranean Environment* 11(2): 225-236.
- Speirs, D., W. Gurney, M. Heath & S.N. Wood. 2005. Modelling the basin-scale demography of *Calanus finmarchicus* in the N.E. Atlantic. *Fisheries Oceanography* 14(5):333-358.
- Stabeno, P.J., G.L. Hunt & S.A. Macklin. 2005. Introduction to processes controlling variability in productivity and ecosystem structure of the Aleutian Archipelago. *Fisheries Oceanography* 14(Suppl. 1):1-2.
- Stanley, R.D. & A.R. Kronlund. 2005. Life history characteristics for silvergray rockfish (*Sebastes brevispinis*) in British Columbia waters and the implications for stock assessment and management. *Fishery Bulletin (Seattle)* 103(4):670-684.
- Stav, G., L. Blaustein & Y. Margalit. 2005. Individual and interactive effects of a predator and controphic species on mosquito populations. *Ecological Applications* 15(2):587-598.
- Stepanova, L.A. 2005. Composition of the genus *Hemidiaptomus*: Identification of *Gigantodiaptomus* and *Occidodiaptomus* (Crustacea, Diaptomidae) as independent genera. *Zoologicheskii Zhurnal* 84(6):754-760. [In Russian.]
- Stich, H.B., M. Pfeiffer & G. Maier. 2005. Zooplankton communities in a large prealpine lake, Lake Constance: comparison between the Upper and the Lower Lake. *Journal of Limnology* 64(2):129-138.
- Takatsu, T. 2005. The predator-prey relationship between larval fish and copepods - pursuing resource fluctuations of Pacific cod. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 98-109. [In Japanese.]
- Takemoto, R.M., M. de los A. Perez Lizama, G.M. Guidelli, G.C. Pavanelli, S.T. Moreira, K.F. Ito, A.C.F. Lacerda & S. Bellay. 2005. Fauna parasitária de peixes de reservatórios. [Parasite fauna of fishes in reservoirs.] In: Rodrigues, L., S.M. Thomaz, A.A. Agostinho & L.C. Gomes (eds.). *Biocenoses em Reservatórios: Padrões Espaciais e Temporais*. São Carlos. Pp. 269-280. [In Portuguese.]
- Tanaka, M., M. Takeda & M. Nagano. 2005. Limnological Fauna and Florae of the ponds in the Akasaka Imperial Gardens, Tokyo, Japan. *Memoirs of the National Science Museum, Tokyo* 39:515-530. [In Japanese.]
- Tang, H.J, P. Xie & L. Hong. 2005. Changes in the phytoplankton community of Lake Donghu since the 1980s. *Journal of Freshwater Ecology* 20(3):591-594.
- Tanimura, A. 2005. The ecology of copepods living in Antarctic sea ice. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 129-148. [In Japanese.]
- Tarasov, V.G., A.V. Gebruk, A.N. Mironov & L.I. Moskalev. 2005. Deep-sea and shallow-water hydrothermal vent communities: Two different phenomena? *Chemical Geology* 224(1-3):5-39.
- Tarkan, A.N., M. Isinibilir & A.S. Tarkan. 2005. Seasonal variations of the zooplankton composition and abundance in the Istanbul Strait. *Pakistan Journal of Biological Sciences* 8(9):1327-1336.
- Tátrai, I., K. Mátyás, J. Korponai, G. Szabó, P. Pomogyi & J. Héri. 2005. Response of nutrients, plankton communities and macrophytes to fish manipulation in a small eutrophic wetland lake. *International Review of Hydrobiology* 90(5-6):511-522.
- Tavares, L.E.R., J.L. Luque & A.A. Bicudo. 2005. Community ecology of metazoan parasites of the anchovy *Anchoa tricolor* (Osteichthyes: Engraulidae) from the coastal zone of the State of Rio de Janeiro, Brazil. *Brazilian Journal of Biology* 65(3):533-540.
- Ternjej, I. & M. Tomec. 2005. Plankton community and related environmental factors in the oligotrophic Lake Vrana. *Periodicum Biologorum* 107(3):321-328.
- Thatcher, V.E. & G.M. Huergo. 2005. *Minilernaea floricapitella* gen. nov., sp. nov. (Copepoda, Lernaeidae) from freshwater fishes of Southern Brazil. *Revista Brasileira de Zoologia* 22(4):821-824.

- Tobler, M., T. Wahli & I. Schlupp. 2005. Comparison of parasite communities in native and introduced populations of sexual and asexual mollies of the genus *Poecilia*. *Journal of Fish Biology* 67(4):1072-1082.
- Trias-C., J.O., L.A. Macano & J.J. Alio. 2005. Analisis preliminar del contenido estomacal de peces istioforidos de la region nonoriental y central de Venezuela. Preliminary analysis of stomach content of istioforids in the northeastern and central zones of Venezuela. *Proceedings of the Gulf and Caribbean Fisheries Institute* 47:586-597. [In Spanish.]
- Tronstad, L.M., B.P. Tronstad & A.C. Benke. 2005. Invertebrate responses to decreasing water levels in a subtropical river floodplain wetland. *Wetlands* 25(3):583-593.
- Tsikliras, A., C.M. Torre & K.I. Stergiou. 2005. Feeding habits and trophic level of round sardinella (*Sardinella aurita*) in the northeastern Mediterranean (Aegean Sea, Greece). *Journal of Biological Research, Thessaloniki* 3:67-75.
- Ueda, H. 2005. Copepods inhabiting the muddy-water estuaries of the Ariake Sea. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 189-202. [In Japanese.]
- Ueda, H. & H. Nagai. 2005. *Amphiascus kawamura*, a new harpacticoid copepod (Crustacea: Harpacticoida: Miraciiidae) from nori cultivation tanks in Japan, with a redescription of the closely related *A. parvus*. *Species Diversity* 10(4):249-258.
- Urban-Malinga, B., J. Wiktor, A. Jabłońska & T. Moens. 2005. Intertidal meiofauna of a high-latitude glacial Arctic fjord (Kongsfjorden, Svalbard) with emphasis on the structure of free-living nematode communities. *Polar Biology* 28(12):940-950.
- Uye, S.I. 2005. Copepods are gluttonous gourmets - the surprising relationship between copepods and phytoplankton. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 47-59. [In Japanese.]
- Uye, S.I. 2005. Copepod growth and reproduction. In: Nagasawa, K. (ed.). *Introduction to Copepodology - World of tiny giants in water*. Tokai University Press, Tokyo. 326 pp. Pp. 72-85. [In Japanese.]
- VanArman, J., G.A. Graves & D. Fike. 2005. Loxahatchee watershed conceptual ecological model. *Wetlands* 25(4):926-942.
- Van der Veen, I.T. 2005. Costly carotenoids: a trade-off between predation and infection risk? *Journal of Evolutionary Biology* 18(4):992-999.
- van Rensburg, E.J. & J.G. van As. 2005. Phylogeny of the Branchiura according to morphological characters using scanning electron microscopy. *Microscopy Society of Southern Africa Proceedings* 35:65.
- Varpe, O. & O. Fiksen. 2005. GLOBEC Norway: zooplankton-fish interactions and the fat conveyor-belt in the Norwegian Sea. *GLOBEC International Newsletter* 11(2):4-6.
- Vavra, J. 2005. 'Polar vesicles' of microsporidia are mitochondrial remnants ('mitosomes')? *Folia Parasitologica, Ceske Budejovice* 52(1-2):193-195.
- Veit-Köhler, G. 2005. Influence of biotic and abiotic sediment factors on abundance and biomass of harpacticoid copepods in a shallow Antarctic bay. In: Arntz, W.E., G.A. Lovrich & S. Thatje (eds.). *The Magellan-Antarctic Connection: Links and Frontiers at High Southern Latitudes*. *Scientia Marina* 69(Suppl. 2):135-145.
- Verheye, H.M., W. Hagen, H. Auel, W. Ekau, N. Loick, I. Rheenen, P. Wencke & S. Jones. 2005. Life strategies, energetics and growth characteristics of *Calanoides carinatus* (Copepoda) in the Angola-Benguela Front region. *African Journal of Marine Science* 27(3):641-652.
- Vesnina, L.V., E.Yu. Mitrofanova & T.O. Lisitsyna. 2005. Plankton of salted lakes of the territory of a closed runoff (the South of West Siberia, Russia). *Sibirskiy Ekologicheskiy Zhurnal / Siberian Journal of Ecology* 12(2):221-233. [In Russian; abstract in English.]
- Viitasalo, S., J. Sassi, J. Rytönen & E. Leppäkoski. 2005. Ozone, ultraviolet light, ultrasound and hydrogen peroxide as ballast water treatments - experiments with mesozooplankton in low-saline brackish water. *Journal of Marine Environmental Engineering* 8:35-55.
- Visser, M.E. & C. Both. 2005. Shifts in phenology due to global climate change: the need for a yardstick. *Proceedings in Biological Sciences* 272(1581):2561-2569.
- Vukanic, V. 2005. Diversity and similarity indices of zooplankton community in Boka Kotorska Bay. *Journal of Natural and Mathematical Sciences, Banja Luka, Yugoslavia* 5(8-9):111-117.
- Vukanic, V. & D. Vukanic. 2005. Seasonal abundance of species from the Genus *Oithona* in Boka Kotorska Bay during 2002. The 34th Annual Conference of Yugoslav Water Pollution Control Society 'Water 2005' Kopaonik. Pp. 361-366.
- Vyshkvartzeva, N.V. 2005. Three bathypelagic scolecitrichids new to the North Pacific, with comments on diagnostic features of Scolecitrichidae and Tharybidae and on the positions of *Heteramella*, *Rythabis* and *Parkius* (Copepoda: Calanoida). *Zoosystematica Rossica, Zoological Institute, St. Petersburg* 13(2):157-180. [For 2004.]
- Walker-Smith, G.K. 2005. A new species of *Neopeltopsis* (Copepoda, Harpacticoida, Peltidiidae) from Althorpe Island, South Australia. *Transactions of the Royal Society of South Australia* 129(Part 2):170-182.
- Wallat, G.K., A.M. Lazur & F.A. Chapman. 2005. Carotenoids of different types and concentrations in

- commercial formulated fish diets affect color and its development in the skin of the red oranda variety of goldfish. *North American Journal of Aquaculture* 67(1):42-51.
- Walseng, B. & G. Halvorsen. 2005. Littoral microcrustaceans as indices of trophy. *Verhandlungen der Internationale Vereinigung für Theoretische und Angewandte Limnologie* 29(2):827-829.
- Walsh, J.J., D.A. Dieterle, W. Maslowski, J.M. Grebmeier, T.E. Whitledge, M. Flint, I.N. Sukhanova, N. Bates, G.F. Cota, D. Stockwell, S.B. Moran, D.A. Hansell & C.P. McRoy. 2005. A numerical model of seasonal primary production within the Chukchi/Beaufort Seas. *Deep Sea Research Part II: Topical Studies in Oceanography* 52(24-26):3541-3576.
- Wang, G.Z., X.D. Jiang, S.J. Li, L.S. Wu & D.X. Wu. 2005. A potential source of recruitment of *Acartia pacifica* nauplii: viable benthic resting eggs. *Acta Oceanologica Sinica* 24(2):151-158. [In Chinese.]
- Wang, S., T.V. Phong, N. Tuno, H. Kawada & M. Takagi. 2005. Sensitivity of the larvivoracious copepod species, *Mesocyclops pehpeiensis* and *Megacyclops viridis*, to the insect growth regulator, Pyriproxyfen. *Journal of the American Mosquito Control Association* 21(4):483-488.
- Weijerman, M., H. Lindeboom & A.F. Zuur. 2005. Regime shifts in marine ecosystems of the North Sea and Wadden Sea. *Marine Ecology Progress Series* 298:21-39.
- Wen, Z., M.P. Zheng, X.Z. Xu, X.F. Liu, G.L. Guo & Z.H. He. 2005. Biological and ecological features of saline lakes in northern Tibet, China. *Hydrobiologia* 541:189-203.
- Werner, I. & H. Auel. 2005. Seasonal variability in abundance, respiration and lipid composition of Arctic under-ice amphipods. *Marine Ecology Progress Series* 292:251-262.
- Werry, J. & S.Y. Lee. 2005. Grapsid crabs mediate link between mangrove litter production and estuarine planktonic food chains. *Marine Ecology Progress Series* 293:165-176.
- Wichard, T., S.A. Poulet, C. Halsband-Lenk, A. Albaina, R. Harris, D.Y. Liu & G. Pohnert. 2005. Survey of the chemical defence potential of diatoms: Screening of fifty one species for alpha,beta,gamma,delta-unsaturated aldehydes. *Journal of Chemical Ecology* 31(4):949-958.
- Wiegertjes, G.F., M. Forlenza, M. Joerink & J.P. Scharnsack. 2005. Parasite infections revisited. *Developmental and Comparative Immunology* 29(9):749-758.
- Wiggert, J.D., A.G.E. Haskell, G.-A. Paffenhöfer, E.E. Hofmann & J.M. Klinck. 2005. The role of feeding behavior in sustaining copepod populations in the tropical ocean. *Journal of Plankton Research* 27(10):1013-1031.
- Williamson, C.J. & J.E. Garvey. 2005. Growth, fecundity, and diets of newly established silver carp in the middle Mississippi River. *Transactions of the American Fisheries Society* 134(6):1423-1430.
- Williamson, D.A., T.A. Dick, D. Green, H. Kling, D. Rheault, L. Ross & A. Salki. 2005. A limited survey of biota in Devils and Stump lakes, North Dakota - Manitoba's contribution to a multi-jurisdictional collaborative assessment coordinated by the United States' Council on Environmental Quality. Water Science and Management Branch. Manitoba Department of Water Stewardship Report Number 2005-03. 23 pp.
- Wolff, T. 2005. Composition and endemism of the deep-sea hydrothermal vent fauna. *Cahiers de Biologie Marine* 46(2):97-104.
- Wonham, M.J., M.A. Lewis & H.J. MacIsaac. 2005. Minimizing invasion risk by reducing propagule pressure: a model for ballast-water exchange. *Frontiers in Ecology and the Environment* 3(9):473-478.
- Xu, Z. 2005. [Zooplankton in north branch waters of Changjiang Estuary.] *Ying Yong Sheng Tai Xue Bao* 16(7):1341-1345. [In Chinese.]
- Xu, Z.L. 2005. Character of zooplankton community and its variation in the water near the Yangtze River estuary. *Shengtaixue Zazhi* 24(7):780-784. [In Chinese.]
- Yamamoto, M. & O. Tominaga. 2005. Feeding ecology of dominant demersal fish species *Favonigobius gymnauchen*, *Repomucenus* spp. and *Tarphops oligolepis* at a sandy beach where larval Japanese flounder settle in the Seto Inland Sea, Japan. *Fisheries Science* 71(6):1332-1340.
- Yermolaeva, N.I. & O.S. Burmistrova. 2005. Influence of mineralization on zooplankton of the Lake Chany. *Sibirskiy Ekologicheskii Zhurnal / Siberian Journal of Ecology* 12(2):235-247. [In Russian; abstract in English.]
- Yigit, S. & A. Altindag. 2005. A taxonomical study on the zooplankton fauna of Hirfanli Dam Lake (Kirsehir), Turkey. *Gazi Üniversitesi Fen Bilimleri Dergisi / Gazi University Journal of Science* 18(4):563-567.
- Yoshida, T. 2005. Toward the understanding of complex population dynamics: planktonic community as a model system. *Ecological Research* 20(5):511-518.
- Zagami, G., G. Costanzo, N. Crescenti & C. Brugnano. 2005. Dati preliminari sui copepodi calanoidi bentoplanctonici del genere *Pseudocyclops* del lago di Faro (Sicilia nord-orientale). Preliminary data on benthoplanktonic calanoid copepod *Pseudocyclops* genus of the lake Faro (north-eastern Sicily). *Biologia Marina Mediterranea* 12(1):650-653; (Parte Seconda) [In Italian.]
- Zhang, F.J., Y.S. Zhang, X.L. Zhang, X.W. Guo & Z.L. Liang. 2005. The benthic boundary layer fauna at a typical station in the Yellow Sea in summer. *Zhongguo Haiyang Daxue Xuebao* 35(6):961-966. [In Chinese.]
- Zhang, R., W.D. Guo, H. Dong, F. Wu, E.Q. Xia & D.X. Wu. 2005. Measurement of the content of tryptophan for zooplankton from Xiamen harbour with fluorescence method. *Xiamen Daxue Xuebao (Ziran Kexue Ban)* 44(5):738-740. [In Chinese.]

- Zhang, Y., Z.N. Zhang, K. Deng, E. Hua & Y. Huang. 2005. A preliminary study on the determination of the ATP content of the phytal meiofauna from the rocky intertidal zone in Qingdao. *Zhongguo Haiyang Daxue Xuebao* 35(5):799-806. [In Chinese.]
- Zhou, M.Y., Y.S. Lin, L.P. Fang, L.M. Zhen, C.C. Liu & W.Q. Cao. 2005. Extraction of genomic DNA and amplification of mtDNA COI from *Calanus sinicus* stored in formaldehyde solution. *Journal of Xiamen University Natural Science* 44(3):403-406. [In Chinese.]

2006

- Albaina, A. & X. Irigoien. 2006. Fecundity limitation of *Calanus helgolandicus*, by the parasite *Ellobiopsis* sp. *Journal of Plankton Research* 28(4):413-418.
- Alekseev, V., H.J. Dumont, J. Pensaert, D. Baribwegure & J.R. Vanfleteren. 2006. A redescription of *Eucyclops serrulatus* (Fischer, 1851) (Crustacea: Copepoda: Cyclopoida) and some related taxa, with a phylogeny of the *E. serrulatus*-group. *Zoologica Scripta* 35(2):123-147.
- Alfaro, A.C. 2006. Evidence of cannibalism and benthopelagic coupling within the life cycle of the mussel, *Perna canaliculus*. *Journal of Experimental Marine Biology and Ecology* 329(2):206-217.
- Alvarez-Cobelas, M., C. Rojo, J.L. Velasco & A. Baltanás. 2006. Factors controlling planktonic size spectral responses to autumnal circulation in a Mediterranean lake. *Freshwater Biology* 51(1):131-143.
- Amiard, J.-C., C. Amiard-Triquet, S. Barka, J. Pellerin & P.S. Rainbow. 2006. Metallothioneins in aquatic invertebrates: Their role in metal detoxification and their use as biomarkers. *Aquatic Toxicology* 76(2):160-202.
- Araújo, J.N., S. Mackinson, R.J. Stanford, D.W. Sims, A.J. Southward, S.J. Hawkins, J.R. Ellis & P.J.B. Hart. 2006. Modelling food web interactions, variation in plankton production, and fisheries in the western English Channel ecosystem. *Marine Ecology Progress Series* 309:175-187.
- Arendt, K.E., S.H. Jónasdóttir, P.J. Hansen & S. Gärtner. 2006. Effects of dietary fatty acids on the reproductive success of the calanoid copepod *Temora longicornis*. [Erratum] *Marine Biology* 148(6):1415.
- Arroyo, N.L., K. Aarnio & E. Bonsdorff. 2006. Drifting algae as a means of re-colonizing defaunated sediments in the Baltic Sea. A short-term microcosm study. *Hydrobiologia* 554(1):83-95.
- Arroyo, N.L., M. Maldonado & K. Walters. 2006. Within- and between-plant distribution of harpacticoid copepods in a North Atlantic bed of *Laminaria ochroleuca*. *Journal of the Marine Biological Association of the United Kingdom* 86(2):309-316.
- Augustin, C.B. & M. Boersma. 2006. Effects of nitrogen stressed algae on different *Acartia* species. *Journal of Plankton Research* 28(1):429-436.
- Badosa, A., D. Boix, S. Brucet, R. López-Flores & X.D. Quintana. 2006. Nutrients and zooplankton composition and dynamics in relation to the hydrological pattern in a confined Mediterranean salt marsh (NE Iberian Peninsula). *Estuarine, Coastal and Shelf Science* 66(3-4):513-522.
- Baguley, J.G., P.A. Montagna, W. Lee, L.J. Hyde & G.T. Rowe. 2006. Spatial and bathymetric trends in Harpacticoida (Copepoda) community structure in the Northern Gulf of Mexico deep-sea. *Journal of Experimental Marine Biology and Ecology* 330(1):327-341.
- Bailey, R.J.E., M.A. Birkett, A. Ingvarsdóttir, A.J. Mordue (Luntz), W. Mordue, B. O'Shea, J.A. Pickett & L.J. Wadhams. 2006. The role of semiochemicals in host location and non-host avoidance by salmon louse (*Lepeophtheirus salmonis*) copepodids. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(2):448-456.
- Becker, A., A. Herschel & C. Wilhelm. 2006. Biological effects of incomplete destratification of hypertrophic freshwater reservoir. *Hydrobiologia* 559(1):85-100.
- Bellwood, D.R., P.C. Wainwright, C.J. Fulton & A.S. Hoey. 2006. Functional versatility supports coral reef biodiversity. *Proceedings of the Royal Society of London, B* 273(1582):101-107.
- Belzile, N., Y.-W. Chen, J.M. Gunn, J. Tong, Y. Alarie, T. Delonchamp & C.-Y. Lang. 2006. The effect of selenium on mercury assimilation by freshwater organisms. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(1):1-10.
- Berasategui, A.D., S. Menu-Marque, M. Gómez-Erache, F.C. Ramírez, H.W. Mianzan & E.M. Acha. 2006. Copepod assemblages in a highly complex hydrographic region. *Estuarine, Coastal and Shelf Science* 66(3-4):483-492.
- Bielmyer, G.K., M. Grosell & K.V. Brixti. 2006. Toxicity of silver, zinc, copper, and nickel to the copepod *Acartia tonsa* exposed via a phytoplankton diet. *Environmental Science and Technology* 40(6):2063-2068.
- Blachowiak-Samolyk, K., S. Kwasniewski, K. Richardson, K. Dmoch, E. Hansen, H. Hop, S. Falk-Petersen & L.T. Mouritsen. 2006. Arctic zooplankton do not perform diel vertical migration (DVM) during periods of midnight sun. *Marine Ecology Progress Series* 308:101-116.
- Boge, G., N. Jean, J.-L. Jamet, D. Jamet & S. Richard. 2006. Seasonal changes in phosphatase activities in Toulon Bay (France). *Marine Environmental Research* 61(1):1-18.
- Bologna, P.A.X. 2006. Assessing within habitat variability in plant demography, faunal density, and secondary production in an eelgrass (*Zostera marina* L.) bed. *Journal of Experimental Marine Biology and Ecology* 329(1):122-134.

- Bouvy, M., M. Pagano, M. M'Boup, P. Got & M. Troussellier. 2006. Functional structure of microbial food-web in the Senegal River Estuary (West Africa): impact of metazooplankton. *Journal of Plankton Research* 28(2):195-207.
- Boxshall, G.A. & E.E. Strong. 2006. An extraordinary shift in life habit within a genus of cyclopid copepods in Lake Tanganyika. *Zoological Journal of the Linnean Society* 146(2):275-285.
- Bricknell, I.R., J.E. Bron & T.J. Bowden. 2006. Diseases of gadoid fish in cultivation: a review. *ICES Journal of Marine Science* 63(2):253-266.
- Brooks, K. & D. Stucchi. 2006. The effects of water temperature, salinity and currents on the survival and distribution of the infective copepodid stage of the salmon louse (*Lepeophtheirus salmonis*) originating on Atlantic salmon farms in the Broughton Archipelago of British Columbia, Canada (Brooks, 2005) — A response to the rebuttal of Krkošek et al. (2005a). *Reviews in Fisheries Science* 14(1-2):13-23.
- Brucet, S., D. Boix, R. López-Flores, A. Badosa & X.D. Quintana. 2006. Size and species diversity of zooplankton communities in fluctuating Mediterranean salt marshes. *Estuarine, Coastal and Shelf Science* 67(3):424-432.
- Buttino, I., G. De Rosa, Y. Carotenuto, A. Ianora, A. Fontana, F. Quaglia, M.I. La Rotonda & A. Miralto. 2006. Giant liposomes as delivery system for ecophysiological studies in copepods. *Journal of Experimental Biology* 209:801-809.
- Casini, M., M. Cardinale & J. Hjelm. 2006. Inter-annual variation in herring, *Clupea harengus*, and sprat, *Sprattus sprattus*, condition in the central Baltic Sea: what gives the tune? *Oikos* 112(3):638-650.
- Castellani, C. & Y. Altunbas. 2006. Factors controlling the temporal dynamics of egg production of the copepod *Temora longicornis*. *Marine Ecology Progress Series* 308:143-153.
- Chan, F., R.L. Marino, R.W. Howarth & M.L. Pace. 2006. Ecological constraints on planktonic nitrogen fixation in saline estuaries. II. Grazing controls on cyanobacterial population dynamics. *Marine Ecology Progress Series* 309:41-53.
- Chertoprud, E.S. & A. I. Azovsky. 2006. Seasonal dynamics of the populations of intertidal harpacticoids (Harpacticoida: Copepoda) in the White Sea. *Oceanology* 46(1):71-80.
- Cooke, S.L. & C.E. Williamson. 2006. Positive effects of UV radiation on a calanoid copepod in a transparent lake: do competition, predation, or food availability play a role? *Journal of Plankton Research* 28(2):171-179.
- Dagg, M.J., H. Liu & A.C. Thomas. 2006. Effects of mesoscale phytoplankton variability on the copepods *Neocalanus flemingeri* and *N. plumchrus* in the coastal Gulf of Alaska. *Deep Sea Research Part I: Oceanographic Research Papers* 53(2):321-332.
- Dahms, H.-U., J.A. Fornshell & B.J. Fornshell. 2006. Key for the identification of crustacean nauplii. *Organisms Diversity & Evolution* 6(1):47-56.
- Daniel, C., W. Granéli, E.S. Kritzberg & A.M. Anesio. 2006. Stimulation of metazooplankton by photochemically modified dissolved organic matter. *Limnology and Oceanography* 51(1):101-108.
- Dejen, E., J. Vijverberg & F. Sibbing. 2006. Spatial and temporal variation of cestode infection and its effects on two small barbs (*Barbus humilis* and *B. tanapelagijs*) in Lake Tana, Ethiopia. *Hydrobiologia* 556(1):109-117.
- Derengovskaya, R.A. & A.P. Ostapenia. 2006. Zooplankton and sedimentation of suspended substances in lakes. *Sibirskiy Ekologicheskij Zhurnal / Siberian Journal of Ecology* 13(1):43-54. [In Russian; abstract in English.]
- De Troch, M., L. Houthoofd, V. Chepurnov & A. Vanreusel. 2006. Does sediment grain size affect diatom grazing by harpacticoid copepods? *Marine Environmental Research* 61(3):265-277.
- De Troch, M., D. Van Gansbeke & M. Vincx. 2006. Resource availability and meiofauna in sediment of tropical seagrass beds: Local versus global trends. *Marine Environmental Research* 61(1):59-73.
- Devetter, M. & J. Seda. 2006. Regulation of rotifer community by predation of *Cyclops vicinus* (Copepoda) in the Řimov Reservoir in spring. *International Review of Hydrobiology* 91(1):101-112.
- Dolors-Vaqué, J.F., M. Montserrat-Sala, A. Calbet, M. Estrada & M. Alcaraz. 2006. Effects of the toxic dinoflagellate *Karlodinium* sp. (cultured at different N/P ratios) on micro and mesozooplankton. *Scientia Marina* 70(1):47-58.
- Dorovskikh, G. & L. Makarova. 2006. *Lernaea cyprinacea* (Copepoda, Lernaeidae) on crucian carp (*Carassius carassius*) from Lake Dlinnoe in the basin of the middle reaches of the Vychegda River. *Russian Journal of Ecology* 37(2):135-140.
- Doucette, G.J., A.D. Cembella, J.L. Martin, J. Michaud, T.V.N. Cole & R.M. Rolland. 2006. PSP toxins in North Atlantic right whales *Eubalaena glacialis* and their zooplankton prey in the Bay of Fundy, Canada. *Marine Ecology Progress Series* 306:303-313.
- Doulgeraki, S., N. Lampadariou & A. Sinis. 2006. Meiofaunal community structure in three Mediterranean coastal lagoons (North Aegean Sea). *Journal of the Marine Biological Association of the United Kingdom* 86(2):209-220.
- Dubovskaya, O.P. 2006. Evaluation of possible causes of non-predatory mortality of crustacean zooplankton in a small Siberian reservoir. *Sibirskiy Ekologicheskij Zhurnal / Siberian Journal of Ecology* 13(1):31-41. [In Russian; abstract in English.]
- Echaniz, S.A., A.M. Vignatti, S.J. De Paggi, J.C. Paggi & A. Pilati. 2006. Zooplankton seasonal abundance of South American saline shallow lakes. *International Review of Hydrobiology* 91(1):86-100.

- Eloumi, J., J.F. Carrias, H. Ayadi, T. Sime-Ngando, M. Boukhris & A. Bouain. 2006. Composition and distribution of planktonic ciliates from ponds of different salinity in the solar saltwork of Sfax, Tunisia. *Estuarine, Coastal and Shelf Science* 67(1-2):21-29.
- Fang, T.-H., J.-S. Hwang, S.-H. Hsiao & H.-Y. Chen. 2006. Trace metals in seawater and copepods in the ocean outfall area off the northern Taiwan coast. *Marine Environmental Research* 61(2):224-243.
- Feller, R.J. 2006. Weak meiofaunal trophic linkages in *Crangon crangon* and *Carcinus maenus*. *Journal of Experimental Marine Biology and Ecology* 330(1):274-283.
- Fent, K., A.A. Weston & D. Caminada. 2006. Ecotoxicology of human pharmaceuticals. *Aquatic Toxicology* 76(2):122-159.
- Fernandez-Leborans, G. & R. Gabilondo. 2006. Inter-annual variability of the epibiotic community on *Pagurus bernhardus* from Scotland. *Estuarine, Coastal and Shelf Science* 66(1-2):35-54.
- Fleeger, J.W., G. Tita, K.R. Carman, R.N. Millward, E.B. Moser, R.J. Portier & R.P. Gambrell. 2006. Does bioturbation by a benthic fish modify the effects of sediment contamination on saltmarsh benthic microalgae and meiofauna? *Journal of Experimental Marine Biology and Ecology* 330(1):180-194.
- Fonsêca-Genevois, V.da., P.J. Somerfield, M.H. Baeta-Neves, R. Coutinho & T. Moens. 2006. Colonization and early succession on artificial hard substrata by meiofauna. *Marine Biology* 148(5):1039-1050.
- Fornshell, J. 2006. A key to copepod nauplii. In: Stamey, B. (ed.). *Proceedings of the MTS/IEEE (Marine Technology Society/ Institute of Electrical and Electronic Engineering) Oceans 2005 Conference*. Pp. 1-5.
- Frimpong, E.A. & S.E. Lochmann. 2006. An evaluation of the effect of treatments for pond water reuse on zooplankton populations. *North American Journal of Aquaculture* 68(1):103-109.
- Frisch, D., E. Moreno-Ostos & A. Green. 2006. Species richness and distribution of copepods and cladocerans and their relation to hydroperiod and other environmental variables in Doñana, south-west Spain. *Hydrobiologia* 556(1):327-340.
- Fulford, R.S., J.A. Rice, T.J. Miller, F.P. Binkowski, J.M. Dettmers & B. Belonger. 2006. Foraging selectivity by larval yellow perch (*Perca flavescens*): implications for understanding recruitment in small and large lakes. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(1):28-42.
- Funes-Rodríguez, R., A. Hinojosa-Medina, G. Aceves-Medina, S.P.A. Jiménez-Rosenberg & J. Bautista-Romero. 2006. Influences of El Niño on assemblages of mesopelagic fish larvae along the Pacific coast of Baja California Sur. *Fisheries Oceanography* 15(3):244-255.
- Gall, A.E., D.D. Roby, D.B. Irons & I.C. Rose. 2006. Differential response in chick survival to diet in least and crested auklets. *Marine Ecology Progress Series* 308:279-291.
- Gardner, S., J.C. Gower & N.J. le Roux. 2006. A synthesis of canonical variate analysis, generalised canonical correlation and Procrustes analysis. *Computational Statistics and Data Analysis (2nd Special issue on Matrix Computations and Statistics)* 50(1):107-134.
- **Gheerardyn, H., F. Fiers, M. Vincx & M. De Troch. 2006. *Pelidiphonte* gen. n., a new taxon of Laophontidae (Copepoda: Harpacticoida) from coral substrates of the Indo-West Pacific Ocean. *Hydrobiologia* 553(1):171-199.
- Gheskiere, T., M. Vincx, G. Pison & S. Degraer. 2006. Are strandline meiofaunal assemblages affected by a once-only mechanical beach cleaning? Experimental findings. *Marine Environmental Research* 61(3):245-264.
- Gibbs, M.T., A.J. Hobday, B. Sanderson & C.L. Hewitt. 2006. Defining the seaward extent of New Zealand's coastal zone. *Estuarine, Coastal and Shelf Science* 66(1-2):240-254.
- Grishanin, A.K., E.M. Rasch, S.I. Dodson & G.A. Wyngaard. 2006. Genetic architecture of the cryptic species complex of *Acanthocyclops vernalis* (Crustacea: Copepoda). II. Crossbreeding experiments, cytogenetics, and a model of chromosomal evolution. *Evolution* 60(2):247-256.
- Hamre, K. 2006. Nutrition in cod (*Gadus morhua*) larvae and juveniles. *ICES Journal of Marine Science* 63(2):267-274.
- Hansen, F.C., C. Möllmann, U. Schütz & T. Neumann. 2006. Spatio-temporal distribution and production of calanoid copepods in the Central Baltic Sea. *Journal of Plankton Research* 28(1):39-54.
- Hansson, L.J. 2006. A method for in situ estimation of prey selectivity and predation rate in large plankton, exemplified with the jellyfish *Aurelia aurita* (L.). *Journal of Experimental Marine Biology and Ecology* 328(1):113-126.
- Harrison, A.J., N.F.S. Gault & J.T.A. Dick. 2006. Seasonal and vertical patterns of egg-laying by the freshwater fish louse *Argulus foliaceus* L. (Crustacea: Branchiura). *Diseases of Aquatic Organisms* 68:167-173.
- Harrison, J.S. & R.S. Burton. 2006. Tracing hybrid incompatibilities to single amino acid substitutions. *Molecular Biology & Evolution* 23(3):559-564.
- Harzsch, S. 2006. Neurophylogeny: Architecture of the nervous system and a fresh view on arthropod phylogeny. *Integrative and Comparative Biology* 46:162-194.
- Hassanin, A. 2006. Phylogeny of Arthropoda inferred from mitochondrial sequences: Strategies for limiting the misleading effects of multiple changes in pattern and rates of substitution. *Molecular Phylogenetics and Evolution* 38(1):100-116.

- Hassett, R.P. 2006. Physiological characteristics of lipid-rich "fat" and lipid-poor "thin" morphotypes of individual *Calanus finmarchicus* C5 copepodites in nearshore Gulf of Maine. *Limnology and Oceanography* 51(2):997-1003.
- Hirche, H.J., S. Muyakshin, M. Klages & H. Auel. 2006. Aggregation of the arctic copepod *Calanus hyperboreus* over the ocean floor of the Greenland Sea. *Deep Sea Research Part I: Oceanographic Research Papers* 53(2):310-320.
- Holste, L. & M.A. Peck. 2006. The effects of temperature and salinity on egg production and hatching success of Baltic *Acartia tonsa* (Copepoda: Calanoida): a laboratory investigation. *Marine Biology* 148(5):1061-1070.
- Hu, W., S.E. Jorgensen & F. Zhang. 2006. A vertical-compressed three-dimensional ecological model in Lake Taihu, China. *Ecological Modelling* 190(3-4):367-398.
- Huys, R., J. Llewellyn-Hughes, P.D. Olson & K. Nagasawa. 2006. Small subunit rDNA and Bayesian inference reveal *Pectenophilus ornatus* (Copepoda *incertae sedis*) as highly transformed Mytilicolidae, and support assignment of Chondracanthidae and Xarifiidae to Lichomolgoidea (Cyclopoida). *Biological Journal of the Linnean Society* 87(3):403-426.
- Ingole, B., S. Sivadas, R. Goltekar, S. Clemente, M. Nanajkar, R. Sawant, C. D'Silva, A. Sarkar & Z. Ansari. 2006. Ecotoxicological effect of grounded *MV River Princess* on the intertidal benthic organisms off Goa. *Environment International* 32(2):284-291.
- Isari, S., A. Ramfos, S. Somarakis, C. Koutsikopoulos, A. Kallianiotis & N. Fragopoulou. 2006. Mesozooplankton distribution in relation to hydrology of the Northeastern Aegean Sea (Eastern Mediterranean). *Journal of Plankton Research* 28(3):241-255.
- Jacob, U., T. Brey, I. Fetzer, S. Kaehler, K. Mintenbeck, K. Dunton, K. Beyer, U. Struck, E.A. Pakhomov & W.E. Arntz. 2006. Towards the trophic structure of the Bouvet Island marine ecosystem. *Polar Biology* 29:106-113.
- Jansen, S., C. Wexels Riser, P. Wassmann & U. Bathmann. 2006. Copepod feeding behaviour and egg production during a dinoflagellate bloom in the North Sea. *Harmful Algae* 5(1):102-112.
- Jeziorski, A. & N.D. Yan. 2006. Species identity and aqueous calcium concentrations as determinants of calcium concentrations of freshwater crustacean zooplankton. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(5):1007-1013.
- Jha, P., K. Sarkar & S. Barat. 2006. Comparison of food selection and growth performance of koi carp, *Cyprinus carpio* L., and goldfish, *Carassius auratus* (L.) in mono- and polyculture rearing in tropical ponds. *Aquaculture Research* 37(4):389-397.
- Kahl, U. & R.J. Radke. 2006. Habitat and food resource use of perch and roach in a deep mesotrophic reservoir: enough space to avoid competition? *Ecology of Freshwater Fish* 15(1):48-56.
- Karjalainen, M., B. Kozłowski-Suzuki, M. Lehtiniemi, J. Engström-Öst, H. Kankaanpää & M. Viitasalo. 2006. Nodularin accumulation during cyanobacterial blooms and experimental depuration in zooplankton. *Marine Biology* 148(4):683-691.
- Kempter, J., W. Piasecki, K. Więski & B. Krawczyk. 2006. Systematic position of copepods of the genus *Achtheres* (Crustacea: Copepoda: Siphonostomatoida) parasitizing perch, *Perca fluviatilis* L., and zander, *Sander lucioperca* (L.). *Journal of Fish Diseases* 29(2):103-113.
- Keshavanath, P., Shivanna & B. Gangadhara. 2006. Evaluation of sugarcane by-product pressmud as a manure in carp culture. *Bioresource Technology* 97(4):628-634.
- Kibirige, I., R. Perissinotto & X. Thwala. 2006. A comparative study of zooplankton dynamics in two subtropical temporarily open/closed estuaries, South Africa. *Marine Biology* 148(6):1307-1324.
- Kimmel, D.G., M. R. Roman & X. Zhang. 2006. Spatial and temporal variability in factors affecting mesozooplankton dynamics in Chesapeake Bay: Evidence from biomass size spectra. *Limnology and Oceanography* 51(1):131-141.
- Klaus, A.V. & V. Schwaroch. 2006. Novel methodology utilizing confocal laser scanning microscopy for systematic analysis in arthropods (Insecta). *Integrative and Comparative Biology* 46:207-214.
- Koval', M.V. 2006. Daily feeding rhythm and rations of Pacific salmon of the genus *Oncorhynchus* in the period of marine prespawning migrations. *Journal of Ichthyology* 46(1):83-96.
- Kozłowski-Suzuki, B., P. Carlsson, A. Rühl & E. Granéli. 2006. Food selectivity and grazing impact on toxic *Dinophysis* spp. by copepods feeding on natural plankton assemblages. *Harmful Algae* 5(1):57-68.
- Krajewski, J.P. & R.M. Bonaldo. 2006. Plankton picking by the goatfish *Pseudupeneus maculatus* (Mullidae), a specialized bottom forager. *Journal of Fish Biology* 68(3):925-930.
- Krkošek, M., M. Lewis, J. Volpe & A. Morton. 2006. Fish farms and sea lice infestations of wild juvenile salmon in the Broughton Archipelago — A rebuttal to Brooks (2005). *Reviews in Fisheries Science* 14(1-2):1-11.
- Larink, O. & W. Westheide. 2006. *Coastal Plankton: Photo Guide for European Seas*. Pfeil, Munich. 143 pp., illustrated. Paperback. ISBN 3-89937-062-7.
- Lee, R.F., W. Hagen & G. Kattner. 2006. Lipid storage in marine zooplankton. *Marine Ecology Progress Series* 307:273-306.
- Li, M.H., E.H. Robinson, C.C. Mischke, E.L. Torrans & B.G. Bosworth. 2006. Effects of organic fertilization and organic diets on production of channel catfish in earthen ponds. *North American Journal of Aquaculture* 68(1):53-62.

- Lindeque, P.K., S.J. Hay, M.R. Heath, A. Ingvarsdottir, J. Rasmussen, G.R. Smerdon & J.J. Waniek. 2006. Integrating conventional microscopy and molecular analysis to analyse the abundance and distribution of four *Calanus* congeners in the North Atlantic. *Journal of Plankton Research* 28(2):221-238.
- Liu, H. & R.R. Hopcroft. 2006. Growth and development of *Neocalanus flemingeri/plumchrus* in the northern Gulf of Alaska: validation of the artificial cohort method in cold waters. *Journal of Plankton Research* 28(1):87-101.
- Liu, S.H., S. Sun & B.P. Han. 2006. Viewing DVM via general behaviors of zooplankton: A way bridging the success of individual and population. *Journal of Theoretical Biology* 238(2):435-448.
- Long, J.D. & M.E. Hay. 2006. When intraspecific exceeds interspecific variance: Effects of phytoplankton morphology and growth phase on copepod feeding and fitness. *Limnology and Oceanography* 51(2):988-996.
- Machida, R.J., M.U. Miya, M. Nishida & S. Nishida. 2006. Molecular phylogeny and evolution of the pelagic copepod genus *Neocalanus* (Crustacea: Copepoda). *Marine Biology* 148(5):1071-1079.
- Madurell, T. & J.E. Cartes. 2006. Trophic relationships and food consumption of slope dwelling macrourids from the bathyal Ionian Sea (eastern Mediterranean). *Marine Biology* 148(6):1325-1338.
- Malkin, S.Y., O.E. Johannsson & W.D. Taylor. 2006. Small-bodied zooplankton communities yet strong top-down effects on phytoplankton in the absence of fish. *Archiv für Hydrobiologie* 165(3):313-338.
- Marino, R., F. Chan, R.W. Howarth, M.L. Pace & G.E. Likens. 2006. Ecological constraints on planktonic nitrogen fixation in saline estuaries. I. Nutrient and trophic controls. *Marine Ecology Progress Series* 309:25-39.
- Marques, S.C., U.M. Azeiteiro, J.C. Marques, J.M. Neto & M.Á. Pardal. 2006. Zooplankton and ichthyoplankton communities in a temperate estuary: spatial and temporal patterns. *Journal of Plankton Research* 28(3):297-312.
- Maugeri, T.L., M. Carbone, M.T. Fera & C. Gugliandolo. 2006. Detection and differentiation of *Vibrio vulnificus* in seawater and plankton of a coastal zone of the Mediterranean Sea. *Research in Microbiology* 157(2):194-200.
- Meekan, M.G., J.H. Carleton, C.R. Steinberg, A.D. McKinnon, R. Brinkman, P.J. Doherty, A. Halford, S. Duggan & L. Mason. 2006. Turbulent mixing and mesoscale distributions of late-stage fish larvae on the NW Shelf of Western Australia. *Fisheries Oceanography* 15(1):44-59.
- Michaud, M., M. Milinski, G. Parker & J. Chubb. 2006. Competitive growth strategies in intermediate hosts: experimental tests of a parasite life-history model using the cestode, *Schistocephalus solidus*. *Evolutionary Ecology* 20(1):39-57.
- Miller, S.A. & T.A. Crowl. 2006. Effects of common carp (*Cyprinus carpio*) on macrophytes and invertebrate communities in a shallow lake. *Freshwater Biology* 51(1):85-94.
- Mischke, C.C., D.J. Wise, J.A. Steeby & P.V. Zimba. 2006. Effects of smallmouth buffalo and potassium permanganate treatment on plankton and pond water quality. *North American Journal of Aquaculture* 68(1):36-40.
- Moliner, J.C., O. Anneville, S. Souissi, G. Balvay & D. Gerdeaux. 2006. Anthropogenic and climate forcing on the long-term changes of planktonic rotifers in Lake Geneva, Europe. *Journal of Plankton Research* 28(3):287-296.
- Møller, E.F., T.G. Nielsen & K. Richardson. 2006. The zooplankton community in the Greenland Sea: Composition and role in carbon turnover. *Deep Sea Research Part I: Oceanographic Research Papers* 53(1):76-93.
- Moren, M., I. Opstad, T. Van der Meeren & K. Hamre. 2006. Iodine enrichment of *Artemia* and enhanced levels of iodine in Atlantic halibut larvae (*Hippoglossus hippoglossus* L.) fed the enriched *Artemia*. *Aquaculture Nutrition* 12(2):97-102.
- Moreno, M., T.J. Ferrero, V. Granelli, V. Marin, G. Albertelli & M. Fabiano. 2006. Across shore variability and trophodynamic features of meiofauna in a microtidal beach of the NW Mediterranean. *Estuarine, Coastal and Shelf Science* 66(3-4):357-367.
- Morozińska-Gogol, J. 2006. A checklist of parasites recorded on sticklebacks (Actinopterygii: Gasterosteidae) from Poland. *Parasitology International* 55(1):69-73.
- Morton, A. & R.D. Routledge. 2006. Fulton's condition factor: Is it a valid measure of sea lice impact on juvenile salmon? *North American Journal of Fisheries Management* 26(1):56-62.
- Moustaka-Gouni, M., E. Vardaka, E. Michaloudi, K.A. Kormas, E. Tryfon, H. Mihalatou, S. Gkelis & T. Lanaras. 2006. Plankton food web structure in a eutrophic polymictic lake with a history in toxic cyanobacterial blooms. *Limnology and Oceanography* 51(1, part 2):715-727.
- Mowitz, W.P., E.D. Houde, D.C. Hinkle & A. Sanford. 2006. Growth of planktivorous bay anchovy *Anchoa mitchilli*, top-down control, and scale-dependence in estuarine mesocosms. *Marine Ecology Progress Series* 308:255-269.
- Nagata, T. & T. Hanazato. 2006. Different predation impacts of two cyclopoid species on a small-sized zooplankton community: an experimental analysis with mesocosms. *Hydrobiologia* 556(1):233-242.
- Neumann, T. & W. Fennel. 2006. A method to represent seasonal vertical migration of Zooplankton in 3D-Eulerian models. *Ocean Modelling* 12(1-2):188-204.

- Oberdörster, E., S. Zhu, T.M. Blickley, P. McClellan-Green & M.L. Haasch. 2006. Ecotoxicology of carbon-based engineered nanoparticles: Effects of fullerene (C₆₀) on aquatic organisms. *Carbon* 44(6):1112-1120.
- Ogle, J.T. & J.M. Lotz. 2006. Characterization of an experimental indoor larval production system for red snapper. *North American Journal of Aquaculture* 68(1):86-91.
- Øines, Ø., J.H. Simonsen, J.A. Knutsen & P.A. Heuch. 2006. Host preference of adult *Caligus elongatus* Nordmann in the laboratory and its implications for Atlantic cod aquaculture. *Journal of Fish Diseases* 29(3):167-174.
- Olin, M., M. Rask, J. Ruuhijärvi, J. Keskitalo, J. Horppila, P. Tallberg, T. Taponen, A. Lehtovaara & I. Sammalkorpi. 2006. Effects of biomanipulation on fish and plankton communities in ten eutrophic lakes of southern Finland. *Hydrobiologia* 553(1):67-88.
- Olivotto, I., S.A. Holt, O. Carnevali & G.J. Holt. 2006. Spawning, early development, and first feeding in the lemonpeel angelfish *Centropyge flavissimus*. *Aquaculture* 253(1-4):270-278.
- Olsen, Y., S. Agustí, T. Andersen, C.M. Duarte, J.M. Gasol, I. Gismervik, A.-S. Heiskanen, E. Hoell, P. Kuuppo, R. Lignell, H. Reinertsen, U. Sommer, H. Stibor, T. Tamminen, O. Vadstein, D. Vaqué & M. Vidal. 2006. A comparative study of responses in plankton food web structure and function in contrasting European coastal waters exposed to experimental nutrient addition. *Limnology and Oceanography* 51(1, part 2):488-503.
- **Ooishi, S. 2006. Two species of *Botryllophilus* (Copepoda: Cyclopoida) living in compound ascidians, and a revision of female morphotype A of the genus. *Journal of Crustacean Biology* 26(1):23-47.
- Ortubay, S., V. Cussac, M. Battini, J. Barriga, J. Aigo, M. Alonso, P. Macchi, M. Reissig, J. Yoshioka & S. Fox. 2006. Is the decline of birds and amphibians in a steppe lake of northern Patagonia a consequence of limnological changes following fish introduction? *Aquatic Conservation* 16(1):93-105.
- Orvoine, J., L. Hare & A. Tessier. 2006. Competition between protons and cadmium ions in the planktonic food chain leading to the phantom midge *Chaoborus*. *Limnology and Oceanography* 51(2):1013-1020.
- Pace, M.L. & D.J. Lonsdale. 2006. Ecology of the Hudson River Zooplankton Community. Pp. 217-229 In: Levinton, J.S. & J.R. Waldman (eds.). *The Hudson River Estuary*. Cambridge University Press, Cambridge, U.K. 496 pp.
- Pagano, M., G. Champalbert, M. Aka, E. Kouassi, R. Arfi, P. Got, M. Trousselier, E.H. N'Dour, D. Corbin & M. Bouvy. 2006. Herbivorous and microbial grazing pathways of metazooplankton in the Senegal River Estuary (West Africa). *Estuarine, Coastal and Shelf Science* 67(3):369-381.
- Palardy, J.E., A.G. Grotoli & K.A. Matthews. 2006. Effect of naturally changing zooplankton concentrations on feeding rates of two coral species in the Eastern Pacific. *Journal of Experimental Marine Biology and Ecology* 331(1):99-107.
- Pavez, M.A., L.R. Castro & H.E. González. 2006. Across-shelf predatory effect of *Pleurobrachia bachei* (Ctenophora) on the small-copepod community in the coastal upwelling zone off northern Chile (23°S). *Journal of Plankton Research* 28(2):115-129.
- Pease, A.A., J. Davis, M.S. Edwards & T.F. Turner. 2006. Habitat and resource use by larval and juvenile fishes in an arid-land river (Rio Grande, New Mexico). *Freshwater Biology* 51(3):475-486.
- Pelicice, F.M. & A.A. Agostinho. 2006. Feeding ecology of fishes associated with *Egeria* spp. patches in a tropical reservoir, Brazil. *Ecology of Freshwater Fish* 15(1):10-19.
- Perez, P., D. Libkind, M.del C. Dieguez, M. Summerer, B. Sonntag, R. Sommaruga, M. van Broock & H.E. Zagarese. 2006. Mycosporines from freshwater yeasts: a trophic cul-de-sac? *Photochemical & Photobiological Sciences* 5(1):25-30.
- Pipán, T., A. Blejec & A. Brancelj. 2006. Multivariate analysis of copepod assemblages in epikarstic waters of some Slovenian caves. *Hydrobiologia* 559(1):213-223.
- Poulet, S.A., T. Wichard, J.B. Ledoux, B. Lebreton, J. Marchetti, C. Dancie, D. Bonnet, A. Cuff, P. Morin & G. Pohnert. 2006. The influence of diatoms on copepod reproduction. I. Field and laboratory observations related to *Calanus helgolandicus* egg production. *Marine Ecology Progress Series* 308:129-142.
- Prince, E.K., E. Lettieri, K.J. McCurdy & J. Kubanek. 2006. Fitness consequences for copepods feeding on a red tide dinoflagellate: deciphering the effects of nutritional value, toxicity, and feeding behavior. *Oecologia* 147(3):479-488.
- Prokopchuk, I. & E. Sentyabov. 2006. Diets of herring, mackerel, and blue whiting in the Norwegian Sea in relation to *Calanus finmarchicus* distribution and temperature conditions. *ICES Journal of Marine Science* 63(1):117-127.
- Raikow, D.F., D.F. Reid, E.E. Maynard & P.F. Landrum. 2006. Sensitivity of aquatic invertebrate resting eggs to SeaKleen (Menadione): a test of potential ballast tank treatment options. *Environmental Toxicology and Chemistry* 25(2):552-559.
- Rakhesh, M., A.V. Raman & D. Sudarsan. 2006. Discriminating zooplankton assemblages in neritic and oceanic waters: A case for the northeast coast of India, Bay of Bengal. *Marine Environmental Research* 61(1):93-109.
- Rasch, E.M. & G.A. Wyngaard. 2006. Genome sizes of cyclopoid copepods (Crustacea): Evidence of evolutionary constraint. *Biological Journal of the Linnean Society* 87(4):625-635.
- Renz, J. & H.-J. Hirche. 2006. Life cycle of *Pseudocalanus acuspes* Giesbrecht (Copepoda, Calanoida) in the Central

- Baltic Sea: I. Seasonal and spatial distribution. *Marine Biology* 148(3):567-580.
- Rettig, J., L. Schuman & J. McCloskey. 2006. Seasonal patterns of abundance: do zooplankton in small ponds do the same thing every spring-summer? *Hydrobiologia* 556(1):193-207.
- Richardson, A.J., A.W. Walne, A.W.G. John, T.D. Jonas, J.A. Lindley, D.W. Sims, D. Stevens & M. Witt. 2006. Using continuous plankton recorder data. *Progress in Oceanography* 68(1):27-74.
- Richmond, C., N.H. Marcus, C. Sedlacek, G.A. Miller & C. Oppert. 2006. Hypoxia and seasonal temperature: Short-term effects and long-term implications for *Acartia tonsa* Dana. *Journal of Experimental Marine Biology and Ecology* 328(2):177-196.
- Roberts, D.A. & A.G.B. Poore. 2006. Habitat configuration affects colonisation of epifauna in a marine algal bed. *Biological Conservation* 127(1):18-26.
- Roberts, M.E., B.M. Burr, M.R. Whiles & V.J. Santucci, Jr. 2006. Reproductive ecology and food habits of the blacknose shiner, *Notropis heterolepis*, in northern Illinois. *American Midland Naturalist* 155(1):70-83.
- Sabbah, S. & N. Sashar. 2006. Polarization contrast of zooplankton: A model for polarization-based sighting distance. *Vision Research* 46(4):444-456.
- Sánchez-Bayo, F. 2006. Comparative toxicity of organic pollutants and reference values for crustaceans. I. Branchiopoda, Copepoda and Ostracoda. *Environmental Pollution* 139(3):385-420.
- Santer, B. & A.-M. Hansen. 2006. Diapause of *Cyclops vicinus* in Lake Søbygård: Indication of a risk-spreading strategy. *Hydrobiologia* 560(1):217-226.
- Sarkar, R.R., S.V. Petrovskii, M. Biswas, A. Gupta & J. Chattopadhyay. 2006. An ecological study of a marine plankton community based on the field data collected from Bay of Bengal. *Ecological Modelling* 193(3-4):589-601.
- Sarnelle, O. & R.A. Knapp. 2006. Erratum: Nutrient recycling by fish versus zooplankton grazing as drivers of the trophic cascade in alpine lakes. *Limnology and Oceanography* 51(1):349.
- Scheffer, M., G.J. van Geest, K. Zimmer, E. Jeppesen, M. Søndergaard, M.G. Butler, M.A. Hanson, S. Declerck & L. De Meester. 2006. Small habitat size and isolation can promote species richness: second-order effects on biodiversity in shallow lakes and ponds. *Oikos* 112 (1):227-231.
- Schirripa, M.J. & J.J. Colbert. 2006. Interannual changes in sablefish (*Anoplopoma fimbria*) recruitment in relation to oceanographic conditions within the California Current System. *Fisheries Oceanography* 15(1):25-36.
- Schmitt, F.G., L. Seuront, J.-S. Hwang, S. Souissi & L.-C. Tseng. 2006. Scaling of swimming sequences in copepod behavior: Data analysis and simulation. *Physica A: Statistical Mechanics and Its Applications* 364:287-296.
- Schwamborn, A., W. Ekau, A.P. Silva, S.H.L. Schwamborn, T.A. Silva, S. Neumann-Leitão & U. Saint-Paul. 2006. Ingestion of large centric diatoms, mangrove detritus, and zooplankton by zoeae of *Aratus pisonii* (Crustacea: Brachyura: Grapsidae). *Hydrobiologia* 560(1):1-13.
- Scott-Holland, T.B., S.M. Bennett & M.B. Bennett. 2006. Distribution of an asymmetrical copepod, *Hatschekia plectropomi*, on the gills of *Plectropomus leopardus*. *Journal of Fish Biology* 68(1):222-235.
- Sellanes, J. & C. Neira. 2006. ENSO as a natural experiment to understand environmental control of meiofaunal community structure. *Marine Ecology* 27(1):31-43.
- Semenchenko, V.P. 2006. Role of macrophages in the variability of zooplankton community structure in the littoral zone of shallow lakes. *Sibirskiy Ekologicheskii Zhurnal / Siberian Journal of Ecology* 13(1):89-96. [In Russian; abstract in English.]
- Seo, J.S., Y.-M. Lee, H.K. Park & J.-S. Lee. 2006. The intertidal copepod *Tigriopus japonicus* small heat shock protein 20 gene (*Hsp20*) enhances thermotolerance of transformed *Escherichia coli*. *Biochemical and Biophysical Research Communications* 340(3):901-908.
- Sever, T.M., B. Bayhan, M. Bilecenoglu & S. Mavili. 2006. Diet composition of the juvenile chub mackerel (*Scomber japonicus*) in the Aegean Sea (Izmir Bay, Turkey). *Journal of Applied Ichthyology* 22(2):145-148.
- Shahidul Islam, M., M. Hibino, K. Nakayama & M. Tanaka. 2006. Condition of larval and early juvenile Japanese temperate bass *Lateolabrax japonicus* related to spatial distribution and feeding in the Chikugo estuarine nursery ground in the Ariake Bay, Japan. *Journal of Sea Research* 55(2):141-155.
- Shahidul Islam, M., M. Hibino & M. Tanaka. 2006. Distribution and dietary relationships of the Japanese temperate bass *Lateolabrax japonicus* juveniles with two contrasting copepod assemblages in estuarine nursery grounds in the Ariake Sea, Japan. *Journal of Fish Biology* 68(2):569-593.
- Shiel, R.J., J.F. Costelloe, J.R.W. Reid, P. Hudson & J. Powling. 2006. Zooplankton diversity and assemblages in arid zone rivers of the Lake Eyre Basin, Australia. *Marine and Freshwater Research* 57(1):49-60.
- Shimode, S., T. Toda & T. Kikuchi. 2006. Spatio-temporal changes in diversity and community structure of planktonic copepods in Sagami Bay, Japan. *Marine Biology* 148(3):581-597.
- Skoglund, H. & B.T. Barlaup. 2006. Feeding pattern and diet of first feeding brown trout fry under natural conditions. *Journal of Fish Biology* 68(2):507-521.
- Sommer, U. & F. Sommer. 2006. Cladocerans versus copepods: the cause of contrasting top-down controls on freshwater and marine phytoplankton. *Oecologia* 147(2):183-194.
- Strayer, D.L. 2006. The benthic animal communities of the tidal-freshwater Hudson River estuary. Pp. 266-278 In: Levinton, J.S. & J.R. Waldman (eds.). *The Hudson River*

- Estuary. Cambridge University Press, Cambridge, U.K. 496 pp.
- Thistle, D., L. Sedlacek, K.R. Carman, J.W. Fleeger, P.G. Brewer & J.P. Barry. 2006. Simulated sequestration of industrial carbon dioxide at a deep-sea site: Effects on species of harpacticoid copepods. *Journal of Experimental Marine Biology and Ecology* 330(1):151-158.
- Thorisson, K. 2006. How are the vertical migrations of copepods controlled? *Journal of Experimental Marine Biology and Ecology* 329(1):86-100.
- Timi, J.T. & A. Lanfranchi. 2006. Size relationships between the parasitic copepod, *Lernanthropus cynoscicola*, and its fish host, *Cynoscion guatucupa*. *Parasitology* 132(Pt 2):207-213.
- Tirok, K. & U. Gaedke. 2006. Spring weather determines the relative importance of ciliates, rotifers and crustaceans for the initiation of the clear-water phase in a large, deep lake. *Journal of Plankton Research* 28(4):361-373.
- Tjensvoll, K., K.A. Glover & A. Nylund. 2006. Sequence variation in four mitochondrial genes of the salmon louse *Lepeophtheirus salmonis*. *Diseases of Aquatic Organisms* 68:251-259.
- Trochine, C., B. Modenutti & E. Balseiro. 2006. Influence of spatial heterogeneity on predation by the flatworm *Mesostoma ehrenbergii* (Focke) on calanoid and cyclopoid copepods. *Journal of Plankton Research* 28(3):267-274.
- Ueda, H. & A. Bucklin. 2006. *Acartia* (*Odontacartia*) *ohtsukai*, a new brackish-water calanoid copepod from Ariake Bay, Japan, with a redescription of the closely related *A. pacifica* from the Seto Inland Sea. *Hydrobiologia* 560(1):77-91.
- Van, M.V., A.B. Abol-Munafi, A.W.M. Effendy & M. Awang Soh. 2005. The effect of different diets on proteolytic enzymes activity of early marble goby (*Oxyeleotris marmoratus*) larvae. *Journal of Animal Veterinary Advances* 4(10):835-838.
- Veloza, A.J., F.-L.E. Chu & K.W. Tang. 2006. Trophic modification of essential fatty acids by heterotrophic protists and its effects on the fatty acid composition of the copepod *Acartia tonsa*. *Marine Biology* 148(4):779-788.
- Vidjak, O., N. Bojanic, G. Kušpilić, I. Marasovic, Ž.N. Gladan & I. Brautovic. 2006. Annual variability and trophic relations of the mesozooplankton community in the eutrophicated coastal area (Vranjic Basin, eastern Adriatic Sea). *Journal of the Marine Biological Association of the United Kingdom* 86(1):19-26.
- Villanueva, M.C., M. Ouedraogo & J. Moreau. 2006. Trophic relationships in the recently impounded Bagré reservoir in Burkina Faso. *Ecological Modelling* 191(2):243-259.
- Voss, R., C. Clemmesen, H. Baumann & H.H. Hinrichsen. 2006. Baltic sprat larvae: coupling food availability, larval condition and survival. *Marine Ecology Progress Series* 308:243-254.
- Ward, P., R. Shreeve, A. Atkinson, B. Korb, M. Whitehouse, S. Thorpe, D. Pond & N. Cunningham. 2006. Plankton community structure and variability in the Scotia Sea: austral summer 2003. *Marine Ecology Progress Series* 309:75-91.
- Warwick, R.M., S.L. Dashfield & P.J. Somerfield. 2006. The integral structure of a benthic infaunal assemblage. *Journal of Experimental Marine Biology and Ecology* 330(1):12-18.
- Watanabe, Y., A. Yamaguchi, H. Ishida, T. Harimoto, S. Suzuki, Y. Sekido, T. Ikeda, Y. Shirayama, M. Mac Takahashi, T. Ohsumi & J. Ishizaka. 2006. Lethality of increasing CO₂ levels on deep-sea copepods in the western North Pacific. *Journal of Oceanography* 62(2):185-196.
- Werner, I. 2006. Seasonal dynamics of sub-ice fauna below pack ice in the Arctic (Fram Strait). *Deep Sea Research Part I: Oceanographic Research Papers* 53(2):294-309.
- Wu, L.-S., G.-Z. Wang & S.-J. Li. 2006. Seasonal variation in diel production pattern of *Centropages tenuiremis* in Xiamen waters, China. *Hydrobiologia* 559(1):225-231.
- Zauke, G.-P. & I. Schmalenbach. 2006. Heavy metals in zooplankton and decapod crustaceans from the Barents Sea. *Science of the Total Environment* 359(1-3):283-294.
- Zeller, M., T.B.H. Reusch & W. Lampert. 2006. A comparative population genetic study on calanoid freshwater copepods: Investigation of isolation-by-distance in two *Eudiaptomus* species with a different potential for dispersal. *Limnology and Oceanography* 51(2):117-124.
- Zhang, W., H. Li, T. Xiao, J. Zhang, C. Li & S. Sun. 2006. Impact of microzooplankton and copepods on the growth of phytoplankton in the Yellow Sea and East China Sea. *Hydrobiologia* 553(1):357-366.
- Zuo, T., R. Wang, Y.-q. Chen, S.-w. Gao & K. Wang. 2006. Autumn net copepod abundance and assemblages in relation to water masses on the continental shelf of the Yellow Sea and East China Sea. *Journal of Marine Systems* 59:159-172.

RECENT THESES and DISSERTATIONS

- Ávila, Tatiana Ramos. 2004. Determinação da CL₅₀ e dos efeitos subletais da fração solúvel do petróleo e de um dispersante no copépode planctônico *Acartia tonsa*. [Determination of the LC₅₀ and the sublethal effects of the soluble fraction of petroleum and a dispersant in the planktonic copepod *Acartia tonsa*.] Trabalho de Conclusão de Curso. (Graduação em Oceanologia) [Undergraduate Thesis], Fundação Universidade Federal do Rio Grande (FURG), Rio Grande, Rio Grande do Sul, Brazil. 55 pp. [In Portuguese.]

- Baud, Alexandra. 2004. Le tube digestif de quelques Copépodes (Crustacea): modifications structurales et ultrastructurales en fonction de l'ontogénèse, du mode de vie et de la diapause. The gut of some copepod species: structural and ultrastructural modifications linked to ontogenesis, way of life and diapause. Thèse Doctorat, Université Aix-Marseille 1, Marseilles, France. 107 pp. [In French; abstract in English.]
- Bicudo, Alvaro de Almeida. 2005. Composição e estrutura da comunidade parasitária de *Prionotus punctatus* (Osteichthyes: Triglidæ) do litoral do Estado do Rio de Janeiro. [Composition and structure of the parasite community of *Prionotus punctatus* (Osteichthyes: Triglidæ) of the coastal zone of the State of Rio de Janeiro.] Dissertação de Mestrado em Ciências Veterinárias, Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. [In Portuguese.]
- Bills, Jena. 2004. Is mid-ocean exchange effective in preventing the invasion of estuaries by zooplankton from ships' ballast tanks? M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Blackmon, Derrick C. 2005. Diel vertical migration of seagrass-associated benthic invertebrates: A novel escape mechanism that provides an allochthonous input of seagrass-based production to coral reef resident predators. Ph.D. Thesis, University of South Alabama, Mobile, Alabama, U.S.A. 120 pp.
- Boeckman, Chad Jarrod. 2005. The influence of environmental variables on contaminant effects in an ephemeral wetland in central Oklahoma. M.S. Thesis, Oklahoma State University, Stillwater, Oklahoma, U.S.A. 99 pp.
- Bouley, Paola. 2005. The ecology of a highly abundant, introduced estuarine copepod in the low-salinity zone of the San Francisco Estuary. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Brucet-Balmaña, Sandra. 2004. Zooplankton structure and dynamics in Mediterranean marshes (Empordà Wetlands): a size-based approach. Universitat de Girona, Girona, Spain. [In Catalan; abstracts in English, Castilian Spanish.]
- Busch, M. 2005. Parasite fauna of meso- and bathypelagic fish of the Greenland- and Irminger Sea. [Parasitenfauna meso- und bathypelagischer Tiefseefische der Grönland- und Irmingersee.] M.Sc. Thesis, University of Düsseldorf, Düsseldorf, Germany.
- Cardozo, Alessandro P. 2004. Influência de diferentes salinidades na reprodução e crescimento de *Acartia tonsa* (Copepoda, Calanoida) [Influence of different salinities on the reproduction and growth of *Acartia tonsa* (Copepoda, Calanoida).] Trabalho de Conclusão de Curso (Graduação em Oceanologia) [Undergraduate Thesis], Fundação Universidade Federal do Rio Grande (FURG), Rio Grande, Rio Grande do Sul, Brazil. 23 pp. [In Portuguese.]
- Climenco, Vitalie Vladimir. 2005. Structura și funcționarea comunităților de zooplancton în ecosistemele acvatice din bazinul hidrografic al fluviului nistru. Structure and functioning of zooplankton communities in aquatic ecosystems of the Dniester River basin. Tezei de doctorat în științe biologice, Academia de Științe a Moldovei, Institutul de Zoologie, Chișinău, Moldova. 124 pp. [In Romanian, summaries in English and Russian.]
- Daniel, Cesar Bolivar. 2005. The importance of terrestrial carbon in plankton food webs (*Poteroochromonas malhamensis*). Ph.D. Thesis, Lund University, Lund, Sweden. 84 pp.
- Delorenzo, Amy Susanna. 2005. An assessment of the habitat quality and nutritional intake of North Atlantic right whales in Cape Cod Bay. Ph.D. Thesis, University of Rhode Island, Kingston, Rhode Island, U.S.A. 229 pp.
- Eberl, Renate. 2005. *Macrosetella gracilis*: copepod abundance, population-structure and association with the nitrogen-fixing cyanobacterium *Trichodesmium*. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Funk, Kevin. 2005. Development of mechanosensory responses in myelinated copepods. M.A. Thesis, University of Hawai'i, Honolulu, Hawai'i, U.S.A.
- Green, Curtis Eliot. 2005. The effect of kairomone presence from an invertebrate and vertebrate predator species, *Heterocope septentrionalis* and *Thymallus arcticus*, on *Daphnia middendorffiana* in Arctic waters. The University of North Carolina at Greensboro, Greensboro, North Carolina, U.S.A. 26 pp.
- Holzappel, Angela Marie. 2005. The potential adaptability of alpine zooplankton communities to environmental warming. M.Sc. Thesis, University of Alberta, Edmonton, Alberta, Canada.
- Jackson, Alison. 2005. The importance of predation by the macroinvertebrate *Graphoderus liberus* (Coleoptera: Dytiscidae), on crustacean zooplankton. M.Sc. Thesis, Queen's University at Kingston, Kingston, Ontario, Canada. 71 pp.
- Jakob, E. 2005. Fish parasites from the southern coast of Java, Indonesia. (Fischparasiten von der Südküste Javas, Indonesien.) M.Sc. Thesis, University of Düsseldorf, Düsseldorf, Germany.
- Kaminski, Sonia Márcia. 2004. Influência da alimentação na reprodução do copépode Calanoida *Acartia tonsa* Dana 1849, em cultivo intensivo. Influence of food on the reproduction of the copepod Calanoida *Acartia tonsa* Dana 1849, in intensive culture.] Dissertação de Mestrado em Aquicultura, Universidade Federal de Santa Catarina, Florianópolis, Santa Catarina, Brazil [In Portuguese.]
- Kelchner, Charlotte. 2005. Transfer of organic matter from surface waters to the sea floor: Fecal pellet flux in the Ross Sea. M.A. Thesis, Rice University, Houston, Texas, U.S.A. 43 pp.

- Kruse, S. 2005. Auswirkungen einer induzierten Phytoplanktonblüte auf die Nahrungsaufnahme antarktischer Copepoden während des europäischen Eisendüngungsexperimentes (EIFEX). [Effects of an induced phytoplankton bloom on the food intake of Antarctic copepods during the European iron fertilization experiment (EIFEX).] Ph.D. Dissertation, Universität Bremen, Bremen, Germany. [In German.]
- Lehnen, Tagor Carlos. 2006. Alimentação de larvas do camarão *Farfantepenaeus paulensis* com o copépode *Acartia tonsa*. [Feeding larvae of the shrimp *Farfantepenaeus paulensis* with the copepod *Acartia tonsa*.] Dissertação de Mestrado, Fundação Universidade Federal do Rio Grande (FURG), Rio Grande, Rio Grande do Sul, Brazil. [In Portuguese.]
- Orihel, Diane M. 2005. The effects of changes of atmospheric mercury deposition on the bioaccumulation of mercury by fish. Master of Natural Resources Management Thesis, Natural Resources Institute, University of Manitoba, Winnipeg, Manitoba, Canada. 210 pp.
- Oyadomari, Jason K. 2005. Ecology of larval fishes and large zooplankton in the Keweenaw Current region of Lake Superior, with special focus on lake herring, *Coregonus artedii*. Ph.D. Thesis, Michigan Technological University, Houghton, Michigan, U.S.A. 175 pp.
- Papastephanou, Kathy. 2004. Cross-shelf distribution of copepods in the Central California upwelling zone. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A.
- Petrik-Finley, Rachel J. 2005. The impact of a gill copepod on the demography of a reef fish host. Ph.D. Thesis, University of Rhode Island, Kingston, Rhode Island, U.S.A. 190 pp.
- Rawlings, Tonya Kafi. 2005. Interactions of *Vibrio cholerae* serogroups O1 and O139 and copepods. Ph.D. Thesis, University of Maryland, College Park, Maryland, U.S.A. 146 pp.
- Reaugh, Matthew L. 2005. The effects of freshwater flow and grazing on the plankton community structure of Chesapeake Bay tributaries. M.S. Thesis, University of Maryland, College Park, Maryland, U.S.A. 122 pp.
- Thieltges, D.W. 2005. Macroparasites in molluscs of the Wadden Sea. Ph.D. Dissertation, Christian-Albrechts Universität Kiel, Kiel, Germany.
- Tjensvoll, Kjersti. 2006. Studies on the mitochondrial genome and rDNA genes from the salmon louse, *Lepeophtheirus salmonis*. Ph.D. Thesis, University of Bergen, Bergen, Norway.
- Utteri, Marco. 2005. Swimming behaviour and prey capture in the calanoid copepod *Clausocalanus furcatus*. Ph.D. Thesis, Open University of London, London, U.K.; sponsoring establishment, Stazione Zoologica "Anton Dohrn" of Naples. 163 pp.
- Walker, Steven C. 2005. Testing and extending the neutral theory of biodiversity in lake communities. M.Sc. Thesis, University of Toronto, Toronto, Ontario, Canada.
- Wilson, Christian J. 2005. Pharmaceuticals in the environment: Assessment of effects on freshwater ecosystems using microcosms. M.Sc. Thesis, University of Guelph, Guelph, Ontario, Canada.
- Wollenberger, Leah. 2005. Toxicity tests with crustaceans for detecting sublethal effects of potential endocrine disrupting chemicals. Ph.D. Thesis, Technical University of Denmark, Lyngby, Denmark. 62 pp.
- Yuniar, A. 2005. Parasites of marine fish from Segara Anakan, Java, Indonesia and its possible use as biological indicators. M.Sc. Thesis, University of Bremen, ISATEC- Program, Bremen, Germany.

***** Titles received by the Monoculus-Library are indicated by asterisks. *****