



# MONOCULUS Copepod Newsletter

*The Newsletter of the World Association of Copepodologists*

Number 52A – Supplement

January 2007

## CONTENTS

Editor's Notes .....	1
Plea for Reprints .....	1
Recent Publications .....	2

*MONOCULUS Editor:* Janet W. Reid  
Research Associate, Division of Science & Learning  
Virginia Museum of Natural History  
21 Starling Avenue, Martinsville, Virginia 24112, U.S.A.  
Tel. +1 276 656 6719; Fax. +1 276 656 6701  
E-mail jwrassociates@sitestar.net

*Deadline for submissions to the next number of  
MONOCULUS: 15 October 2007*

Material in *MONOCULUS* is reviewed only by the Editor.  
This newsletter is not part of the scientific literature and is  
not to be cited, abstracted, or reprinted as a published  
document. Using the illustrations or text for other purposes  
requires previous agreement by the Editor.

—  
ISSN 1543-0731 (On-line version)  
ISSN 0722-5741 (Printed version)

—  
WAC Homepage  
[http://www.copepoda.uconn.edu](http://www copepoda uconn edu)  
*MONOCULUS* Homepage  
<http://www.copepoda.uconn.edu/newsletter>

**Each number of *MONOCULUS* is announced on:**

Copepoda List [copepoda@listas.usp.br](mailto:copepoda@listas.usp.br)  
Crust-L [crust-l@vims.edu](mailto:crust-l@vims.edu)  
Planktonnet [planktonnet@yahoogroups.com](mailto:planktonnet@yahoogroups.com)  
Copepod List [copepods@yahoogroups.com](mailto:copepods@yahoogroups.com)

## Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*. Grateful thanks to the donors of reprints to the Monoculus and Wilson libraries.

The year of publication as given refers to the year in which the printed version of the journal was distributed, and not the year when it first became available online, if these are different.

This supplement will be posted in pdf format on the

WAC website. For their convenience, WAC members may request a copy of the file from me. I will send it as an e-mail attachment in Word.

Cristina Bruno, Mercedes Cordero, Michel Hendrickx, Federico Marrone, Andreea Oarga, and Vera Vukanic graciously provided literature references and, in some cases, reprints. Other colleagues have already donated reprints of articles which were listed in previous numbers, to the Monoculus Library.

Translations of titles in languages other than English (if not given by the source) are provided by the management.

— Jan Reid  
Martinsville, U.S.A.

## Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!  
Both paper copies and pdf files are welcome.

To the Monoculus-Library:  
C/o Prof. Dr. Pedro Martínez Arbizu  
Forschungsinstitut Senckenberg  
DZMB-Forschungsinstitut Senckenberg  
Monoculus-Library  
Suedstrand 44  
D-26382 Wilhelmshaven  
Germany  
E-mail: [pmartinez@senckenberg.de](mailto:pmartinez@senckenberg.de)

Mail to the C. B. Wilson Library should be sent to the address below. Mail sent to other (older) addresses may be irradiated, which will severely damage the paper.

C/o Mr. T. Chad Walter  
Smithsonian Institution  
PO Box 37012  
NMNH, MRC-163  
Washington DC 20013-7012  
U.S.A.  
E-mail: [WALTERC@si.edu](mailto:WALTERC@si.edu)

## Recent Publications on Copepoda

Compiled by Jan Reid and Chad Walter  
(National Museum of Natural History, Washington,  
D.C., U.S.A.)

Older publications that were recently listed in the "World of Copepoda" bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and "gray literature"), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the "World of Copepoda" database.

### 1997 and before

- Abe, N. 1989. Four harpacticoid copepods found in freshwater plankton samples from Niigata Prefecture. *Niigata-ken Seibutsu-kyoiku Kenkyu-kaishi* 24:5-9. [In Japanese.]
- Almeida-Peña, C. 1996. Estudio de la biomasa y de la actividad de la enzima "Aspartato transcarbamila (ATC)" en el mesozooplancton en diferentes áreas oceanográficas. [Study of the biomass and the activity of the enzyme "Aspartate transcarbamylase (ATC)" in the mesozooplankton in different oceanographic areas.] Ph.D. Thesis, Universidad de Las Palmas de Gran Canaria, Canary Islands. [In Spanish.]
- Araújo, H.M.P. 1996. Zooplâncton do Estuário dos Rios Piauí e Fundo (Sergipe, Brasil): flutuações espaciais, sazonais e tidais. [Zooplankton of the estuary of the Piauí and Fundo rivers (Sergipe, Brazil): spatial, seasonal and tidal fluctuations.] Doctoral Thesis, Universidade Federal do Paraná, Curitiba, Paraná, Brazil. 193 pp. [In Portuguese.]
- Arts, M.T. & W.G. Sprules. 1989. Use of enclosures to detect the contribution of particular zooplankton to growth of young-of-the-year yellow perch (*Perca flavescens* Mitchell). *Oecologia* 81:21-27.
- Bakay, Yu.I. 1997. On results of usage of parasitological data during studying the intraspecies structure of *Sebastes mentella* Travin of the North Atlantic. The First Congress of Ichthyologists of Russia. Theses of papers. VNIRO, Moscow. 35 pp. [In Russian.]
- Blaustein, L. & H.J. Dumont. 1990. Typhloplanid flatworms (*Mesostoma* and related genera): Mechanisms of predation and evidence that they structure aquatic invertebrate communities. *Hydrobiologia* 198(1):61-77.
- Burton, T.M. 1976. An analysis of the feeding ecology of the salamanders (Amphibia, Urodela) of the Hubbard Brook Experimental Forest, New Hampshire. *Journal of Herpetology* 10:187-204.
- Bykhovskaya-Pavlovskaya, I.E. 1985. Parasites of fish. Guidelines on studies. Nauka, Leningrad. 120 pp. [In Russian.]
- Calderwood, W.L. 1906. 'The white spot' affecting salmon in the island of Lewis. *Annual Report of the Fisheries Board of Scotland, Glasgow. Part II: Report on Salmon Fisheries*. James Hedderwick and Sons, Glasgow, 24:78-80.
- Caldwell, R.S. & W.C. Houtcooper. 1973. Food habitats of larval *Eurycea wilderae*. *Journal of Herpetology* 7:386-388.
- Castro-Hernández, J.J. 1991. Ecología trófica de la caballa (*Scomber japonicus* Houttuyn, 1780) en aguas del archipiélago canario. [Trophic ecology of the chub mackerel (*Scomber japonicus* Houttuyn, 1780) in waters of the Canaries archipelago.] Tesis Doctoral, Universidad de las Palmas de Gran Canaria, Las Palmas, Canary Islands. [In Spanish.]
- Ceccarelli, P.S. 1988. Susceptibilidade a infestação de *Lernaea* Copepoda, Lernaeidae, Linnaeus em diferentes espécies de peixes cultivados no CEPTA e testes de infestação do pacu (*Piaractus mesopotamicus*). [Susceptibility to infestation of *Lernaea* Copepoda, Lernaeidae, Linnaeus in different species of fishes raised at the CEPTA and tests for infestation of the pacu (*Piaractus mesopotamicus*).] Boletim Técnico do CEPTA, Pirassununga, São Paulo 1:31-35. [In Portuguese.]
- Cleewycz, A.G. & A.C. Wertheimer. 1996. Prey availability to juvenile salmon after the Exxon Valdez Oil Spill. *American Fisheries Society Symposium* 18:564-577.
- Choi, S.D. 1997. Present situation of diseases occurred with cultured marine fishes in Kamak Bay. *Journal of Aquaculture* 10(1):9-15.
- Chojnacki, J.C. 1988. Respiration of common antarctic copepods in the austral summer. In: Jahn, A., J. Pereyma & A. Szczepankiewicz-Szmyrka (eds.). General status and selected problems of Polish Polar Research. 15th Polar Symposium, Wrocław, 19-21 May 1988. University of Wrocław. Pp. 351-354.
- Cooney, R.T. 1986. Zooplankton. In: Hood, D.W. & S.T. Zimmerman (eds.). *The Gulf of Alaska: Physical Environment and Biological Resources*. U.S. Government Printing Office, Washington, D.C. 654 pp. Pp. 285-303.
- Cuffney, T.F., J.B. Wallace & J.R. Webster. 1984. Pesticide manipulation of a headwater stream: invertebrate responses and their significance for ecosystem processes. *Freshwater Invertebrate Biology* 3(4):153-171.
- Dimov, I. 1962. La faune planctonique du littoral occidental de la Mer Noire pendant la période 1957-1959. [The planktonic fauna of the western coastal area of the Black Sea during the period 1957-1959.] *Bulletin de l'Institut Central de Recherches Scientifiques sur la Pisciculture et la Peche, Varna* 2:5-27. [In French.]
- Dimov, I. 1962. Sur l'influence des courants pour la répartition du zooplancton. [On the influence of currents for the distribution of zooplankton.] *Comptes Rendus de l'Académie Bulgare des Sciences* 15(3):309-312. [In French.]

- Dimov, I. 1966. Sur la répartition verticale du zooplancton dans la Mer Noire dans une couche d'eau relativement homogène. [On the vertical distribution of zooplankton in the Black Sea in a relatively homogeneous watermass.] Comptes Rendus de l'Académie Bulgare des Sciences 19(12):1179-1182. [In French.]
- Dung, L. 1990. [Herbs and their application for control fish disease in Vietnam.] Technical Paper, National Aquaculture Research Institute, Vietnam. 7 pp. [In Vietnamese.]
- Eman, Y. 1996. Studies on the ectoparasites of *Oreochromis niloticus*, fresh water fish species, in Suez Canal area. M.Sc. Thesis, Faculty of Veterinary Medicine, Suez Canal University, Ismailia, Egypt.
- Gaard, E. 1997. Across shelf advection of *Calanus finmarchicus* to the Faroe Shelf. A cruise with R/V "Magnus Heinason", 2.-7. April 1997. TASC Newsletter 9:4-5.
- Gaard, E. & J. Reinert. 1996. Pelagic cod and haddock juveniles: Distribution, diets and feeding habitats. ICES C.M. 1996/L:16, 16 pp.
- Ghittino, C. 1987. Positive control of buccal lernaeosis in eel farming. Rivista Italiana di Piscicoltura e Ittiopatologia 22(1):26-29.
- Gisbert, E., L. Cardona & F. Castello. 1996. Resource partitioning among planktivorous fish larvae and fry in a Mediterranean coastal lagoon. Estuarine, Coastal and Shelf Science 43(6):723-735.
- Goswami, S.C. 1992. Zooplankton ecology of the mangrove habitats of Goa. In: Singh, K.P. & J.S. Singh (eds.). Tropical Ecosystems: Ecology and Management. Wiley Eastern, New Delhi, India. Pp. 321-332.
- Hamann, M.I. 1996. Fauna parasitaria de *Serrasalmus spilopleura* Kner, 1860 en ambientes leníticos de la provincia de Corrientes, Argentina. [Parasite fauna of *Serrasalmus spilopleura* Kner, 1860 in lentic environments of the Province of Corrientes, Argentina.] Revista de Ictiología 4:11-17. [In Spanish.]
- Heip, C., O. Hamerlynck, P. Herman, R. Huys, M. Vincx & G. Vranken. 1985. Meiobenthos in the Southern Bight of the North Sea. In: Van Grieken R. & R. Wollast (eds.). Progress in Belgian Oceanographic Research. Royal Academy of Science, Brussels. Pp. 264-266.
- Hirai, K. & K. Tanida. 1983. Zooplankton of some alpine ponds on Mt. Hakusan. Annual Report of the Hakusan Nature Conservation Center 9:25-35.
- Hutchings, L. 1995. Vertical distribution of mesozooplankton at an active upwelling site in the southern Benguela Current, December 1969. South Africa Sea Fisheries Research Institute, Investigational Report 129:1-67.
- Hutchinson, A. 1981. Plankton studies in San Francisco Bay. III. Zooplankton species composition and abundance in the south bay, 1978-1979. U.S. Geological Survey, Open-File Report 81-132:1-25.
- Jacobsen, J.A. & E. Gaard. 1996. Infection of salmon lice (*Lepeophtheirus salmonis*) in Atlantic salmon (*Salmo salar* L.) in the Norwegian Sea. ICES Workshop of the Interactions between Salmon Lice and Salmonids. Edinburgh, Scotland, 11.-15. Nov. 1996. 5 pp.
- Jacobsen, J.A. & L.P. Hansen. 1996. The food of Atlantic salmon, *Salmo salar* L., north of the Faroe Islands. ICES C.M. 1996/M:10, 21 pp.
- Jermolajev, E. & J.M. Fraser. 1981. Zooplankton in brook trout lakes of Algonquin Park, Ontario. Ontario Fisheries Technical Report Series 3:1-9.
- Junk, W. & B.A. Robertson. 1997. Aquatic invertebrates. Pp. 256-277 In: Wolfgang Junk. (Ed.). The Central Amazonian Floodplain: Ecology of a Pulsing System. Berlin: Springer-Verlag, Berlin.
- Kiskaroly, M. 1977. Study of the parasitofauna of freshwater fishes from fish ponds of Bosnia and Herzegovina. Veterinaria, Sarajevo 26:195-208.
- Konsulov, A. 1976. Zooplankton in the Black Sea along the Bulgarian Coast. Candidate Dissertation. Proceedings of the Institute of Fisheries, Varna. 205 pp. [In Bulgarian.]
- Konsulov, A. 1986. Seasonal and annual dynamics of zooplankton in the Black Sea along the Bulgarian coast for the 1974-1984 period. Okeanologiya 16:23-33. [In Russian; abstract in English.]
- Konsulov, A. 1990. Daily vertical migration of zooplankton in the Bulgarian Black Sea coastal region. Okeanologiya 19:35-48. [In Russian; abstract in English.]
- Konsulov, A. 1992. Zooplankton structure and distribution in the Bulgarian Black Sea coastal eutrophicated zone in summer 1991. Rapports de la Commission Internationale pour la Mer Méditerranée 33:256-258. [In French.]
- Kramer, Alexandra. 1996. Infestation de l'ophiure *Amphipholis squamata* (D. Chiaje) (Echinodermata) par les copépodes *Cancerilla tubulata* Dalyell et *Parachordeumium amphiurae* (Herouard): approches populationnelle et morphologique. [Infestation of the ophiuran *Amphipholis squamata* (D. Chiaje) (Echinodermata) by the copepods *Cancerilla tubulata* Dalyell and *Parachordeumium amphiurae* (Herouard): populational and morphological approaches.] M.Sc. Thesis, Université Libre de Bruxelles, Brussels, Belgium. [In French.]
- Krieger, K.J. 1985. Food habits and distribution of first-year walleye pollock, *Theragra chalcogramma* (Pallas), in Auke Bay, Southeastern Alaska. M.S. Thesis, University of Alaska-Juneau, Juneau, Alaska, U.S.A. 57 pp.
- Kularatne, M. 1993. Some aspects of the biology of *Lernaea gonionoti* sp. nov. (Crustacea: Copepoda) and *L. cyprinacea* Linnaeus in *Puntius gonionotus* (Bleeker). M.S. Thesis, Universiti Putra Malaysia, Selangor, Malaysia. 142 pp.
- Lugthart, G.J. 1991. Macrofaunal community structure and production in disturbed and undisturbed headwater streams. Ph.D. Thesis, University of Georgia, Athens, Georgia, U.S.A.

- Mackas, D.L. 1977. Horizontal and spatial variability and covariability of marine phytoplankton and zooplankton. Ph.D. Thesis, Dalhousie University, Halifax, Nova Scotia, Canada.
- Magalhães, G.S. 1983. Variação sazonal e diurnal do zooplâncton no estuário Potengi, Natal/RN (com especial referência aos Copepoda - Crustacea). [Seasonal and diurnal variation of the zooplankton in the Potengi estuary, Natal/RN (with special reference to the Copepoda - Crustacea).] Master's Thesis, Universidade Federal do Paraná, Brazil. 99 pp. [In Portuguese.]
- Malard, F., J. Mathieu, J.-L. Reygrobelle & M. Lafont. 1996. Biomonitoring groundwater contamination: Application to a karst area in Southern France. Aquatic Science - Research Across Boundaries 58(2):158-187.
- Manal, M.A.A. Essa, Oifat, A. Mahdy & M. El S. Easa. 1995. Lernaeosis outbreak in cultured freshwater fish fingerlings at Kafir El-Sheikh governorate, Egypt. Egyptian Journal of Comparative Pathology and Clinical Pathology 8(2):109-121.
- Maravelias, C.D. & D.G. Reid. 1995. Spatial relationships between herring, plankton and oceanographic conditions in the North Sea. ICES CM 1995/Q:16, 14 pp.
- Maravelias, C.D. & D.G. Reid. 1996. Generalized Additive Modelling of the pelagic ecosystem of the northern North Sea in mid-summer: the prespawning herring-Calanus-Shelf Edge Current interaction. ICES CM 1996/S:39, 15 pp.
- Miller, C.B., H.P. Batchelder, R.D. Brodeur & W.G. Pearcy. 1985. Response of the zooplankton and ichthyoplankton off Oregon to the El Niño event of 1983. Pp. 185-187 In: Wooster, W.W. & D.L. Fluharty (eds.). El Niño North - Niño Effects in the Eastern Subarctic Pacific Ocean. Washington Sea Grant Program, University of Washington, Seattle.
- Miura, Y. 1991. Order Harpacticoida Sars, 1903. In: Mizuno, T. & E. Takahashi (eds.). An Illustrated Guide to Freshwater Zooplankton in Japan. Tokaidaiigaku Shuppankai, Tokyo. Pp. 51-97. [In Japanese.]
- Molnár, K. 1979. Possibilities of treating lernaeosis. Halászat 15:50-51. [In Hungarian.]
- Moulton, L.L. 1997. Early marine residence, growth, and feeding by juvenile salmon in northern Cook Inlet, Alaska. Alaska Fishery Research Bulletin 4(2):154-177.
- Moura, M.B. & S. Chellappa. 1996. Ocorrência de Ectoparasitas em peixes de valor comercial no Rio Grande do Norte. [Occurrence of ectoparasites in commercially valuable fishes in Rio Grande do Norte.] Boletim do DOL/CB/UFRN, UFRN, Natal, RN, 9:87-98. [In Portuguese.]
- Mouhssin, M. 1996. Contribution à l'étude de la spécificité taxonomique et dynamique au sein des copépodes et monogènes parasites des poissons de l'atlantique marocain. [Contribution to the study of the taxonomic and dynamic specificity among the copepod and monogenean parasites of fishes of the Moroccan Atlantic.] Thèse de 3ème cycle, Faculté des Sciences, Kénitra, Morocco. 161 pp. [In French.]
- Naiman, R.J. 1975. Food habits of the Amargosa Pupfish in a thermal stream. Transactions of the American Fisheries Society 104:536-538.
- Perissinotto, R., B.R. Allanson & B.P. Boden. 1990. Trophic relations within the island seas of the Prince Edward Archipelago, Southern Ocean. In: Barnes, M. & R.N. Gibson (eds.). Trophic Relationships in the Marine Environment. Proceedings of the 24th European Marine Biology Symposium. Aberdeen University Press, Aberdeen. Pp. 296-314.
- Perryman, J.C. 1961. The functional morphology of the skeleto-muscular system of the larval and adult stages of the copepod crustacean *Calanus*, together with an account of the changes undergone by this system during larval development. Ph.D. Thesis, University of London, London, U.K. 97 pp.
- Peterson, W.T. & C.B. Miller. 1975. Year-to-year variations in the planktology of the Oregon upwelling zone. Fishery Bulletin, United States National Marine Fisheries Service 73:642-653.
- Price, J.L. 1951. The effect of lake fertilization on zooplankton populations in Algonquin Park, Ontario. M.Sc. Thesis, University of Toronto, Toronto, Ontario, Canada.
- Price, J.L. 1955. Studies on the ecology, behaviour and taxonomy of Cyclopidae (Crustacea, Copepoda). Ph.D. Thesis, University of Toronto, Toronto, Ontario, Canada.
- Rajandra, K.R. 1990. Prevention and control of fish diseases by herbal medicine. Fish Health Section News 3:3-4.
- Roussev, B. & I. Dimov. 1966. Qualitative and quantitative study on zooplankton in the Bay of Bulgaria. Proceedings of the Research Institute of Fisheries and Oceanology, Varna 1:79-108.
- Sandercock, G.A. 1969. A study of the vertical segregation, seasonal separation and size differences as mechanisms for the co-existence of *Diaptomus minutus*, *D. oregonensis* and *D. sanguineus* (Calanoida: Copepoda) in Clarke Lake, Ontario. M.Sc. Thesis, University of British Columbia, Vancouver, British Columbia, Canada.
- Schwartz, S.S. & P.D.N. Hebert. 1986. Prey preference and utilization by *Mesostoma lingua* (Turbellaria, Rhabdocoela) at a low arctic site. Hydrobiologia 135(3):251-257.
- Sciandra, A. 1982. Etude d'un écosystème marin artificiel. Construction d'un modèle et application à l'exploitation d'une espèce de copépode pélagique *Euterpina acutifrons* (Dana). [Study of an artificial marine ecosystem. Construction of a model and application to the exploitation of a species of pelagic copepod *Euterpina acutifrons* (Dana).] Thèse de 3ème cycle, Université Pierre et Marie Curie, Paris, France. 120 pp. [In French.]
- Shewchuk, T.R. 1971. The distribution and food habits of limnetic copepods of Lake Louisa, Algonquin Park, Ontario with consideration of their role as hosts for

- cestodes. M.Sc. Thesis, University of Toronto, Toronto, Ontario, Canada.
- SIS. 1991. Determination of acute lethal toxicity of chemical substances and effluents to *Nitocra spinipes* Boeck - Static procedure. Swedish Standard SS 02 81 06. SIS - Standardiseringskommissionen i Sverige, Stockholm, Sweden. 17 pp. [In Swedish.]
- Su, C.H. 1996. Vertical migration of five dominant copepods in the northern South China Sea. M.Sc. Thesis, National Taiwan Ocean University, Keelung, Taiwan.
- Vincx, M. & R. Herman. 1989. The influence of the Western Scheldt on the meiobenthos of the Belgian coastal area. In: Pichot, G. (ed.). Progress in Belgian Oceanographic Research 1989. Proceedings of the North Sea Symposium, Ghent. Pp. 283-296.
- Yozzo, D.J. & W.E. Odum. 1993. Fish predation on epiphytic microcrustacea in Tivoli South Bay, a Hudson River tidal freshwater wetland. Hydrobiologia 257(1):37-46.
- Zaika, V.E. 1983. Comparative productivity of hydrobionts. Naukova Dumka, Kiev. 206 pp. [In Russian.]
- Zaika, V.E., E.V. Pavlova & A.V. Kovalev. 1970. The diet of planktonic crustaceans. In: The Expeditionary Researches in the Mediterranean Sea in May- June 1968. Naukova Dumka, Kiev. Pp. 78-85.
- 1998**
- Bakay, Yu.I. 1998. Ecological and geographical characteristics of parasites of *Sebastes fasciatus* Storer. Parasites and diseases of marine and freshwater fishes of the Northern Basin. Selected papers. PINRO, Murmansk. Pp. 5-21. [In Russian.]
- Gaard, E. 1998. Zooplankton community structure in relation to its biological and physical environment on the Faroe Shelf, 1989-1997. ICES C.M. 1998/R: 7.
- Shu, X.H., X.-L. Jin, Z.-Y. Dia, H.-Q. Liu & K.-Y. Xiao. 1998. A study on the lernaeosis of large-mouth bass. Journal of Hunan Agricultural University 24(5):401-403.
- Shushkina, E.A., M.E. Vinogradov, L.P. Lebedeva, T. Oguz, N.P. Nezlin, V.Yu. Dyakonov & L.L. Anokhina. 1998. Studies of structural parameters of planktonic communities of the open part of the Black Sea relevant to ecosystem modeling. In: Ivanov, L.I. & T. Oguz (eds.). Ecosystem Modeling as a Management Tool for the Black Sea. NATO ASI Series, Vol. 1. Kluwer Academic Publishers, Dordrecht. Pp. 311-325.
- Vinogradov, M.E., E.A. Shushkina, L.P. Lebedeva & N.P. Nezlin. 1998. Structural and functional analysis of planktonic communities of the Black Sea. In: Ivanov, L.I. & T. Oguz (eds.). Ecosystem Modeling as a Management Tool for the Black Sea. NATO ASI Series, Vol. 1. Kluwer Academic Publishers, Dordrecht. Pp. 237-255.
- Zauke, G.-P., J. Bohlke, R. Zytkowicz, P. Napiórkowski & A. Gizinski. 1998. Trace metals in tripton, zooplankton, zoobenthos, reeds and sediments of selected lakes in north-central Poland. International Review of Hydrobiologia 83(5-6):501-526.
- 1999**
- Bakay, Yu.I. 1999. Parasites of redfishes (*Sebastes* genus) of the North Atlantic. Abstract of Doctoral Thesis, Moscow State University, Moscow, Russia. 23 pp. [In Russian.]
- Bakay, Yu.I. 1999. Ecological and geographical analysis of *Sebastes mentella* parasite fauna in the North Atlantic. Bulletin of the 19th Symposium of the Society for Parasitology 9(1):28. [Abstract.]
- Daskalov, H., D. Stoikov & N. Grozeva. 1999. A preliminary hygienic view in case of lernaeosis in the common carp (*Cyprinus carpio L.*) based on clinical and pathomorphological observations. Bulgarian Journal of Veterinary Medicine 2(1):59-64.
- Gaard, E. 1999. *Calanus finmarchicus* in the Faroe Bank Channel deep overflow water. TASC Newsletter 12:7-8.
- Garzón-Ferreira, J. 1999. Some isopod and copepod parasites (Crustacea) of Colombian marine fishes. Caribbean Journal of Science 35:311-314.
- Mirabdullayev, I.M., N.N. Bazarova, T.S. Stuge & A.R. Kuzmetov. 1999. On *Thermocyclops vermicifer* Lindberg, 1935 (Crustacea, Copepoda) in Central Asia. Selevinia 1998/1999:34-36.
- 2000**
- Azza, A. 2000. Studies on cultured fish diseases induced by *Lernaea* species. Ph.D. Thesis, Faculty of Veterinary Medicine, Suez Canal University, Ismailia, Egypt.
- Bakay, Yu.I. 2000. Parasites and pigmented patches as indicators of intraspecific structure of *Sebastes mentella* in the Irminger Sea. ICES C. M. 2000/Z:06.15 pp.
- Baribwegure, D., D. Defaye & I. Mirabdullayev. 2000. Redescription and new rank of *Thermocyclops tchadensis* Dussart et Gras, 1966 (Copepoda: Cyclopoida). Annales Zoologici, Warsaw 50(4):627-631.
- Carlotti, F., J. Giske & F. Werner. 2000. Modelling zooplankton dynamics. In: ICES Zooplankton Methodology Manual. Academic Press, New York. Pp.
- Figueiredo, F.V., A.M.E. Silva & S. Chellappa. 2000. Relação parasita-hospedeiros entre *Dolops carvalhoi* (Crustacea: Branchiura) e tambaqui, *Colossoma macropomum* (Osteichthyes: Characoidei) no RN. [Host-parasite relationship between *Dolops carvalhoi* (Crustacea: Branchiura) and tambaqui, *Colossoma macropomum* (Osteichthyes: Characoidei) in Rio Grande do Norte.] Revista de Ecologia Aquática Tropical, Editora da UFRN, Natal, RN, 10:101-105. [In Portuguese.]

Gaard, E. & B. Hansen. 2000. Variations in the advection of *Calanus finmarchicus* onto the Faroese shelf. ICES Journal of Marine Science 57:1612-1618.

McHenery, J. & J.D. Johnson. 2000. Slice®: good news for salmon, bad news for sea lice. Fish Veterinary Journal 5:76-81.

## 2001

Bakay, Yu.I. 2001. Results from the analysis of geographical variability in parasite fauna of redfish *Sebastodes mentella* from the North Atlantic. Deep-Sea Fisheries Symposium. Sept. 2001/NAFO SCR Doc. 01/115. Serial No. 4503. 11 pp.

Bengtsson, B.-E., M. Breitholtz & E. Hahlbeck. 2001. Environmental EDCs/Endocrine disruption studies on fish and crustaceans. Proceedings from 4th NordUTTE Network Meeting. TemaNord 2001:514:15-17.

Castro-Romero, R., H.G. Almeida, B.B. Pereira, L.L.M. Castro & J.C. Joyeux. 2001. Ectoparasitismo larval em *Microgobius meeki* (Gobiidae) no estuário da Baía de Vitória, ES. [Larval ectoparasitism on *Microgobius meeki* (Gobiidae) in the estuary of Vitória Bay, ES.] Anais da XIV Semana Nacional de Oceanografia, Rio Grande, Rio Grande do Sul, Brazil, 7-13 October 2001. Complete text available on CD-ROM. Livro de Síntesis, Centro Academico Livre de Oceanografia, FURG:64-5. [In Portuguese.]

Chakraborty, D., M. Gopikrishna & K. Altaff. 2001. Study on the growth of post larvae of *Macrobrachium rosenbergii* (de Man) on a copepod and a cladoceran live food. Journal of Aquatic Biology 16(1-2):81-85.

Gomes da Silva, S. 2001. Particularités de la biologie de deux copépodes symbiotiques d'holothuries: *Synaptiphilus luteus* Canu et Cuénot et *Allantogynus delamarei* Changeux. [Particularities of the biology of two symbiotic copepods of holothurians: *Synaptiphilus luteus* Canu et Cuénot et *Allantogynus delamarei* Changeux.] M.Sc. Thesis, Université Libre de Bruxelles, Brussels, Belgium. [In French.]

Izaguirre, I. & P. Almada. 2001. Cambios en las características limnológicas y en biomasa fitoplantonica del Lago Boeckella (Bahia Esperanza) asociados al brusco descenso en su nivel hidrométrico. Changes in the phytoplankton limnological characteristics and biomass in Lake Boeckella (Hope Bay), associated with the sharp decrease in water level. Contribuciones del Instituto Antartico Argentino 533:1-6. [In Spanish.]

Loot, G., S. Brosse, S. Lek & J.-F. Guegan. 2001. Behaviour of roach (*Rutilus rutilus* L.) altered by *Ligula intestinalis* (Cestoda: Pseudophyllidea): a field demonstration. Freshwater Biology 46:1219-1227.

Mehlhorn, H. (ed.). 2001. *Argulus*. Encyclopedic Reference of Parasitology. Part 1. Springer Verlag, Heidelberg. P. 66.

Mehlhorn, H. (ed.). 2001. *Argulus foliaceus*. Encyclopedic Reference of Parasitology. Part 1. Springer Verlag, Heidelberg. P. 66.

Mehlhorn, H. (ed.). 2001. *Caligus*. Encyclopedic Reference of Parasitology. Part 3. Springer Verlag, Heidelberg. P. 101.

Mehlhorn, H. (ed.). 2001. Copepoda. Encyclopedic Reference of Parasitology. Part 3. Springer Verlag, Heidelberg. P. 139.

Mehlhorn, H. (ed.). 2001. *Ergasilus*. Encyclopedic Reference of Parasitology. Part 5. Springer Verlag, Heidelberg. P. 223.

Mehlhorn, H. (ed.). 2001. *Lepeophtheirus salmonis*. Encyclopedic Reference of Parasitology. Part 12. Springer Verlag, Heidelberg. Pp. 335-337.

Mehlhorn, H. (ed.). 2001. *Lernaeocera branchialis*. Encyclopedic Reference of Parasitology. Part 12. Springer Verlag, Heidelberg. P. 337.

Rodríguez-Gutiérrez, M., D.G. Rodríguez-Cáceres, Y. Monroy-García & J.A. Mata-Sotres. 2001. Manual de Enfermedades de Peces. [Manual of Fish Diseases.] Boletín del Programa Nacional de Sanidad Acuícola y la Red de Diagnóstico, Mexico 3(15):1-14. [In Spanish.]

Sturdevant, M.V. 2001. Summer zooplankton abundance and composition estimates from 20-m vertical hauls in Prince William Sound, Alaska, using three net meshes. Alaska Fishery Research Bulletin 8(2):96-106.

Sturdevant, M.V., A.L.J. Brase & M.B. Hulbert. 2001. Feeding habits, prey fields, and potential competition of young-of-the-year walleye pollock (*Theragra chalcogramma*) and Pacific herring (*Clupea pallasi*) in Prince William Sound, Alaska, 1994-1995. Fishery Bulletin 99:482-501.

## 2002

Eissa, I., A. Badran, S. Aly, A. Diab & A. Azza. 2002. Clinical and pathological studies on lernaeiosis among fresh water fishes. In: 2nd Veterinary Medicine Conference at Suez Canal University, October 2002, 6(1):300-322.

Gaard, E. & K. Nattestad. 2002. Feeding, reproduction and seasonal development of *Calanus finmarchicus* in relation to water masses and phytoplankton in the southern Norwegian Sea. ICES CM 2002/N:08. 16 pp.

Husebø, Å., L. Nøttestad, J.H. Fosså, D.M. Furevik & S.B. Jørgensen. 2002. Distribution and abundance of fish in deep-sea coral habitats. In: Watling, L. & M. Risk (eds), Biology of Cold Water Coral. Hydrobiologia 471:91-99.

Kvach, Y. 2002. Round goby's parasites in native habitats and in a place of invasion. Oceanological Studies 31(1-2):51-57.

Mouny, P. & J.C. Dauvin. 2002. Spatio-temporal distribution of the mesozooplankton from the Seine estuary (Eastern English Channel). Oceanologica Acta 25:13-22.

- Penston, M.J., M. McKibben, D.W. Hay & P.A. Gillibrand. 2002. Observations of sea lice larvae distributions in Loch Shieldaig, western Scotland. ICES CM2002/T:09.
- Utne-Palm, A.C. 2002. Visual feeding of fish in a turbid environment: Physical and behavioural aspects. Marine and Freshwater Behaviour and Physiology 35(1-2):111-128.
- Yevdokimov, N.A. 2002. Life cycles of two species of *Hemidiaptomus* Sars, 1903 from temporary pools of Saratov Zavolje. Pp. 31-39 In: Anonymous. Biology of inland waters: problems of ecology and biodiversity: materials of the Twelfth International Conference of Young Scientists, 23-26 September, 2002. Biologiya vnutrennikh vod: Problemy ekologii i bioraznoobraziya materialy dvenadtsatoi mezhdunarodnoi konferentsii molodykh uchenykh, 23-26 Sentyabr 2002. Institut Biologii Vnutrennikh Vod im. ID. Papanina, Borok. 237 pp. [In Russian.]
- Zadereev, Y.S. & A.P. Tolomeev. 2002. The formation of the vertically stratified distribution of zooplankton in Shira Lake. Pp. 59-76 In: Anonymous. Biology of inland waters: problems of ecology and biodiversity: materials of the Twelfth International Conference of Young Scientists, 23-26 September, 2002. Biologiya vnutrennikh vod: Problemy ekologii i bioraznoobraziya materialy dvenadtsatoi mezhdunarodnoi konferentsii molodykh uchenykh, 23-26 Sentyabr 2002. Institut Biologii Vnutrennikh Vod im. ID. Papanina, Borok. 237 pp. [In Russian.]
- Forró, L. 2003. A Fulopszallas-Szabadszallas környeki szikes vizek rakfaunaja. The microcrustacean fauna of the sodic waters in the vicinity of Fulopszallas-Szabadszallas. Termeszettudományi Kozlemenek 10:241-250. [In Hungarian.]
- Gaard, E. 2003. Plankton variability on the Faroe shelf during the 1990s. ICES Marine Science Symposia 219:182-189.
- Gaard, E. 2003. Plankton on the Faroe shelf. Workshop on Ecosystem Modelling of Faroese Waters, Tórshavn, 24-36 September 2002. Pp. 19-20.
- Grabbert, S. & S. Thatje. 2003. Autumnal zooplankton/meroplankton communities. In: Arntz, W.E. & Brey, T. (eds). The Expedition ANTARKTIS XIX/5 (LAMPOS) of RV "Polarstern" in 2002. Berichte zur Polarforschung und Meeresforschung 462:76-77.
- Khan, M.N., F. Aziz, M. Afzal, A. Rab, L. Sahar, R. Ali & S.M.H. Mehdi Naqvi. 2003. Parasitic infestation in different fresh water fishes of mini dams of Potohar region, Pakistan. Pakistan Journal of Biological Sciences 6(13):1092-1095.
- Mahdi, A.A. 2003. Food habits of *Sardinella albella* (Fowler, 1941) from Iraqi marine waters, northwest Arabian Gulf. Marina Mesopotamica 18(2):113-122.
- Monakov, A.V. 2003. Feeding of Freshwater Invertebrates. Kenobi Publications, Ghent. 373 pp. ISBN 90-804341-3-2.
- Mulyadi. 2003. Poecilostomatoida copepods of the family Corycaeidae Dana, 1852 in Indonesian waters. Treubia, Bogor 33(1):13-34.
- Pokora, Z. & S. Kwiatkowski. 2003. Porównawcze badania nad występowaniem [widłonoga] *Ergasilus sieboldi* Nordmann, 1832 (Crustacea: Copepoda) w populacjach liny (*Tinca tinca*) ze zbiornika zaporowego w Przeczyce oraz wybranych stawów hodowlanych w rejonie Gatine (Francja). [Comparative study on the occurrence of the copepod *Ergasilus sieboldi* Nordmann, 1832 (Crustacea: Copepoda) in a population of the tench (*Tinca tinca*) in the dam reservoir at Przeczyce and selected culture ponds in the Gatine region (France).] Archiwum Ochrony Środowiska 2003(3):51-60. [In Polish.]
- Silva, W.M. 2003. Diversidade dos Cyclopoida (Copepoda, Crustácea) de água doce do estado de São Paulo: taxonomia, ecologia e genética. [Diversity of the freshwater Cyclopoida (Copepoda, Crustacea) of the state of São Paulo: taxonomy, ecology and genetics.] Ph.D. Thesis, Universidade Federal de São Carlos, São Carlos, São Paulo, Brazil. [In Portuguese.]

## 2003

- Altaff, K., I. Dilshad, M. Gopikrishna & K. Sivakumar. 2003. Biodiversity of copepods of Chennai coast, India. Convergence 6(1-4):46-60.
- Carnevia, D. & G. Speranza. 2003. Parasitosis por *Lernaea cyprinacea* (Crustacea, copepoda, lernaeidae) en *Carassius auratus* (Pisces, cyprinidae) comercializados en Montevideo, primer diagnóstico en Uruguay. [Parasitosis by *Lernaea cyprinacea* (Crustacea, copepoda, lernaeidae) in *Carassius auratus* (Pisces, cyprinidae) sold in Montevideo, first diagnosis in Uruguay.] Boletín del Instituto de Investigaciones Pesqueras, Universidad de la República, Facultad de Veterinaria 24:18. [Abstract; in Spanish.]
- Chansang, U-R. 2003. Evaluation of methodologies for control of the dengue vector, *Aedes aegypti*, in Thailand. Ph.D. Thesis, Mahidol University, Bangkok, Thailand.
- Debes, H. 2003. Zooplankton in Faroese waters. Workshop on Ecosystem Modelling of Faroese Waters, Tórshavn, 24-36 September 2002. Pp. 17-18.
- Duboz, R., E. Ramat & P. Preux. 2003. Scale transfer modeling: using emergent computation for coupling an ordinary differential equation system with a reactive agent model. Systems Analysis Modelling Simulation 43(6):793-814.

- Forró, L. 2003. A Fulopszallas-Szabadszallas környeki szikes vizek rakfaunaja. The microcrustacean fauna of the sodic waters in the vicinity of Fulopszallas-Szabadszallas. Termeszettudományi Kozlemenek 10:241-250. [In Hungarian.]
- Gaard, E. 2003. Plankton variability on the Faroe shelf during the 1990s. ICES Marine Science Symposia 219:182-189.
- Gaard, E. 2003. Plankton on the Faroe shelf. Workshop on Ecosystem Modelling of Faroese Waters, Tórshavn, 24-36 September 2002. Pp. 19-20.
- Grabbert, S. & S. Thatje. 2003. Autumnal zooplankton/meroplankton communities. In: Arntz, W.E. & Brey, T. (eds). The Expedition ANTARKTIS XIX/5 (LAMPOS) of RV "Polarstern" in 2002. Berichte zur Polarforschung und Meeresforschung 462:76-77.
- Khan, M.N., F. Aziz, M. Afzal, A. Rab, L. Sahar, R. Ali & S.M.H. Mehdi Naqvi. 2003. Parasitic infestation in different fresh water fishes of mini dams of Potohar region, Pakistan. Pakistan Journal of Biological Sciences 6(13):1092-1095.
- Mahdi, A.A. 2003. Food habits of *Sardinella albella* (Fowler, 1941) from Iraqi marine waters, northwest Arabian Gulf. Marina Mesopotamica 18(2):113-122.
- Monakov, A.V. 2003. Feeding of Freshwater Invertebrates. Kenobi Publications, Ghent. 373 pp. ISBN 90-804341-3-2.
- Mulyadi. 2003. Poecilostomatoida copepods of the family Corycaeidae Dana, 1852 in Indonesian waters. Treubia, Bogor 33(1):13-34.
- Pokora, Z. & S. Kwiatkowski. 2003. Porównawcze badania nad występowaniem [widłonoga] *Ergasilus sieboldi* Nordmann, 1832 (Crustacea: Copepoda) w populacjach liny (*Tinca tinca*) ze zbiornika zaporowego w Przeczyce oraz wybranych stawów hodowlanych w rejonie Gatine (Francja). [Comparative study on the occurrence of the copepod *Ergasilus sieboldi* Nordmann, 1832 (Crustacea: Copepoda) in a population of the tench (*Tinca tinca*) in the dam reservoir at Przeczyce and selected culture ponds in the Gatine region (France).] Archiwum Ochrony Środowiska 2003(3):51-60. [In Polish.]
- Silva, W.M. 2003. Diversidade dos Cyclopoida (Copepoda, Crustácea) de água doce do estado de São Paulo: taxonomia, ecologia e genética. [Diversity of the freshwater Cyclopoida (Copepoda, Crustacea) of the state of São Paulo: taxonomy, ecology and genetics.] Ph.D. Thesis, Universidade Federal de São Carlos, São Carlos, São Paulo, Brazil. [In Portuguese.]

## 2004

- Adamczuk, M. 2004. Groups of planktonic Crustacea (Cladocera, Copepoda) in lakes of different trophy. Teka Komisji Ochrony i Kształtowania Środowiska Przyrodniczego 1:21-26.

- Altindag, A. & S. Yigit. 2004. Beysehir Golu zooplankton faunasi ve mevsimsel degisimi. The zooplankton fauna and seasonal distribution in Beysehir Lake. Gazi Univertesi Gazi Egitim Fakultesi Dergisi 24(3):217-225. [In Turkish.]
- Asplin, L., K. Boxaspen & A.D. Sandvik. 2004. Modelled distribution of sea lice in a Norwegian fjord. ICES C.M. 2004/P:11. 12 pp.
- Chellappa, N.T., S. Chellappa & J.Z.O. Passavante (eds.). 2004. Ecologia Aquática Tropical. [Tropical Aquatic Ecology.] 1st ed. Editora Serv-Graf, Natal, Rio Grande do Norte. 162 pp. [In Portuguese.]
- Direkbusarakom, S. 2004. Application of medicinal herbs to aquaculture in Asia. Walailak Journal of Science & Technology 1(1):7-14.
- Hoffmeyer, M.S. & M.C. Piccolo (eds.). 2004. El ecosistema del estuario de Bahía Blanca. [The ecosystem of the Bahia Blanca estuary.] 1st ed. IADO, Bahía Blanca. 233 pp. [In Spanish.]
- Jeschke, J.L., M. Kopp & R. Tollrian. 2004. Consumer food systems: Why type I functional responses are exclusive to filter feeders. Biological Reviews of the Cambridge Philosophical Society 79(2):337-349.
- Khanaychenko, A.N. 2004. Species-specific differences in diatom-induced anomalies in calanoid copepod embryogenesis: are they linked to the stock-piled antioxidants? Morskyi Ekolohichnyi Zhurnal 3(3):11-27.
- Kuczynska-Kippen, N., B. Nagengast, E. Bartkowska & L. Horbajczuk. 2004. Differentiation of the structure of zooplankton communities in stands of water and rush vegetation of post-exploitation small water bodies in Poznan. Teka Komisji Ochrony i Kształtowania Środowiska Przyrodniczego 1:122-129.
- Pereira de Mendonça, F., N.S. Hahn & V.E. Loureiro-Crippa. 2004. Feeding aspects of *Leporinus amblyrhynchus* (Characiformes: Anostomidae) in the first stages of formation of a Neotropical reservoir, Brazil. Neotropical Ichthyology 2(3):145-150. [Abstract in Portuguese.]
- Rawlinson, K.A. 2004. Using marine migrations to assess pelagic biodiversity. Ph.D. Thesis, University College, Cork, Ireland.
- Szymanska, U. & A. Bonar. 2004. Net zooplankton diversification above and below the 'Kasztanowo' hydro-electric power station on the Pasleka River. Teka Komisji Ochrony i Kształtowania Środowiska Przyrodniczego 1:256-266.
- Turnipseed, M., C.D. Jenkins & C.L. Van Dover. 2004. Community structure in Florida Escarpment seep and Snake Pit (Mid-Atlantic Ridge) vent mussel beds. Marine Biology 145(1):121-132.
- [Conservation of marine and coastal biodiversity in Brazil.] Megadiversidade 1(1):43-51. [In Portuguese.]
- Anonymous. 2005. Report of the Working Group on Zooplankton Ecology (WGZE), 4-7 April 2005, Lisbon, Portugal. International Council for the Exploration of the Sea Council Meeting 2005, C02: i-ii, 1-80.
- Baez, P.D., C.D. Riquelme & J.A. Weinborn. 2005. Contenidos gastricos de la langosta de Valparaíso *Projasus bahamondei* George, 1976 (Crustacea: Decapoda: Palinuridae) de los montes submarinos del Cordon Nazca. Gastric contents of the Valparaiso spiny lobster *Projasus bahamondei* George, 1976 (Crustacea: Decapoda: Palinuridae) from the Cordon Nazca submarine hills. Boletín del Museo Nacional de Historia Natural, Santiago 54:71-79. [In Spanish.]
- Barbiero, R.P., L.L. Schacht, R.E. Little & M.L. Tuchman. 2005. Crustacean zooplankton communities in Lake Michigan. Pp. 237-267 In: Edsall, T. & M. Munawar (eds.). State of Lake Michigan: ecology, health, and management. Ecovision World Monograph Series. Aquatic Ecosystem Health and Management Society, Burlington. 639 pp.
- Bissell, M. 2005. Salmon, Sea Lice and Science. The Leading Edge: Innovation in BC. Knowledge Network, Vancouver, B.C.
- Chertoprud, E.S. & P.N. Kornev. 2005. On the harpacticoid fauna of the Caspian Sea, including the description of *Schizopera rybnikovi* sp.n. (Copepoda: Harpacticoida: Diosaccidae). Arthropoda Selecta 14(4):281-289.
- Chiswell, S.M. 2005. Mean and variability in the Wairarapa and Hikurangi Eddies, New Zealand. New Zealand Journal of Marine and Freshwater Research 39(1):121-134.
- Crispim, M.C. & G.T. de P. Freitas. 2005. Seasonal effects on zooplanktonic community in a temporary lagoon of northeast Brazil. Acta Limnologica Brasiliensis 17(4):385-393.
- Fiasca, B., T. Di Lorenzo, P. De Laurentiis, C. Pantani & D.M.P. Galassi. 2005. Biodiversita acquatica sotterranea nel Parco Nazionale del Gran Sasso-Monti della Laga: analisi taxocenotica (Crustacea, Copepoda) e proposte di conservazione. Groundwater biodiversity in the Gran Sasso National Park-Laga Mountains: taxocenotic analysis (Crustacea, Copepoda) and conservation guidelines. Studi Trentini di Scienze Naturali Acta Biologica 81:157-166. [In Italian; for 2004.]
- Giora, J., C.B. Fialho & A.P.S. Dufech. 2005. Feeding habit of *Eigenmannia trilineata* Lopez & Castello, 1966 (Teleostei: Sternopygidae) of Parque Estadual de Itapuã, RS, Brazil. Neotropical Ichthyology 3(2):291-298. [Abstract in Portuguese.]
- Gracia, F., B. Clamor, D. Jaume, J.J. Fornos, M.J. Uriz, D. Martin, J. Gil, P. Gracia, M. Febrer & G. Pons. 2005. La Cova des Coll (Felanitx, Mallorca): espeleogenesi, geomorfologia, hidrologia, sedimentologia, fauna i conservacio. La Cova des Coll (Felanitx, Mallorca):

## 2005

Amaral, A.C.Z. & S. Jablonski. 2005. Conservação da biodiversidade marinha e costeira do Brasil.

- speleology, geomorphology, hydrology, sedimentology, fauna and conservation. Endins 27:141-186. [In Catalan.]
- Gusakov, V.A. 2005. Meiobenthos of the Gor'kij Reservoir. Biologicheskie resursy presnyh vod: bespovonochnye [Biological Resources of Fresh Water: Invertebrates]. Russian Academy of Sciences, Rybinsk. Pages 98-141. [In Russian.]
- Himmi, N., M. Hasnaoui, M. Fekhaoui, A. Foutlane, H. Bourchich, M. El-Maroufy & I. Bennazou. 2005. Variability of physical, chemical and biological variables of a storage reservoir (combined stabilization pond, Ben Slimane-Morocco). Revue des Sciences de l'Eau, Special Issue:91-107.
- Horeau, V., S. Richard, R. Vigouroux, L. Guillemet & P. Cerdan. 2005. The Petit Saut hydroelectric dam (French Guiana): temporal and spatial variability of the water quality and pelagic invertebrates. Revue des Sciences de l'Eau, Special Issue:109-126.
- Hossain, K., T. Omura, S. Takeda & T. Ishimaru. 2005. Effects of testosterone on the calanoid copepod, *Acartia omorii* Bradford. Mer, Tokyo 43(3):69-73.
- ICES 2005. Zooplankton monitoring results in the ICES area: Summary Status Report 2003/2004. Prepared by the ICES Working Group on Zooplankton Ecology (Editors: L. Valdes, T. O'Brien and A. López-Urrutia). ICES Cooperative Research Report No. 276. 34 pp.
- Jalal, W., B. Pinel-Alloul & G. Methot. 2005. Mid-term study of the ecological impacts of forest fires and timber harvesting on zooplankton communities in lakes of the boreal ecozone. Revue des Sciences de l'Eau, Special Issue:221-248. [In French.]
- Kapusta, S.C., N.L. Würdig, C.E. Bemvenuti & C.P. Ozorio. 2005. Meiofauna structure in Tramandaí-Armazém estuary (South of Brazil). Acta Limnologica Brasiliensis 17(4):349-359.
- Kimura, K., K. Matsuoka, S. Nishiwaki & Y. Okada. 2005. Remote sensing based observation of ocean conditions and their influence on the sei whale distribution in the western South Pacific. Journal of the School of Marine Science and Technology Tokai University 3(3):1-12. [In Japanese.]
- Lee, K.W. & H.G. Park. 2005. Effects of temperature and salinity on productivity and growth of five copepod species. Journal of the Korean Fisheries Society 38(1):12-19.
- Mladineo, I. 2005. Parasite communities of Adriatic cage-reared fish. Diseases of Aquatic Organisms 64(1):77-83.
- Mondol, M.R., S. Dewan, M.A. Hossain, M. Asaduzzaman, M.A. Islam & U.A. Rozario. 2005. Food and feeding habits of *Puntius gonionotus* (Thai Sarpunti) in rice field. Pakistan Journal of Biological Sciences 8(3):386-395.
- Morton, A. & R.D. Routledge. 2005. Mortality rates for juvenile pink *Oncorhynchus gorbuscha* and chum *O. keta* salmon infested with sea lice *Lepeophtheirus salmonis* in the Broughton Archipelago. Alaska Fishery Research Bulletin 11(2):146-152.
- Orlova, E.L., I.A. Oganin, V.D. Boitsov, V.N. Nesterova, L.L. Konstantinova & N.G. Ushakov. 2005. Polar cod influence on capelin fattening efficiency in the central part of the Barents Sea. Rybnoe Khozyaistvo 2:52-55, 106. [Summary separately paginated p. 106. In Russian.]
- Ozturk, M.O. 2005. [An investigation of metazoan parasites of common Carp (*Cyprinus carpio* L.) in Lake Eber, Afyon, Turkey.] Turkiye Parazitoloji Dergisi 29(3):204-210. [In Turkish.]
- Paulmier, G. 2005. Ecologie du plancton d'une zone conchylicole de l'ouest Cotentin (Normandie). Ecology of the plankton from shellfish culture area of western Cotentin (Normandy). Bulletin de la Société Linnéenne de Bordeaux 33(3):231-245. [In French.]
- Pedrozo, C. da S. & O. Rocha. 2005. Zooplankton and water quality of lakes of the Northern Coast of Rio Grande do Sul State, Brazil. Acta Limnologica Brasiliensis 17(4):445-464.
- Pereira, L.C.C., J.A. Jiménez, M.L. Koenig, F.F. Porto Neto, C. Medeiros & R. Marinho da Costa. 2005. Effect of coastline properties and wastewater on plankton composition and distribution in a stressed environment on the north coast of Olinda-PE (Brazil). Brazilian Archives of Biology and Technology 48(6):1013-1026.
- Ramírez, J.G., A. Franco-Herrera, D. Rincón & L. Castro. 2005. Tasa de producción de fecas y coprofagia en *Eucalanus subtenuis* (Copepoda, Calanoidea), bajo condiciones controladas de laboratorio. Faeces production rate and coprophagy in *Eucalanus subtenuis* (Copepoda: Calanoidea), under laboratory controlled conditions. Boletín de Investigaciones Marinas y Costeras 34:193-209. [In Spanish.]
- Sever, T.M., B. Bayhan & E. Taskavak. 2005. A preliminary study on the feeding regime of European pilchard (*Sardina pilchardus* Walbaum 1792) in Izmir Bay, Turkey, eastern Aegean Sea. NAGA, WorldFish Center Quarterly 28(3-4):41-48.
- Stewart, J.E. 2005. Environmental management and the use of sentinel species. Pp. 409-432 In: Environmental Effects of Marine Finfish Aquaculture. The Handbook of Environmental Chemistry Vol. 5M. Springer-Verlag, Berlin.
- Suárez-Delgado, S., J. Rodríguez-Rodríguez, Z. Menéndez-Díaz, D. Montada-Dorta, I. García-Avila & M.C. Marquetti-Fernández. 2005. *Macrocylops albidus* (Copepoda: Cyclopidae): una nueva alternativa para el control de larvas de mosquitos en Cuba. *Macrocylops albidus* (Copepoda: Cyclopidae): a new alternative for the control of mosquito larvae in Cuba. Revista Cubana de Medicina Tropical 57(3): Unpaginated. <http://scielo.sld.cu/pdf/mtr/v57n3/mtr08305.pdf> [In Spanish.]
- Taylor, N.G.H., C. Sommerville & R. Wootten. 2005. A review of *Argulus* spp. occurring in UK freshwaters.

- U.K. Environment Agency Science Report SC990019/SR1. 30 pp. ISBN-10: 1844324656
- Taylor, N.G.H., C. Sommerville & R. Wootten. 2005. *Argulus* spp. infections in UK stillwater trout fisheries. U.K. Environment Agency Science Report SC990019/SR2. 66 pp. ISBN-10: 1844324664.
- Tekin-Ozan, S. & I. Kir. 2005. [An investigation of parasites of goldfish (*Carassius carassius* L., 1758) in Kovada Lake.] *Turkiye Parazitoloji Dergisi* 29(3):202-203. [In Turkish.]
- Wang, X.Y., J. Feng & H. Li. 2005. The effects of sediment dredging events reported for shallow lake in China. *Dongbei Shida Xuebao (Ziran Kexue Ban)* 37(3):90-94. [In Chinese.]
- Witthoft-Muhlmann, A., W. Traunspurger & K.O. Rothhaupt. 2005. Influence of river discharge and wind field on the freshwater meiofauna of a dynamic river mouth area. *Archiv für Hydrobiologie* 163(3):307-327.
- Young, P.S & C.S. Serejo. 2005. Crustacea of the Abrolhos Region, Brazil. In: Dutra, G.F., G.R. Allen, T. Werner & S.A. McKenna (eds.). *RAP Bulletin of Biological Assessment* 38: 91-95.

## 2006

- Aguilera, X., G. Crespo, S. Declerk & L. De Meester. 2006. Diel vertical migration of zooplankton in tropical, high mountain lakes (Andes, Bolivia). *Polish Journal of Ecology* 54(3):453-464.
- Aguilera, X., S. Declerck, L. De Meester, M. Maldonado & F. Ollevier. 2006. Tropical high Andes lakes: A limnological survey and an assessment of exotic rainbow trout (*Oncorhynchus mykiss*). *Limnologica - Ecology and Management of Inland Waters* 36(4):258-268.
- Aleya, L., M. Michard, H. Khattabi & J. Devaux. 2006. Coupling of the biochemical composition and calorific content of zooplankters with the *Microcystis aeruginosa* proliferation in a highly eutrophic reservoir. *Environmental Technology* 27(11):1181-1190.
- Alves, D.R. & J.L. Luque. 2006. Ecologia das comunidades de metazoários parasitos de cinco espécies de escombrídeos (Perciformes: Scombridae), do litoral do estado do Rio de Janeiro, Brasil. [Community ecology of the metazoan parasites of five Scombrid species (Perciformes: Scombridae), from the coastal zone of the State of Rio de Janeiro, Brazil.] *Revista Brasileira de Parasitologia Veterinária* 15(4):167-181. [In Portuguese; abstract in English.]
- Alvarez-Silva, C., G. Miranda-Arce, G.G. De Lara Isassi & S. Gomez-Aguirre. 2006. Zooplancton de los sistemas estuarinos de Chantuto y Panzacola, Chiapas, en época de secas y lluvias. *Zooplankton of the estuarine systems of Chantuto and Panzacola, Chiapas, in dry and rainy seasons.* *Hidrobiologica* 16(2):175-182.
- Arnott, S.E., A.B. Jackson & Y. Alarie. 2006. Distribution and potential effects of water beetles in lakes recovering from acidification. *Journal of the North American Bentholological Society* 25(4):811-824.
- Atienza, D., A. Calbet, E. Saiz, M. Alcaraz & I. Trepat. 2006. Trophic impact, metabolism, and biogeochemical role of the marine cladoceran *Penilia avirostris* and the co-dominant copepod *Oithona nana* in NW Mediterranean coastal waters. *Marine Biology* 150(2):221-235.
- Ayres-Peres, L., C.C. Sokolowicz & S. Santos. 2006. Diversity and abundance of the benthic macrofauna in lotic environments from the central region of Rio Grande do Sul State, Brazil. *Biota Neotropica* 6(3). 11 pp. <http://www.biotaneotropica.org.br/v6n3/pt/abstract?article=bn02106032006> [Abstract in Portuguese.]
- Bakker, D.C.E., P.W. Boyd, E.R. Abraham, M.A. Charette, M.P. Gall, J.A. Hall, C.S. Law, S.D. Nodder, K. Safi, D.J. Singleton, K. Tanneberger, T.W. Trull, A.M. Waite, A.J. Watson & J. Zeldis. 2006. Matching carbon pools and fluxes for the Southern Ocean Iron Release Experiment (SOIREE). *Deep Sea Research Part I: Oceanographic Research Papers* 53(12):1941-1960.
- Bamber, R.N. & G.A. Boxshall. 2006. A new genus and species of the Langitaninae (Crustacea: Peracarida: Tanaidacea: Tanaidae) bearing a new genus and species of nicothoid parasite (Crustacea: Copepoda: Siphonostomatoida: Nicothoidae) from the New Caledonia Slope. *Species Diversity* 11:137-148.
- Barnard, C., C. Martineau, J.J. Frenette, J.J. Dodson & W.F. Vincent. 2006. Trophic position of zebra mussel veligers and their use of dissolved organic carbon. *Limnology and Oceanography* 51(3):1473-1484.
- Basedow, S.L. & K.S. Tande. 2006. Cannibalism by female *Calanus finmarchicus* on naupliar stages. *Marine Ecology Progress Series* 327:247-255.
- Baykal, T., S. Salman & İ. Açıkgöz. 2006. The relationship between seasonal variation in phytoplankton and zooplankton densities in Hirfanlı Dam Lake (Kırşehir, Turkey). *Turkish Journal of Biology* 30(4):217-226.
- Bednarska, A. 2006. Sinice i ich wpływu na rosłinożerne zwierzęta planktonowe. Cyanobacteria and their influence on herbivore zooplankton. *Wiadomosci Ekologiczne* 52(2):59-87. [In Polish.]
- Belmonte, G., G. Alfonso & S. Moscatello. 2006. Copepod fauna (Calanoida and Cyclopoida) in small ponds of the Pollino National Park (South Italy), with notes on seasonality and biometry of species. *Journal of Limnology* 65(2):107-113.
- Bispo, R., R. Johnsson & E. Neves. 2006. A new species of *Asterocheres* (Copepoda, Siphonostomatoida, Asterocheridae) associated to *Placospongia cristata* Boury-Esnault (Porifera) in Bahia State, Brazil. *Zootaxa* 1351:23-34.
- Blom, J.F., H.I. Baumann, G.A. Codd & F. Juettner. 2006. Sensitivity and adaptation of aquatic organisms to oscillapeptin J and [D-Asp(3),(E)-Dhb(7)]microcystin-RR. *Archiv für Hydrobiologie* 167(1-4):547-559.

- Boersma, M. & B. Santer. 2006. Winfried Lampert: Natural selection is ecology in action. Archiv für Hydrobiologie 167(1-4):V-IX.
- Bojanović, N., M. Šolić, N. Krstulović, S. Šestanović, Z.N. Gladan, I. Marasović & I. Brautović. 2006. The role of ciliates within the microbial food web in the eutrophicated part of Kastela Bay (middle Adriatic Sea). Scientia Marina 70(3):431-442.
- Bolam, S.G., M. Schratzberger & P. Whomersley. 2006. Macro- and meiofaunal recolonisation of dredged material used for habitat enhancement: Temporal patterns in community development. Marine Pollution Bulletin 52(12):1746-1755.
- Borcherding, J., S. Murawski & H. Arndt. 2006. Population ecology, vertical migration and feeding of the Ponto-Caspian invader *Hemimysis anomala* in a gravel-pit lake connected to the River Rhine. Freshwater Biology 51(12):2376-2387.
- Borneman, E. 2006. *Tegastes acroporanus*: "red bugs" of *Acropora*. <http://www.ericborneman.com/Tegastes-content/Tegastes%20index.html>
- Breitholtz, M., J. Karlsson, N. Ricklund, U. Dahl, B. Eklund, K. Grunder, G. Åkerman & H. Sundberg. 2006. A novel approach to rank potential toxicity of organic sediment extracts in juvenile harpacticoid copepods (*Nitocra spinipes*) and rainbow trout (*Oncorhynchus mykiss*). SNV Rapport 5596:99-133.
- Breitholtz, M., E. Nfon, N. Ricklund, M. Gilek, I.T. Cousins & B.-E. Bengtsson. 2006. The use of chemical properties in aquatic ecotoxicological testing using small invertebrates. Pp. 145-166 In: Hansson, B.-O. & C. Rudén (eds.). Using chemistry in environmental and health risk assessment. MISTRA, The Foundation for Strategic Environmental Research, Stockholm. 197 pp. ISBN: 91-7178-414-4
- Brose, U., T. Jonsson, E.L. Berlow, P. Warren, C. Banasek-Richter, L.-F. Bersier, J.L. Blanchard, T. Brey, S.R. Carpenter, M.-F.C. Blandenier, L. Cushing, H.A. Dawah, T. Dell, F. Edwards, S. Harper-Smith, U. Jacob, M.E. Ledger, N.D. Martinez, J. Memmott, K. Mintenbeck, J.K. Pinnegar, B.C. Rall, T.S. Rayner, D.C. Reuman, L. Ruess, W. Ulrich, R.J. Williams, G. Woodward & J.E. Cohen. 2006. Consumer-resource body-size relationships in natural food webs. Ecology 87(10):2411-2417.
- Broughton, E.A. & R.G. Lough. 2006. A direct comparison of MOCNESS and Video Plankton Recorder zooplankton abundance estimates: Possible applications for augmenting net sampling with video systems. Deep Sea Research Part II: Topical Studies in Oceanography 53(23-24):2789-2807.
- Buckley, L.J. & E.G. Durbin. 2006. Seasonal and interannual trends in the zooplankton prey and growth rate of Atlantic cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*) larvae on Georges Bank. Deep Sea Research Part II: Topical Studies in Oceanography 53(23-24):2758-2770.
- Budge, S.M., S.J. Iverson & H.N. Koopman. 2006. Studying trophic ecology in marine ecosystems using fatty acids: A primer on analysis and interpretation. Marine Mammal Science 22(4):759-801.
- Buonomo, B. & D. Lacitignola. 2006. On the stabilizing effect of cannibalism in stage-structured population models. Mathematical Biosciences and Engineering 3(4):717-731.
- Burton, R.S., C.K. Ellison & J.S. Harrison. 2006. The sorry state of F2 hybrids: consequences of rapid mitochondrial DNA evolution in allopatric populations. American Naturalist 168(Suppl. 6):S14-S24.
- Butterworth, K.G., K.F. Cubitt, B. Finstad, F.A. Huntingford & R.S. McKinley. 2006. Sea lice: the science behind the hype. Fraser Institute Digital Publication, November 2006. ISSN 1714-6739. <http://www.fraserinstitute.ca/admin/books/files/Sea%20life.pdf>.
- Buttino, I., Y. Carotenuto, G. de Rosa, M. Mazzella, A. Ianora & M. Miralto. 2006. Veicolazione di fitotossine nei copepodi mediante liposomi giganti e loro impiego in studi ecofisiologici. Giant liposomes as carriers of phytotoxins in copepods and their application in ecophysiological studies. Biologia Marina Mediterranea 13(2):308-309. [In Italian.]
- Cabreira, A.G., A. Madirolas, G. Alvarez Colombo, E.M. Acha & H.W. Mianzan. 2006. Acoustic study of the Río de la Plata estuarine front. ICES Journal of Marine Science 63(9):1718-1725.
- Camacho, A.I., A.G. Valdecasas, J. Rodríguez, S. Cuevva, J. Lario & S. Sánchez-Moral. 2006. Habitat constraints in epikarstic waters of an Iberian Peninsula cave system. Annales de Limnologie / International Journal of Limnology 42(2):127-140.
- Campo, D., E. Mostarda, L. Castriota, M.P. Scarabello & F. Andaloro. 2006. Feeding habits of the Atlantic bonito, *Sarda sarda* (Bloch, 1793) in the southern Tyrrhenian Sea. Fisheries Research 81(2-3):169-175.
- Carls, M.G., J.W. Short & J. Payne. 2006. Accumulation of polycyclic aromatic hydrocarbons by *Neocalanus* copepods in Port Valdez, Alaska. Marine Pollution Bulletin 52(11):1480-1489.
- Carotenuto, Y., A. Ianora, M. Di Pinto, D. Sarno & A. Miralto. 2006. Annual cycle of early developmental stage survival and recruitment in the copepods *Temora stylifera* and *Centropages typicus*. Marine Ecology Progress Series 314:227-238.
- Carrillo, P., J.M. Medina-Sánchez, M. Villar-Argaiz, J.A. Delgado-Molina & F.J. Bullejos. 2006. Complex interactions in microbial food webs: stoichiometric and functional approaches. Limnetica 25(1-2):189-204.
- Clark, P.E., J.J. Pereira, L.A. Auker, C.J. Parkins & L.M. Vinokur. 2006. Size-related variation in the diet of juvenile tautogs from Long Island Sound. Transactions of the American Fisheries Society 135(5):1361-1370.

- Corgosinho, P.H.C. & R.M. Pinto-Coelho. 2006. Zooplankton biomass, abundance and allometric patterns along an eutrophic gradient at Furnas Reservoir (Minas Gerais, Brazil). *Acta Limnologica Brasiliensis* 18(2):213-224.
- \*\*Cottarelli, V., M.C. Bruno & R. Berera. 2006. A new species of *Parastenocaris* from Mindoro Island, Philippines: *Parastenocaris distincta* sp. nov. (Crustacea: Copepoda: Harpacticoida: Parastenocarididae). *Zootaxa* 1368:57-68.
- Cross, W.F., J.B. Wallace, A.D. Rosemond & S.L. Eggert. 2006. Whole-system nutrient enrichment increases secondary production in a detritus-based ecosystem. *Ecology* 87:1556-1565.
- Culverhouse, P.F., R. Williams, M. Benfield, P.R. Flood, A.F. Sell, M.G. Mazzocchi, I. Buttino & M. Sieracki. 2006. Automatic image analysis of plankton: future perspectives. *Marine Ecology Progress Series* 312:297-309.
- D'Abramo, L.R., E.I. Perez, R. Sangha & A. Puello-Cruz. 2006. Successful culture of larvae of *Litopenaeus vannamei* fed a microbound formulated diet exclusively from either stage PZ2 or M1 to PL1. *Aquaculture* 261(4):1356-1362.
- Dejen, E., J. Vijverberg, M. de Graaf & F.A. Sibbing. 2006. Predicting and testing resource partitioning in a tropical fish assemblage of zooplanktivorous 'barbs': an ecomorphological approach. *Journal of Fish Biology* 69(5):1356-1378.
- De los Ríos, P. & D. Soto. 2006. Effects of the availability of energetic and protective resources on the abundance of daphniids (Cladocera, Daphniidae) in Chilean Patagonian Lakes (39°-51°S). *Crustaceana*, Leiden 79(1):23-32.
- De Meester, L., S. Decklerck, J.H. Janse, J.J. Dagevos, R. Portierje, E. Lammens, E. Jeppesen, T. Lauridsen, K. Schwenk, K. Muylaert, K. Van der Gucht, W. Vyverman, G. Zwart, E. van Hadden, P.J.T.M. van Puijenbroek, J.M. Conde-Porcuna, P. Sánchez-Castillo, J. Vandekerhove & L. Brendonck. 2006. Biodiversity in European shallow lakes: a multilevel-multifactorial field study. *Ecological Studies* 191:149-167.
- De Silva-Dávila, R., R. Palomares-García, A. Zavala-Norzagaray & D.C. Escobedo-Urías. 2006. Ciclo anual de los grupos dominantes del zooplancton en Navachiste, Sinaloa. [Annual cycle of the dominant zooplankton groups in Navachiste, Sinaloa.] Pp. 25-39 In: Hendrickx R., M.E. (ed.). Contribuciones al Estudio de los Crustáceos del Pacífico Este 4(1) [Contributions to the Study of East Pacific Crustaceans 4(1)]. Instituto de Ciencias del Mar y Limnología, UNAM, Mazatlán. 158 pp. [In Spanish.]
- Dias, C.O. & S.L.C. Bonecker. 2006. Occurrence of *Euchaeta paraconcinna* Fleminger, 1957 (Crustacea, Copepoda, Calanoida) in a coastal area of Bahia State, northeastern Brazil. *Biota Neotropica* 6(3). 3 pp. <http://www.biotaneotropica.org.br/v6n3/pt/abstract?short=communication+bn02406032006> [Abstract in Portuguese.]
- Dong, Q., X. Lin, X. He, W.E. Kelso & C. Huang. 2006. Taxonomic composition, abundance and biomass of mesozooplankton in the Zhelin Bay - an estuary with intensive aquaculture. *Acta Oceanologica Sinica* 25(5):92-111.
- Dooh, R.T., S.J. Adamowicz & P.D.N. Hebert. 2006. Comparative phylogeography of two North American 'glacial relict' crustaceans. *Molecular Ecology* 15(14):4459-4475.
- Durbin, E.G. & M.C. Casas. 2006. Abundance and spatial distribution of copepods on Georges Bank during the winter/spring period. *Deep Sea Research Part II: Topical Studies in Oceanography* 53(23-24):2537-2569.
- Duris, Z., I. Horka, J. Kristian & P. Kozak. 2006. Some cases of macro-epibiosis on the invasive crayfish *Orconectes limosus* in the Czech Republic. *Bulletin Français de la Pêche et de la Pisciculture* 380-381:1325-1337.
- Dutz, J. & M. Koski. 2006. Trophic significance of solitary cells of the prymnesiophyte *Phaeocystis globosa* depends on cell type. *Limnology and Oceanography* 51(3):1230-1238.
- Dye, A.H. 2006. Persistent effects of physical disturbance on meiobenthos in mangrove sediments. *Marine Environmental Research* 62(5):341-355.
- Ek, H., G. Dave, E. Nilsson, J. Sturve & G. Birgersson. 2006. Fate and effects of 2,4,6-trinitrotoluene (TNT) from dumped ammunition in a field study with fish and invertebrates. *Archives of Environmental Contamination and Toxicology* 51(2):244-252.
- El-Shabrawy, G.M. 2006. Ecological study on the zooplankton community in Bardawil lagoon, Egypt. *Thalassia Salentina* 29:3-19.
- Engström-Öst, J. & I. Isaksson. 2006. Effects of macroalgal exudates and oxygen deficiency on survival and behaviour of fish larvae. *Journal of Experimental Marine Biology and Ecology* 335(2):227-234.
- Escobar-Briones, E. & S. Tamez. 2006. Variación espacial de la densidad de crustáceos de la meiofauna en fondos con infiltraciones naturales de metano de la zona batial en la cuenca de San Clemente, Pacífico Oriental. [Spatial variation of the density of meiofauna crustaceans in bottoms with natural methane infiltrations of the bathyal zone in the San Clemente basin, Eastern Pacific.] Pp. 85-100 In: Hendrickx R., M.E. (ed.). Contribuciones al Estudio de los Crustáceos del Pacífico Este 4(1) [Contributions to the Study of East Pacific Crustaceans 4(1)]. Instituto de Ciencias del Mar y Limnología, UNAM, Mazatlán. 158 pp. [In Spanish.]
- Eszterbauer, E., S. Marton, O.Z. Racz, M. Letenyi & K. Molnar. 2006. Morphological and genetic differences among actinosporean stages of fish-parasitic

- myxosporeans (Myxozoa): difficulties of species identification. *Systematic Parasitology* 65(2):97-114.
- Etchegoin, J.A., J.T. Timi & A.L. Lanfranchi. 2006. Redescription of *Neobrachiella spinicephala* (Ringuelet, 1945) parasitic on *Pinguipes brasiliensis* Cuvier, 1829 from Argentina, with the first description of the male. *Acta Parasitologica* 51(4):290-293.
- Fajer-Ávila, E.J., A. García-Vásquez, H. Plascencia-González, J. Ríos-Sicairos, L.M. Parra & M. Betancourt-Lozano. 2006. Copepods and larvae of nematodes parasiting [sic] the white mullet *Mugil curema* (Valenciennes, 1836): Indicators of anthropogenic impacts in tropical coastal lagoons? *Environmental Monitoring and Assessment* 122(1-3):221-237.
- Fan, S.L., H.B. Liu, Z.N. Zhang, K. Deng & W. Yuan. 2006. Study on the abundance and biomass of meiofauna in the sandy beach of Taiping Bay, Qingdao. *Zhongguo Haiyang Daxue Xuebao* 36(3):98-104(Supplement). [In Chinese.]
- Fenchel, T. & P.J. Hansen. 2006. Motile behaviour of the bloom-forming ciliate *Mesodinium rubrum*. *Marine Biology Research* 2(1):33-40.
- Fernandes, G.Q., M.A.V. da C. Pereira, D.G. de Mattos Júnior & G. Souza. 2006. Levantamento de parasitos em infrapopulação de *Brycon insignis* Steindachner, 1876 (Pisces, Characidae), criada na região norte fluminense, Rio de Janeiro, Brasil. Survey of parasites in infrapopulation of cultured *Brycon insignis* Steindachner, 1876 (Pisces, Characidae) from the north fluminense region, Rio de Janeiro, Brazil. *Ciência Animal Brasileira* 7(3):309-313. [In Portuguese; abstract in English.]
- Fernández, I.M. & R. González-Quiros. 2006. Analysis of feeding of *Sardina pilchardus* (Walbaum, 1792) larval stages in the central Cantabrian Sea. *Scientia Marina* 70:131-139 (Supplement 1).
- Ferrari, I. & G. Rossetti. 2006. New records of the centropagid *Boeckella triarticulata* (Copepoda: Calanoida) in Northern Italy: evidence of a successful invasion? *Aquatic Invasions* 1(4):219-222.
- Fink, P., E. von Elert & F. Juettner. 2006. Oxylipins from freshwater diatoms act as attractants for a benthic herbivore. *Archiv für Hydrobiologie* 167(1-4):561-574.
- Fioravanti, M.L., M. Caffara, D. Florio, A. Gustinelli & F. Marcer. 2006. A parasitological survey of European sea bass (*Dicentrarchus labrax*) and gilthead sea bream (*Sparus aurata*) cultured in Italy. *Veterinary Research Communications* 30(1):249-252.
- Fleeger, J.W., K.R. Carman, P.B. Welsenhorn, H. Sofranko, T. Marshall, D. Thistle & J.P. Barry. 2006. Simulated sequestration of anthropogenic carbon dioxide at a deep-sea site: Effects on nematode abundance and biovolume. *Deep Sea Research Part I Oceanographic Research Papers* 53(7):1135-1147.
- Frisch, D., H. Rodriguez-Perez & A.J. Hector. 2006. Invasion of artificial ponds in Doñana Natural Park, southwest Spain, by an exotic estuarine copepod. *Aquatic Conservation* 16(5):483-492.
- Galluzzi, L. & M. Karp. 2006. Whole cell strategies based on lux genes for high throughput applications toward new antimicrobials. *Combinatorial Chemistry and High Throughput Screening* 9(7):501-514.
- Gao, H., Y.H. Gao & J.R. Liang. 2006. The feeding behavior, egg production and egg hatching of *Calanus sinicus* Brodsky. *Xiamen Daxue Xuebao (Ziran Kexue Ban)* 45(4):553-557. [In Chinese.]
- George, K.H. 2006. New Ancorabolinae Sars, 1909 (Copepoda: Harpacticoida: Ancorabolidae) of the Atlantic and the Pacific Ocean. The taxa *Ceratonotus* Sars, and *Dendropsyllus* Conroy-Dalton. *Meiofauna Marina* 15:87-122.
- George, K.H. 2006. New Ancorabolinae Sars, 1909 (Copepoda: Harpacticoida: Ancorabolidae) of the Atlantic Ocean. Description of *Pseudechinopsyllus sindemarcae* gen. et sp. nov. and *Dorsiceratus ursulae* sp. nov. from the Great Meteor Seamount, and redescription of *D. octocornis* Drzycimski, 1967, and *D. triarticulatus* Coull, 1973 (part.). *Meiofauna Marina* 15:123-156.
- George, K.H. 2006. Ancorabolinae Sars (Copepoda: Harpacticoida: Ancorabolidae) of the deep Atlantic Ocean. *Ancorabolina chimaera* gen. et sp. nov. including remarks to ancorabolid phylogeny and to the evolution of the first natatorial leg in comparison with Laophontidea T. Scott. *Meiofauna Marina* 15:157-176.
- Gheerardyn, H., F. Fiers, M. Vincx & M. De Troch. 2006. *Paralaophonte harpagone* sp. n. (Copepoda: Harpacticoida), a laophontid with an extremely specialised maxilliped. *Organisms Diversity & Evolution* 6(4):323-324 and supplement: <http://www.senckenberg.de/odes/06-14.htm>.
- Gheerardyn, H., F. Fiers, M. Vincx & M. De Troch. 2006. Two new genera of Laophontidae (Copepoda: Harpacticoida) without sexual dimorphism in the endopods of the swimming legs. *Zootaxa* 1327:41-62.
- Gionar, Y.R., S. Atmosoedjono & M.J. Bangs. 2006. *Mesocyclops brevisetosus* (Cyclopoida: Cyclopoidae) as a potential biological control agent against mosquito larvae in Indonesia. *Journal of the American Mosquito Control Association* 22(3):437-443.
- Godiksen, J.A., E.H. Hallfredsson & T. Pedersen. 2006. Effects of alternative prey on predation intensity from herring *Clupea harengus* and sandeel *Ammodytes marinus* on capelin *Mallotus villosus* larvae in the Barents Sea. *Journal of Fish Biology* 69(6):1807-1823.
- Gollasch, S. & S. Nehring. 2006. National checklist for aquatic alien species in Germany. *Aquatic Invasions* 1(4):245-269.
- Gollner, S., J. Zekely, C.L. Van Dover, B. Govenar, N. Le Bris, H.L. Nemeschkal & M. Bright. 2006. Benthic copepod communities associated with

- tubeworm and mussel aggregations on the East Pacific Rise. *Cahiers de Biologie Marine* 47(4):397-402.
- Gómez, S. & C.B. Boyko. 2006. On a small collection of harpacticoids from Easter Island: the family Laophontidae T. Scott (Crustacea: Copepoda: Harpacticoida). *Zootaxa* 1352:1-70.
- Granskog, M., H. Kaartokallio, H. Kuosa, D.N. Thomas & J. Vainio. 2006. Sea ice in the Baltic Sea – A review. *Estuarine, Coastal and Shelf Science* 70(1-2):145-160.
- Griffith, D.C., L.A. Kelly-Hope & M.A. Miller. 2006. Review of reported cholera outbreaks worldwide, 1995-2005. *American Journal of Tropical Medicine and Hygiene* 75:973-977.
- Gruber, N., H. Frenzel, S.C. Doney, P. Marchesiello, J.C. McWilliams, J.R. Moisan, J.J. Oram, G.-K. Plattner & K.D. Stolzenbach. 2006. Eddy-resolving simulation of plankton ecosystem dynamics in the California Current System. *Deep Sea Research Part I: Oceanographic Research Papers* 53:1483-1516.
- Hahn, H.J. 2006. The GW-Fauna-Index: A first approach to a quantitative ecological assessment of groundwater habitats. *Limnologica* 36(2):119-137.
- Hall, J.A., K. Safi, M.R. James, J. Zeldis & M. Weatherhead. 2006. Microbial assemblage during the spring-summer transition on the northeast continental shelf of New Zealand. *New Zealand Journal of Marine and Freshwater Research* 40(1):195-210.
- Hartline, D.K., D. Burdick, E.E. Mitchell & B.S. Beltz. 2006. Neurons of the copepod, *Calanus finmarchicus* exhibiting immunoreactivity to serotonin and crustacean hyperglycemic hormone. *Bulletin of the Mount Desert Island Biological Laboratory* 45:112.
- Haskell, C.A., K.F. Tiffan & D.W. Rondorf. 2006. Food habits of juvenile American shad and dynamics of zooplankton in the lower Columbia River. *Northwest Science* 80(1):47-64.
- Heinrich, A.K. 2006. Redescription of the rare species *Pontella cristata* (Crustacea, Calanoida, Pontellidae). *Zoologicheskii Zhurnal* 85(4):556-560. [In Russian.]
- Helal, H.A. 2006. Decline in zooplankton diversity in the Damietta Branch of the Nile River, Egypt: a comparative study with a 24-year span. *Proceedings of the International Association of Theoretical and Applied Limnology* 29(4):2068-2070.
- Hernández-Hernández, A. & R. Victoria-León. 2006. Reutilización del agua residual tratada en la Unidad Académica Profesional Amecameca de la UAEM en la producción de *Cyprinus carpio specularis* para consumo humano. (Sewage water second use, treated in Amecameca at the Academic Unit UAEM in the production of *Cyprinus carpio specularis* human intake). *Revista Electrónica de Veterinaria, REDVET* 7. 25 pp. [In Spanish; abstract in English.] <http://www.veterinaria.org/revistas/redvet/n070706/070607.pdf>
- Hernández-Trujillo, S. & G. Ma. Esqueda-Escárcega. 2006. Variación diaria de copépodos pelágicos en la plataforma continental de la costa occidental de Baja California, México. [Diurnal variation of pelagic copepods on the continental shelf of the west coast of Baja California, Mexico.] Pp. 101-108 In: Hendrickx R., M.E. (ed.). *Contribuciones al Estudio de los Crustáceos del Pacífico Este 4(1)* [Contributions to the Study of East Pacific Crustaceans 4(1)]. Instituto de Ciencias del Mar y Limnología, UNAM, Mazatlán. 158 pp. [In Spanish.]
- Hicks, B.J., H.J. Bannon & R.D.S. Wells. 2006. Fish and macroinvertebrates in lowland drainage canals with and without grass carp. *Journal of Aquatic Plant Management* 44:89-98.
- Hilborn, R. 2006. Salmon-farming impacts on wild salmon. *Proceedings of the National Academy of Sciences of the U.S.A.* 193(42):15277.
- Hirche, H.J., K.N. Kosobokova, B. Gaye-Haake, I. Harms, B. Meon & E.-M. Nöthig. 2006. Structure and function of contemporary food webs on Arctic shelves: A panarctic comparison: The pelagic system of the Kara Sea – Communities and components of carbon flow. *Progress in Oceanography* 71(2-4):288-313.
- Hirst, A. & A. López-Arrutia. 2006. Effects of evolution on egg development time. *Marine Ecology Progress Series* 326:29-35.
- Ho, J.-s., B.B. Collette & I. Madinabeitia. 2006. Host specificity of *Lepeophtheirus crassus* (Wilson and Bere) (Copepoda: Caligidae) parasitic on the marlin sucker *Remora osteochir* (Cuvier) in the Atlantic Ocean. *Journal of Parasitology* 92(5):1113-1114.
- Hop, H., S. Falk-Petersen, H. Svendsen, S. Kwasniewski, V. Pavlov, O. Pavlova & J.E. Søreide. 2006. Physical and biological characteristics of the pelagic system across Fram Strait to Kongsfjorden. *Progress in Oceanography* 71(2-4):182-231.
- Hořická, Z., E. Stuchlík, I. Hudec, M. Černý & J. Fott. 2006. Acidification and the structure of crustacean zooplankton in mountain lakes: The Tatra Mountains (Slovakia, Poland). *Biologia, Bratislava* 61(Supp. 18): S121-S134.
- Hsieh, C.H. & M.D. Ohman. 2006. Biological responses to environmental forcing: The linear tracking window hypothesis. *Ecology, Washington* 87(8):1932-1938.
- Hu, J., N. Liu & Y. Huang. 2006. Advances on research of Arthropoda mitochondrial genomes and analysis of gene order. *Entomotaxonomia* 28(2):153-160. [In Chinese.]
- Hua, E., Z. Zhang & Y. Zhang. 2006. Meiofauna distributions at the oxygen minimum zone in Changjiang (Yangtze) River Estuary waters. *Acta Oceanologica Sinica* 25(5):120-134.
- Ikeda, T., A. Yamaguchi & T. Matsuishi. 2006. Chemical composition and energy content of deep-sea calanoid copepods in the Western North Pacific Ocean. *Deep Sea Research Part I: Oceanographic Research Papers* 53(11):1791-1809.

- Illyová, M. 2006. Zooplankton of two arms in the Morava River floodplain in Slovakia. *Biologia, Bratislava* 61(5):531-539.
- Irigoién, X. 2006. Reply to Horizons Article 'Castles built on sand: dysfunctionality in plankton models and the inadequacy of dialogue between biologists and modellers' Flynn (2005). Shiny mathematical castles built on grey biological sands. *Journal of Plankton Research* 28(10):965-967.
- Jakob, E. & H.W. Palm. 2006. Parasites of commercially important fish species from the southern Java coast, Indonesia, including the distribution pattern of trypanorhynch cestodes. *Verhandlungen der Gesellschaft für Ichthyologie* 5:165-191.
- Jansen, S., C. Klaas, S. Krägesky, L. von Harbou & U. Bathmann. 2006. Reproductive response of the copepod *Rhincalanus gigas* to an iron-induced phytoplankton bloom in the Southern Ocean. *Polar Biology* 29(12):1039-1044.
- Jiang, M., X.Q. Shen & L.F. Chen. 2006. Relationship between abundance and distribution of fish eggs, larvae and environmental factors in the waters of the Changjiang Estuary and vicinity in spring. *Marine Environmental Science* 25(2):37-39, 44. [In Chinese.]
- Jiang, X.D., G.Z. Wang & S.J. Li. 2006. Reduction of recruitment of *Acartia pacifica* nauplii from benthic resting eggs due to organochlorine pesticides. *Journal of Environmental Sciences China* 18(3):552-556.
- Johannes, M.R.S. & D.E. Hay. 2006. Trophic interactions and consumption of wild fish and plankton by cage-reared salmon in British Columbia - Introduction. *Canadian Technical Report of Fisheries and Aquatic Sciences* 2634: i-v, 1-22.
- Johnson, B.R., J.B. Wallace, A.D. Rosemond & W.F. Cross. 2006. Larval salamander growth responds to enrichment of a nutrient poor headwater stream. *Hydrobiologia* 573(1):227-232.
- Johnson, C.L., J. Pringle & C. Chen. 2006. Transport and retention of dormant copepods in the Gulf of Maine. *Deep Sea Research II: Topical Studies in Oceanography* 53(23-24):2520-2536.
- Junk, W.J., M. Brown, I.C. Campbell, M. Finlayson, B. Gopal, L. Ramberg & B.G. Warner. 2006. The comparative biodiversity of seven globally important wetlands: a synthesis. *Aquatic Sciences - Research Across Boundaries* 68(3):400-414.
- Junk, W.J., C. Nunes da Cunha, K.M. Wantzen, P. Petermann, C. Strüssmann, M.I. Marques & J. Adis. 2006. Biodiversity and its conservation in the Pantanal of Mato Grosso, Brazil. *Aquatic Sciences - Research Across Boundaries* 68(3):278-309.
- Karatoy, E. & E. Soylu. 2006. [Metazoan parasites of bream (*Abramis brama* Linnaeus, 1758) in the lake Durusu (Terkos).] *Turkiye Parazitoloji Dergisi* 30(3):233-238. [In Turkish.]
- Karlsson, J., M. Breitholtz & B. Eklund. 2006. A practical ranking system to compare toxicity of anti-fouling paints. *Marine Pollution Bulletin* 52(12):1661-1667.
- Kartavtsev, Y.P. & J.S. Lee. 2006. Analysis of nucleotide diversity at the cytochrome b and cytochrome oxidase 1 genes at the population, species, and genus levels. *Russian Journal of Genetics* 42(4):341-362.
- Keitt, T.H. & J. Fischer. 2006. Detection of scale-specific community dynamics using wavelets. *Ecology* 87(11):2895-2904.
- Kempf, A., J. Floeter & A. Temming. 2006. Decadal changes in the North Sea food web between 1981 and 1991 — implications for fish stock assessment. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(11):2586-2602.
- Khebiza, M.Y., A.A. Boughrous, C. Gabbanini, M. Messouli & G. Messana. 2006. Impact of waste discharges on the water quality and interstitial community structure of two Mediterranean rivers. *Italian Journal of Zoology* 73(2):153-166.
- Kiljunen, M., J. Grey, T. Sinisalo, C. Harrod, H. Immonen & R.I. Jones. 2006. A revised model for lipid-normalizing  $\delta^{13}\text{C}$  values from aquatic organisms, with implications for isotope mixing models. *Journal of Applied Ecology* 43(6):1213-1222.
- Kim, I.-H. 2006. Poecilostomatoid copepods (Rhynchomolgidae) associated with sea anemones (Actiniaria) from Korea. *Integrative Biosciences* 10(3):145-162.
- Kim, I.-H. 2006. *Zygomolgus dentatus* n. sp. (Copepoda, Poecilostomatida, Lichomolgidae) from Korea, with synonymization of the genus *Lichomolgides* with *Zygomolgus*. *Integrative Biosciences* 10(3):169-173.
- Kim, I.-H. 2006. Copepoda (Poecilostomatida: Anchimolgidae) associated with the scleractinian coral *Gardineroseris planulata* (Dana) from the Moluccas. *Korean Journal of Systematic Zoology* 22(1):63-78.
- Kim, I.-H. 2006. Three new species of *Kelleria* (Copepoda: Poecilostomatida: Kelleriidae) from Korea. *Korean Journal of Systematic Zoology* 22(1):1-11.
- Kim, I.-H. & K. Nagasawa. 2006. Redescription of *Ergasilus zacconis* (Yamaguti, 1936) (Copepoda, Poecilostomatida, Ergasilidae) parasitic on the freshwater fish *Zacco platypus* from Japan. *Korean Journal of Systematic Zoology* 22:121-125.
- Kittayapong, P., U. Chansang, C. Chansang & A. Bhumiratana. 2006. Community participation and appropriate technologies for dengue vector control at transmission foci in Thailand. *Journal of the American Mosquito Control Association* 22(3):538-546.
- Konwick, B.J., A.T. Fisk, A.W. Garrison, J.K. Avants & M.C. Black. 2006. Acute enantioselective toxicity of fipronil and its desulfinyl photoproduct to *Ceriodaphnia dubia*. *Environmental Toxicology and Chemistry* 25(4):1184.

- Kosco, J., P. Kosuth, L. Kosuthova, P. Manko, M. Straka, J. Andreji & I. Stranai. 2006. Prispevok k poznaniu ekologie invaznych druhov rodu *Neogobius* v Solvenkom useku dunaja. Contribution to knowledge of the ecological features of invasive fish species in genus *Neogobius* from Danube River, Slovakia. Pp. 51-55 In: Vykusova, B. (ed.). IX Czech Ichthyological Conference. Collection of contributions from the specialist international conference held in Vodnany on 4.-5.5.2006 within the framework of workshops on fisheries and on the occasion of the 85th anniversary of the founding of VURH. IX. Ceska Ichtyologicka Konference. Sbornik prispevku z odborne konference s mezinarodni ucasti poradane ve Vodnanech 4.-5.5.2006 v ramci XVI. Vodnanskych rybarskych dnu a u prilezitosti 85. vysoci zalozeni VURH. VURH JU, Vodnany. 188 pp. [In Slovak.]
- Kovalchuk, A.A. 2006. Ciliata, other protozoa, and microinvertebrates of floodplain water bodies of the Dnieper reservoirs. Hydrobiological Journal 42(4):3-36.
- Krkosek, M., M.A. Lewis, A. Morton, L.N. Frazer & J.P. Volpe. 2006. Epizootics of wild fish induced by farm fish. Proceedings of the National Academy of Sciences of the U.S.A. 103:15506-15510.
- Kubota, S., K. Sanpanich & S. Putchakarn. 2006. Notes on high numbers of pearls and blister pearls from *Perna viridis* and preliminary survey of bivalve-inhabiting hydrooids in the eastern coasts of the Gulf of Thailand. Biological Magazine Okinawa 44:39-44.
- Kuczynska-Kippen, N. 2006. Zooplankton structure in architecturally differentiated macrophyte habitats of shallow lakes in the Wielkopolska Region, Poland. Oceanological and Hydrobiological Studies 35(2):179-191.
- Kuczynska-Kippen, N., P. Klimaszyk & E. Szelag-Wasieleska. 2006. Dobowe zmiany w obrebie ugrupowan fito- i zooplanktonu strefy przejsciowej platorfowcowego jeziora dystroficznego 'Glodne Jeziorko' (Drawienski Park Narodowy). Diel changes in the plankton communities of the ecotone zone of a peat mat of the dystrophic lake 'Glodne Jeziorko' (Drawienski National Park). Acta Agrophysica 7(2):423-431. [In Polish.]
- Kumar, R. & J.S. Hwang. 2006. Larvicidal efficiency of aquatic predators - a perspective in mosquito biocontrol. Zoological Studies 45(4):447-466.
- Kuuppo, P., P. Uronen, A. Petermann, T. Tamminen & E. Granéli. 2006. Pectenotoxin-2 and dinophysistoxin-1 in suspended and sedimenting organic matter in the Baltic Sea. Limnology and Oceanography 51(5):2300-2307.
- Lam Hoai, T., D. Guiral & C. Rougier. 2006. Seasonal change of community structure and size spectra of zooplankton in the Kaw River estuary (French Guiana). Estuarine Coastal and Shelf Science 68(1-2):47-61.
- Lavaniegos, B. & L.C. Jiménez-Pérez. 2006. Biogeographic inferences of shifting copepod distribution during 1997-1999 El Niño and La Niña in the California Current. Pp. 113-158 In: Hendrickx R., M.E. (ed.). Contribuciones al Estudio de los Crustáceos del Pacífico Este 4(1) [Contributions to the Study of East Pacific Crustaceans 4(1)]. Instituto de Ciencias del Mar y Limnología, UNAM, Mazatlán. 158 pp.
- Lee, C.-Y., C.-T. Shih & C.-C. Hsu. 2006. Community structure of planktonic copepods in I-Lan Bay and the adjacent Kuroshio waters off northeastern Taiwan. Crustaceana 79(10):1223-1240.
- Lee, M.R., J.A. Correa & R. Seed. 2006. A sediment quality triad assessment of the impact of copper mine tailings disposal on the littoral sedimentary environment in the Atacama region of northern Chile. Marine Pollution Bulletin 52(11):1389-1395.
- Lewis, K., J.I. Allen, A.J. Richardson & J.T. Holt. 2006. Error quantification of a high resolution coupled hydrodynamic-ecosystem coastal-ocean model: Part 3, validation with Continuous Plankton Recorder data. Journal of Marine Systems 63(3-4):209-224.
- Li, X., D.J. McGillicuddy, Jr., E.G. Durbin & P.H. Wiebe. 2006. Biological control of the vernal population increase of *Calanus finmarchicus* on Georges Bank. Deep Sea Research Part II: Topical Studies in Oceanography 53(23-24):2632-2655.
- Li, Y., X.X. Tang, J. Yu & L. Feng. 2006. Effects of UV-B radiation on the mortality and ingestion of *Schmacheria* [*Schmackeria*] *inopinus*. Zhongguo Haiyang Daxue Xuebao 36(3):109-113. [Chinese.]
- Lim, J.T. & U.W. Hwang. 2006. The complete mitochondrial genome of *Pollicipes mitella* (Crustacea, Maxillopoda, Cirripedia): non-monophlyies of Maxillopoda and Crustacea. Molecules and Cells 22(3):314-322.
- Lin, C.-L. & J.-s. Ho. 2006. Copepods of the genus *Taeniakanthus* Sumpf, 1871 (Poecilostomatoidea: Taeniakanthidae) parasitic on marine fishes of Taiwan. Journal of the Fisheries Society of Taiwan 33(2):171-191.
- Lin, L.M., Y.Y. Li, R.J. Wan & Z.M. Zhuang. 2006. A study on feeding rhythm of *Paralichthys olivaceus* during early developmental stage. Journal of Fisheries of China 30(3):329-334. In Chinese.]
- Lin, Q.Q., S.Y. Zhao & B.P. Han. 2006. Dynamics of rotifer and crustacean zooplankton in a newly constructed reservoir. Shengtaixue Zazhi 25(3):270-276. [In Chinese.]
- Liu, F., K.S. Mai, Q.H. Al, Q.Y. Duan, W. Xu, T.P. Wei, B.P. Tan, W.B. Zhang, H.M. Ma & Z.G. Liufu. 2006. Effects of dietary fish protein hydrolysate levels on growth, survival and body composition of larvae in *Pseudosciaena crocea*. Journal of Fisheries of China 30(4):502-508. [In Chinese.]
- Liu, Z., C. Wang, Z. Zhang, Y. Cai & D. Zhang. 2006. Seasonal dynamics and grazing rate of zooplankton in

- Yueqing Bay, China. *Frontiers of Biology in China* 1(4):434-442.
- Longhurst, A. 2006. The sustainability myth. *Fisheries Research* 81(2-3):107-112.
- López-Ibarra, G.A. & R. Palomares-García. 2006. Copepod community structure in Magdalena Bay, Mexico, during El Niño 1997-1998. *Revista de Biología Marina y Oceanografía* 41(1):63-76.
- Lugendo, B.R., I. Nagelkerken, G. van der Velde & Y.D. Mgaya. 2006. The importance of mangroves, mud and sand flats, and seagrass beds as feeding areas for juvenile fishes in Chwaka Bay, Zanzibar: gut content and stable isotope analyses. *Journal of Fish Biology* 69(6):1639-1661.
- Lysne, D.A., W. Hemmingsen & A. Skorping. 2006. Is reduced body growth of cod exposed to the gill parasite *Lernaeocera branchialis* a cost of resistance? *Journal of Fish Biology* 69(5):1281-1287.
- Mamedov, E.V. 2006. The biology and abundance of kilka (*Clupeonella* spp.) along the coast of Azerbaijan, Caspian Sea. *ICES Journal of Marine Science* 63(9):1665-1673.
- Mariani, L., D. De Pascale, O. Faraponova, A. Tornambe, A. Sarni, S. Giuliani, G. Ruggiero, F. Onorati & E. Magaletti. 2006. The use of a test battery in marine ecotoxicology: The acute toxicity of sodium dodecyl sulfate. *Environmental Toxicology* 21(4, Special Issue):373-379.
- Markhaseva, E.L. & K. Schulz. 2006. *Sensiava longiseta* (Copepoda, Calanoida): a new genus and species from the abyss of the Weddell Sea. *Zootaxa* 1368:1-18.
- Marques, J.F., M.J. Santos & H.N. Cabral. 2006. Soleidae macroparasites along the Portuguese coast: latitudinal variation and host-parasite associations. *Marine Biology* 150(2):285-298.
- \*\*Marrone, F., R. Barone & L. Naselli-Flores. 2006. Ecological characterization and cladocerans, calanoid copepods and large branchiopods of temporary ponds in a Mediterranean island (Sicily, southern Italy). *Chemistry and Ecology* 22(Suppl. 1):S181-S190.
- Marshall, J.C., A.L. Steward & B.D. Harch. 2006. Taxonomic resolution and quantification of freshwater macroinvertebrate samples from an Australian dryland river: the benefits and costs of using species abundance data. *Hydrobiologia* 572(1):171-194.
- Martin, D.L., R.M. Ross, L.B. Quetin & A.E. Murray. 2006. Molecular approach (PCR-DGGE) to diet analysis in young Antarctic krill *Euphausia superba*. *Marine Ecology Progress Series* 319:155-165.
- Martin, J.W. & G.E. Davis. 2006. Historical trends in crustacean systematics. *Crustaceana* 79(11):1347-1368.
- Matthews, B. & A. Mazumder. 2006. Habitat specialization and the exploitation of allochthonous carbon by zooplankton. *Ecology, New York* 87(11):2800-2812.
- McBeath, A.J.A., M.J. Penston, M. Snow, P.F. Cook, I.R. Bricknell & C.O. Cunningham. 2006. Development and application of real-time PCR for the specific detection of *Lepeophtheirus salmonis* and *Caligus elongatus* larvae in Scottish plankton samples. *Diseases of Aquatic Organisms* 73:141-150.
- McKay, R.I.(B.), T.H. Hoang, N. Mori, X.H. Nguyen & D. Essam. 2006. Model-building with interpolated temporal data. *Ecological Informatics* 1(3):259-268.
- Michel, C., R.G. Ingram & L.R. Harris. 2006. Variability in oceanographic and ecological processes in the Canadian Arctic Archipelago. *Progress in Oceanography* 71(2-4):379-401.
- Moon, S.Y., C.S. Jung, H.Y. Soh & H.J. Oh. 2006. Distribution of zooplankton communities in the coastal area of Wando in summer. *Korean Journal of Environmental Biology* 24(4):329-336.
- Morales-Serna, F.N., S. Gómez & I.M. Bustos-Hernández. 2006. Spatial and temporal variation of taxonomic composition and species richness of benthic copepods (Cyclopoida and Harpacticoida) along a polluted coastal system from north-western Mexico during two contrasting months. Pp. 41-59 In: Hendrickx R., M.E. (ed.). *Contribuciones al Estudio de los Crustáceos del Pacífico Este 4(1)* [Contributions to the Study of East Pacific Crustaceans 4(1)]. Instituto de Ciencias del Mar y Limnología, UNAM, Mazatlán. 158 pp.
- Mori, N. & A. Brancelj. 2006. Fauna in the river sediments of the central Slovenia (SE Europe). *Geophysical Research Abstracts* 8:03184.
- Moritz, C.M., D. Montagnes, J.H. Carleton, D. Wilson & A.D. McKinnon. 2006. The potential role of microzooplankton in a northwestern Australian pelagic food web. *Marine Biology Research* 2(1):1-13.
- Morris, A.K. 2006. Macrozooplankton assemblages in California fronts. *Costal Environmental Quality Initiative, University of California Marine Council, Paper No. 34.* 11 pp. <http://repositories.cdlib.org/ucmarine/ceqi/034>
- Moscatello, S. & G. Belmonte. 2006. A preliminary plan for the study of zooplankton in the Gulf of Vlore (Albania). *Thalassia Salentina* 29:63-70.
- Nagasawa, K. & A. Yamaguchi. 2006. *Driocephalus cerebrinoxius*, a copepod parasitic in the olfactory sacs of the starspotted smooth-hound *Mustelus manazo* in Japan. *Reports of the Japanese Society for Elasmobranch Studies* 42:1-5. [In Japanese with English abstract.]
- Naeslund, B. & J. Norberg. 2006. Ecosystem consequences of the regional species pool. *Oikos* 115(3):504-512.
- Nam, E.-J. & W. Lee. 2006. Two new species of the genus *Heteropsyllus* (Crustacea, Copepoda, Harpacticoida) from Jeju Island, Korea and Devon, England. *Journal of Natural History* 40(29-31):1719-1745.
- Napiorkowski, P., A. Kentzer & E. Dembowska. 2006. Zooplankton of the lower Vistula River: the effect of Włocławek Dam Reservoir (Poland) on community structure. *Proceedings of the International Association of Theoretical and Applied Limnology* 29(4):2109-2114.

- Nielsen, P., J. Mortensen, B. Vismann & B.W. Hansen. 2006. Physiological tolerance of marine calanoid copepod eggs to sulphide. *Marine Ecology Progress Series* 328:171-182.
- Noichi, T., Subiyanto & I. Hirata. 2006. Occurrence and feeding habit of the settled larval and juvenile spotted halibut *Verasper variegatus* at sandy beaches on the western coast of Kyushu, Japan. *Bulletin of the Japanese Society of Scientific Fisheries / Nippon Suisan Gakkaishi* 72(3):366-373. [In Japanese.]
- Northcote, T.G. & J. Hammar. 2006. Feeding ecology of *Coregonus albula* and *Osmerus eperlanus* in the limnetic waters of Lake Mälaren, Sweden. *Boreal Environment Research* 11(3):229-246.
- Nummi, P., V.M. Vaananen & J. Malinen. 2006. Alien grazing: Indirect effects of muskrats on invertebrates. *Biological Invasions* 8(5):993-999.
- Ohtsuka, S. 2006. Systematics and evolution of small crustaceans: their diversity and dynamism. *Taxa* 21:1-12. [In Japanese.]
- Olson, M.B., E.J. Lessard, C.H.J. Wong & M.J. Bernhardt. 2006. Copepod feeding selectivity on the microplankton, including the toxicogenic diatoms *Pseudo-nitzschia* spp., in the coastal Pacific Northwest. *Marine Ecology Progress Series* 326:207-220.
- Ooishi, S. 2006. *Loboixys ryukyuensis* (Crustacea: Copepoda: Cyclopoida: Notodelphyidae), a new genus and species, living in the compound ascidian *Diplosoma virens* at Okinawa, Japan. *Proceedings of the Biological Society of Washington* 119(3):373-383.
- Otake, T. 2006. Early life history of ayu in coastal waters. *Bulletin of Fisheries Research Agency Supplement* 5:179-185. [In Japanese.]
- Ozdikmen, H. & L. Pesce. 2006. *Neomrazekiella* nom. nov., a replacement name for the generic name *Mrazekiella* Brehm, 1949 (Crustacea: Copepoda: Canthocamptidae). *Munis Entomology and Zoology* 1(2):211-214.
- Pane, L., E. Giacco & G.L. Mariottini. 2006. Utilizzo di *Tigriopus fulvus* (Copepoda: Harpacticoida) in ecotossicologia. Saggi con disperdenti e tensioattivi. Utilization of *Tigriopus fulvus* (Copepoda: Harpacticoida) in ecotoxicology. Tests with dispersants and surfactants. *Biologia Marina Mediterranea* 13(2):348-349. [In Italian.]
- Papastefanou, K.M., S.M. Bollens & A.M. Slaughter. 2006. Cross-shelf distribution of copepods and the role of event-scale winds in a northern California upwelling zone. *Deep Sea Research Part II: Topical Studies in Oceanography* 53(25-26):3078-3098.
- Paterson, M.J., P.J. Blanchfield, C. Podemski, H.H. Hintelmann, C.C. Gilmour, R. Harris, N. Ogrinc, J.W.M. Rudd & K.A. Sandilands. 2006. Bioaccumulation of newly deposited mercury by fish and invertebrates: an enclosure study using stable mercury isotopes. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(10):2213-2224.
- Pecorari, S., S. José de Paggi & J.C. Paggi. 2006. Assessment of the urbanization effect on a lake by zooplankton. *Water Resources / Vodnye Resursy* 33(6):677-685.
- Pennisi, E. 2006. Two rapidly evolving genes spell trouble for hybrids. *Science* 314:1238-1239.
- Piasecki, W., A. Sekowska-Jakubowska & E. Sobecka. 2006. Comparative description of males of two species of *Achtheres* von Nordmann, 1832 (Copepoda: Siphonostomatoida: Lernaeopodidae) infecting zander and European perch. *Folia Parasitologica, Praha* 53(3):211-216.
- Puello-Cruz, A.C., E. Yen-Ortega, B. González-Rodríguez, G. Velasco-Blanco, M. Nieves-Soto & B. Gómez-Gil. 2006. Recent advances in the production and use of *Tisbe monozota* Bowman, 1962 (Copepoda: Harpacticoida: Tisbidae) in high-density cultures, and maintained under control conditions. Pp. 13-24 In: Hendrickx R., M.E. (ed.). *Contribuciones al Estudio de los Crustáceos del Pacífico Este 4(1)* [Contributions to the Study of East Pacific Crustaceans 4(1)]. Instituto de Ciencias del Mar y Limnología, UNAM, Mazatlán. 158 pp.
- Rahaman, A.A. 2006. Plankton communities in hypersaline waters of Indian solar Saltworks. In: Lekkas, T.D. & N.A. Korovessis (eds.). *Proceedings of the 1st International Conference on the Ecological Importance of Solar Saltworks (CEISSA-06)*, Santorini Island, Greece, 20-22 October 2006:259-268. [Extended abstract.]
- Rajkumar, M. & K.P. Kumaraguru Vasagam. 2006. Suitability of the copepod, *Acartia clausi* as a live feed for Seabass larvae (*Lates calcarifer* Bloch): compared to traditional live food organisms with special emphasis on the nutritional value. *Aquaculture* 261(2):649-658.
- Rajkumar, M., P. Perumal & J.P. Trilles. 2006. On the occurrence of a double parasitism (copepod and isopod) on the anchovy fish in India. *Journal of Environmental Biology* 27(3):613-614.
- Rixen, T., C. Goyet & V. Ittekkot. 2006. Diatoms and their influence on the biologically mediated uptake of atmospheric CO<sub>2</sub> in the Arabian Sea upwelling system. *Biogeosciences* 3(1):1-13.
- Roessink, I., J.D.M. Belgers, S.J.H. Crum, P.J. van den Brink & T.C.M. Brock. 2006. Impact of triphenyltin acetate in microcosms simulating floodplain lakes. II. Comparison of species sensitivity distributions between laboratory and semi-field. *Ecotoxicology* 15(5):411-424.
- Robiecki, L. 2006. Correlation between the occurrence of parasites and body length of roach, carp, bream, European perch, zander, and ruffe in the Vistula Lagoon estuary. *Oceanological and Hydrobiological Studies* 35(3):257-267.

- Rolbiecki, L. & J. Rokicki. 2006. Parasite fauna of the eel, *Anguilla anguilla* (Linnaeus, 1758), from the Polish part of the Vistula Lagoon. *Wiadomosci Parazytologiczne* 52(2):115-119.
- Rollwagen-Bollens, G.C., S.M. Bollens & D.L. Penry. 2006. Vertical distribution of micro- and nanoplankton in the San Francisco Estuary in relation to hydrography and predators. *Aquatic Microbial Ecology* 44(2):143-163.
- Rose, A. & S. Seifried. 2006. Small-scale diversity of Harpacticoida (Crustacea, Copepoda) from an intertidal sandflat in the Jade Bay (German Bight, North Sea). *Senckenbergiana Maritima* 36(2):109-122.
- Ross, L.G., C.A. Martínez-Palacios, M. del C. Aguilar-Valdez, M.C.M. Beveridge & M.C. Chavez-Sanchez. 2006. Determination of feeding mode in fishes: the importance of using structural and functional feeding studies in conjunction with gut analysis in a selective zooplanktivore *Chiostoma estor estor* Jordan 1880. *Journal of Fish Biology* 68(6):1782-1794.
- Runge, J.A., S. Plourde, P. Joly, B. Niehoff & E. Durbin. 2006. Characteristics of egg production of the planktonic copepod, *Calanus finmarchicus*, on Georges Bank: 1994-1999. *Deep-Sea Research Part II: Topical Studies in Oceanography* 53(23-24):2618-2631.
- Rysgaard, S. & T.G. Nielsen. 2006. Carbon cycling in a high-arctic marine ecosystem – Young Sound, NE Greenland. *Progress in Oceanography* 71(2-4):426-445.
- Salas, N., L. Ortiz, M. Gilcoto, M. Varela, J.M. Bayona, S. Groom, X.A. Álvarez-Salgado & J. Albaigés. 2006. Fingerprinting petroleum hydrocarbons in plankton and surface sediments during the spring and early summer blooms in the Galician coast (NW Spain) after the *Prestige* oil spill. *Marine Environmental Research* 62(5):388-413.
- Saliu, J.K. & O.J. Eruteya. 2006. Biodiversity of gutters in Lagos metropolis, Nigeria. *Journal of Biological Sciences* 6(5):936-940.
- Sanabria-Aranda, L., A. González-Bermúdez, N.N. Torres, C. Guisande, A. Manjarrés-Hernández, V. Valoyes-Valois, J. Díaz-Olarte, C. Andrade-Sossa & S.R. Duque. 2006. Predation by the tropical plant *Utricularia foliosa*. *Freshwater Biology* 51(11):1999-2008.
- Santeiro, R.M., R.M. Pinto-Coelho & L.H. Sipaúba-Tavares. 2006. Diurnal variation of zooplankton biochemical composition and biomass in plankton production tanks. *Acta Scientiarum, Biological Sciences*, Maringá 28(2):103-108.
- Santos, M.D. dos & M. de C. Brasil-Sato. 2006. Parasitic community of *Franciscodoras marmoratus* (Reinhardt, 1874) (Pisces: Siluriformes, Doradidae) from the upper São Francisco river, Brazil. Comunidade parasitária de *Franciscodoras marmoratus* (Reinhardt, 1874), (Pisces: Siluriformes, Doradidae) do alto rio São Francisco, Brasil. *Brazilian Journal of Biology* 66(3):931-938. [In English; abstract in Portuguese.]
- Sastrí, A.R. & J.F. Dower. 2006. Mesozooplankton community response during the SERIES iron enrichment experiment in the subarctic NE Pacific. *Deep Sea Research Part II: Topical Studies in Oceanography* 53(20-22):2268-2280.
- Sastrí, A.R. & J.F. Dower. 2006. Field validation of an instantaneous estimate of in situ development and growth for marine copepod communities. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(12):2639-2647.
- Sattari, M., B. Mokhayer & S. Shafii. 2006. Parasitic worms of Persian sturgeon (*Acipenser persicus* Borodin, 1897) from the southwest of the Caspian Sea. *Bulletin of the European Association of Fish Pathologists* 26(3):131-136.
- Saumweber, W.J. & E.G. Durbin. 2006. Estimating potential diapause duration in *Calanus finmarchicus*. *Deep-Sea Research Part II: Topical Studies in Oceanography* 53(23-24):2597-2617.
- Schaefer, M. (ed.). 2006. *Brohmer, Fauna von Deutschland: ein Bestimmungsbuch unserer heimischen Tierwelt*. 22. neu bearbeitete Auflage. The fauna of Germany: an identification guide to our native fauna. 22nd revised edition. Quelle and Meyer Verlag GmbH and Co., Wiebelsheim. (In collaboration with: Ansorge, H., K. Fiedler, K. Sattler, S. Scheu & E. Schmidt). 809 pp. [In German.]
- Scheinberg, R.D., D. Hoover, M. Miller, M.R. Landry, E.H. DeCarlo & F.T. Mackenzie. 2006. Zooplankton response to storm runoff in a tropical estuary: bottom-up and top-down controls. *Marine Ecology Progress Series* 318:187-201.
- Schloss, A.L. & J.F. Haney. 2006. Clouds, shadows or twilight? Mayfly nymphs recognise the difference. *Freshwater Biology* 51(6):1079-1089.
- Schmid, M.K., D. Piepenburg, A.A. Golikov, K.v. Juterzenka, V.V. Petryashov & M. Spindler. 2006. Trophic pathways and carbon flux patterns in the Laptev Sea. *Progress in Oceanography* 71(2-4):314-330.
- Schmidt, K., A. Atkinson, K.J. Petzke, M. Voss & D.W. Pond. 2006. Protozoans as a food source for Antarctic krill, *Euphausia superba*: Complementary insights from stomach content, fatty acids, and stable isotopes. *Limnology and Oceanography* 51(5):2409-2427.
- Sedova, N.A. 2006. Specific features of morphology and vernal distribution of *Pleuromamma scutellata* and *P. abdominalis* (Copepoda, Metridiidae) in water off the Kamchatka Peninsula. *Zoologicheskii Zhurnal* 85(6):682-690. [In Russian.]
- Selifonova, J.P. 2006. Copepods, composition and biomass in the Sea of Azov. *Acta Zoologica Bulgarica* 58(1):117-124.
- Selivanova, E.N. & A.S. Moiseenko. 2006. The neritic copepod *Acartia tumida* present in the plankton of Kievka Bay. *Biologiya Morya, Vladivostok* 32(3):174-180. [In Russian.]

- Seo, J.S., K.-W. Lee, J.-S. Rhee, D.-S. Hwang, Y.-M. Lee, H.G. Park, I.-Y. Ahn & J.-S. Lee. 2006. Environmental stressors (salinity, heavy metals,  $H_2O_2$ ) modulate expression of glutathione reductase (GR) gene from the intertidal copepod *Tigriopus japonicus*. *Aquatic Toxicology* 80(3):281-289.
- Sharma, B.K. & D. Wanswett. 2006. Zooplankton of a subtropical fish pond of high rainfall region of Meghalaya (N.E. India): composition and ecology. *Records of the Zoological Survey of India* 106(1):69-80.
- Shedko, M.B. 2006. *Salmincola germani* is a new parasitic copepod (Copepoda, Lernaeopodidae) species of fishes of the genus *Thymallus* (Salmoniformes, Thymallidae) from the southern Russian Far East. *Zoologicheskii Zhurnal* 85(4):435-440. [In Russian.]
- Silvano, R.A.M. & A.Z. Guth. 2006. Diet and feeding behavior of *Kyphosus* spp. (Kyphosidae) in a Brazilian subtropical reef. *Brazilian Archives of Biology and Technology* 49(4):623-629.
- Sims, D.W., M.J. Witt, A.J. Richardson, E.J. Southall & J.D. Metcalfe. 2006. Encounter success of free-ranging marine predator movements across a dynamic prey landscape. *Proceedings of the Royal Society, Biological Sciences, Series B*, 273(1591):1195-1201.
- Skovgaard, A. & E. Saiz. 2006. Seasonal occurrence and role of protistan parasites in coastal marine zooplankton. *Marine Ecology Progress Series* 327:37-49.
- Slaughter, A.M., S.M. Bollens & G. Rollwagen Bollens. 2006. Grazing impact of mesozooplankton in an upwelling region off northern California, 2000–2003. *Deep Sea Research Part II: Topical Studies in Oceanography* 53(25-26):3099-3115.
- Smith, F. & A.V. Brown. 2006. Effects of flow on meiofauna colonization in artificial streams and reference sites within the Illinois River, Arkansas. *Hydrobiologia* 571(1):169-180.
- Sobek, A., G. Cornelissen, P. Tiselius & O. Gustafsson. 2006. Passive partitioning of polychlorinated biphenyls between seawater and zooplankton, a study comparing observed field distributions to equilibrium sorption experiments. *Environmental Science and Technology* 40(21):6703-6708.
- Song, L., Z.C. Zhou, N.B. Wang, Z.Q. Ma & K. Xue. 2006. Community characteristics of zooplankton in Jinzhou Bay in summer. *Fisheries Science Liaoning* 25(8):408-412. [In Chinese.]
- Sopanen, S., M. Koski, P. Kuuppo, P. Uronen, C. Legrand & T. Tamminen. 2006. Toxic haptophyte *Prymnesium parvum* affects grazing, survival, egestion and egg production of the calanoid copepods *Eurytemora affinis* and *Acartia bifilosa*. *Marine Ecology Progress Series* 327:223-232.
- Soto, D. & P. De los Ríos. 2006. Influence of trophic status and conductivity on zooplankton composition in lakes and ponds of Torres del Paine National Park (Chile). *Biología, Bratislava* 61(5):541-546.
- Sourisseau, M. & F. Carlotti. 2006. Spatial distribution of zooplankton size spectra on the French continental shelf of the Bay of Biscay during spring 2000 and 2001. *Journal of Geophysical Research* 111: C05S09, doi:10.1029/2005JC003063
- Souza-Santos, L.P., J.M.O. Pastor, N.G. Ferreira, W.M. Costa, C.M.V. Araújo-Castro & P.J.P. Santos. 2006. Developing the harpacticoid copepod *Tisbe biminiensis* culture: testing for salinity tolerance, ration levels, presence of sediment and density dependent analyses. *Aquaculture Research* 37(15):1516-1523.
- Speckmann, C.L., C.J. Hyatt & E.J. Buskey. 2006. Effects of *Karenia brevis* diet on RNA:DNA ratios and egg production of *Acartia tonsa*. *Harmful Algae* 5(6):693-704.
- Stenberg, T.S. 2006. Undersogelse af dyreliv i vandhuller på Vestereng, Arhus - med fokus på encellede og små flercellede organismer. Investigations of the fauna in small temporary ponds on Vestereng, Arhus - with emphasis on protozoa and small metazoa. *Flora og Fauna* 112(1):1-10. [In Danish.]
- Stibor, H., A. Gelzleichter, F. Hantzsch, U. Sommer, M. Striebel, O. Vadstein & Y. Olsen. 2006. Combining dialysis and dilution techniques to estimate gross growth rate of phytoplankton and grazing by micro- and mesozooplankton in situ. *Archiv für Hydrobiologie* 167(1/4):403-419.
- Stich, H.B. & G. Maier. 2006. Enumeration of prey items in stomachs of European whitefish (*Coregonus lavaretus* L.) which contain digested fragments. *Limnologica* 36(2):138-142.
- Strathmann, R.R., L.R. Kendall & A.G. Marsh. 2006. Embryonic and larval development of a cold adapted Antarctic ascidian. *Polar Biology* 29(6):495-501.
- Sundararaj, T.D., M. Ambika Devi, C. Shammuganadaram & A.A. Rahaman. 2006. Dynamics of solar saltworks ecosystem in India. In: Lekkas, T.D. & N.A. Korovessis (eds.). Proceedings of the 1st International Conference on the Ecological Importance of Solar Saltworks (CEISSA-06), Santorini Island, Greece, 20-22 October 2006:122-126. [Extended abstract.]
- Sundt-Hansen, L.E., V. Olsen, H. Stibor, M. Heldal & O. Vadstein. 2006. Trophic cascades mediated by copepods and not nutrient supply rate determine the development of picocyanobacteria. *Aquatic Microbial Ecology* 45:207-218.
- Syvaranta, J., H. Hamalainen & R.I. Heikki. 2006. Within-lake variability in carbon and nitrogen stable isotope signatures. *Freshwater Biology* 51(6):1090-1102.
- Tam, Q. & A. Avenant-Oldewage. 2006. The digestive system of larval *Argulus japonicus* (Branchiura). *Journal of Crustacean Biology* 26(4):447-454.
- Tang, J.L., H.Y. Mao & M.R. Guo. 2006. Analysis on the red tide of *Prorocentrum dantatum* in the north coastal water of Zhejiang. *Marine Environmental Science* 25(3):63-66. [In Chinese.]

- Tang, K.W., K.M.L. Hutalle & H.P. Grossart. 2006. Microbial abundance, composition and enzymatic activity during decomposition of copepod carcasses. *Aquatic Microbial Ecology* 45:219-227.
- Templeton, R.C., P.L. Ferguson, K.M. Washburn, W.A. Scrivens & G.T. Chandler. 2006. Life-cycle effects of Single-Walled Carbon Nanotubes (SWNTs) on an estuarine meiobenthic copepod. *Environmental Science and Technology ASAP article* 10.1021/es060407p S0013-936X(06)00407-X
- Thatcher, V.E. & J. Pereira Jr. 2006. *Kroyeria brasiliense* sp. nov. (Copepoda, Kroyeriidae) a gill parasite of the shark, *Galeorhinus vitanicus* de Buen, in Rio Grande do Sul State, Brazil. *Revista Brasileira de Zoologia* 23(4):1185-1187.
- Thielges, D., M Krakau, H. Andresen, S. Fottner & K. Reise. 2006. Macroparasite community in molluscs of a tidal basin in the Wadden Sea. *Helgoland Marine Research* 60(4):307-316.
- Thielges, D.W. & K. Reise. 2006. Metazoan parasites in intertidal cockles *Cerastoderma edule* from the northern Wadden Sea. *Journal of Sea Research* 56(4):284-293.
- Thomas, K.U., N. Joseph, O. Raveendran & S. Nair. 2006. Salinity-induced survival strategy of *Vibrio cholerae* associated with copepods in Cochin backwaters. *Marine Pollution Bulletin* 52(11):1425-1430.
- Todd, C.D., B.D.M. Whyte, J.C. MacLean & A.M. Walker. 2006. Ectoparasitic sea lice (*Lepeophtheirus salmonis* and *Caligus elongatus*) infestations of wild, adult, one sea-winter Atlantic salmon *Salmo salar* returning to Scotland. *Marine Ecology Progress Series* 328:183-193.
- Tollrian, R. & C. Laforsch. 2006. Linking predator kairomones and turbulence: synergistic effects and ultimate reasons for phenotypic plasticity in *Daphnia cucullata*. *Archiv für Hydrobiologie* 167(1-4):135-146.
- Tönnesson, K., T.G. Nielsen & P. Tiselius. 2006. Feeding and production of the carnivorous copepod *Pareuchaeta norvegica* Boeck in the Skagerrak. *Marine Ecology Progress Series* 314:213-225.
- Torres, L.E. & K. Rylander. 2006. Diversity and abundance of littoral cladocerans and copepods in nine Ecuadorian highland lakes. *Revista de Biología Tropical* 54(1):131-137.
- Traunspurger, W., M. Bergtold, A. Ettemeyer & W. Goedkoop. 2006. Effects of copepods and chironomids on the abundance and vertical distribution of nematodes in a freshwater sediment. *Journal of Freshwater Ecology* 21(1):81-90.
- Tremblay, J.-É., H. Hattori, C. Michel, M. Ringuette, Z.-P. Mei, C. Lovejoy, L. Fortier, K.A. Hobson, D. Amiel & K. Cochran. 2006. Trophic structure and pathways of biogenic carbon flow in the eastern North Water Polynya. *Progress In Oceanography* 71(2-4):402-425.
- Tsuda, A., H. Saito, J. Nishioka, T. Ono, Y. Noiri & I. Kudo. 2006. Mesozooplankton response to iron enrichment during the diatom bloom and bloom decline in SERIES (NE Pacific). *Deep Sea Research Part II: Topical Studies in Oceanography* 53(20-22):2281-2296.
- Uriarte, I. & F. Villate. 2006. First evidences of *Acartia bifilosa* resting eggs in sediments of the Urdaibai estuary (Bay of Biscay): abundance and hatching success. *Scientia Marina* 70(4):565-572.
- Usha, R., K. Ramalingam & U.D.B. Rajan. 2006. Freshwater lakes - a potential source for aquaculture activities - a model study on Perumal lake, Cuddalore, Tamil Nadu. *Journal of Environmental Biology* 27(4):713-722.
- Uzunay, E. & E. Soylu. 2006. [Metazoan parasites of carp (*Cyprinus carpio* Linnaeus, 1758) and vimba (*Vimba vimba* Linnaeus, 1758) in the Sapanca lake.] *Turkiye Parazitoloji Dergisi* 30(2):141-150. [In Turkish.]
- Vagianou, S., F. Athanassopoulou, V. Ragias, D. Di Cave, L. Leontides & E. Golomazou. 2006. Parasites of sea bream and sea bass, raised in cages in the Mediterranean Sea of southern Greece. *Israeli Journal of Aquaculture Bamidgeh* 58(2):78-88.
- Valdenberg, A., A. Milstein & S. Harpaz. 2006. Effects of timing of common carp larvae stocking on zooplankton succession in earthen nursery ponds: a microcosm simulation. *Journal of the World Aquaculture Society* 37(4):378-387.
- Valdes, L., T. O'Brien & A. Lopez-Urrutia. 2006. Zooplankton monitoring results in the ICES area, Summary Status Report 2004/2005. ICES Cooperative Research Report 281. 50 pp. <http://www.ices.dk/pubs/crr/crr281/CRR%20281.pdf>
- Vanderlugt, K. 2006. Intensive cultivation of the calanoid copepod *Bestiolina similis*. *The Journal of Young Investigators* 15(7). <http://www.jyi.org/research/re.php?id=147>
- Varela, M., A. Bode, J. Lorenzo, M.T. Álvarez-Ossorio, A. Miranda, T. Patrocinio, R. Anadón, L. Viesca, N. Rodríguez, L. Valdés, J. Cabal, Á. Urrutia, C. García-Soto, M. Rodríguez, X.A. Álvarez-Salgado & S. Groom. 2006. The effect of the "Prestige" oil spill on the plankton of the N-NW Spanish coast. *Marine Pollution Bulletin* 53(5-7):272-286.
- Vargas, C.A., R. Escribano & S. Poulet. 2006. Phytoplankton food quality determines time windows for successful zooplankton reproductive pulses. *Ecology* 87(12):2992-2999.
- Ventura, M. 2006. Linking biochemical and elemental composition in freshwater and marine crustacean zooplankton. *Marine Ecology Progress Series* 327:233-246.
- Vinogradov, M.E., L.P. Lebedeva, T.A. Lukasheva & L.L. Anokhina. 2006. Condition of coastal mesoplankton communities in the northeastern area of the Black Sea in 2005. *Oceanology* 46(6):817-826.
- Vukanic, V. 2006. One-year observation on the population structure of Cladocera in Boka Katorska Bay (Coastal waters of Southern Adriatic). In: Proceedings of the MWWD 2006 – 4th International Conference on Marine

- Waste Water Disposal and Marine Environment & IEMES 2006 2th International Exhibition on Materials Equipment and Services for Coastal WWTP, Outfalls and Sealines, ANTALYA, Turkey, November 6-10, 2006. 14 pp.
- Walker, P.D., W. Abbink, G. van der Velde & S.E. Wendelaar Bonga. 2006. A new record of *Trachelastes maculatus* Kollar, 1835 (Copepoda, Siphonostomatoidea, Lernaeopodidae) on common bream (*Abramis brama* (L., 1758)) in the Netherlands. *Crustaceana* 79(8):1015-1019.
- Wanganeo, A. & R. Wanganeo. 2006. Variation in zooplankton population in two morphologically dissimilar rural lakes of Kashmir Himalayas. *Proceedings of the National Academy of Sciences of India, Section B*, 76(3):222-239.
- Ware, D. & D. McQueen. 2006. Hecate Strait climate-forced nutrient, phytoplankton, zooplankton model version 4.3.4. Canadian Technical Report of Fisheries and Aquatic Sciences 2653:1-56.
- Ware, D. & D. McQueen. 2006. Retrospective estimates of interannual and decadal variability in lower trophic level production in the Hecate Strait-Queen Charlotte Sound region from 1958 to 1998. Canadian Technical Report of Fisheries and Aquatic Sciences 2656:1-31.
- Wassmann, P., M. Reigstad, T. Haug, B. Rudels, M.L. Carroll, H. Hop, G.W. Gabrielsen, S. Falk-Petersen, S.G. Denisenko, E. Arashkevich, D. Slagstad & O. Pavlova. 2006. Food webs and carbon flux in the Barents Sea. *Progress in Oceanography* 71(2-4):232-287.
- Wells, A., C.E. Grierson, M. MacKenzie, I.J. Russon, H. Reinardy, C. Middlemiss, P.A. Bjørn, B. Finstad, S.E. Wendelaar Bonga, C.D. Todd & N. Hazon. 2006. Physiological effects of simultaneous, abrupt seawater entry and sea lice (*Lepeophtheirus salmonis*) infestation of wild, sea-run brown trout (*Salmo trutta*) smolts. *Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 63(12):2809-2821.
- Whigham, P.A. 2006. Visualising and assessing the probable error from downscaling ecological time series data. *Ecological Informatics* 1(3):307-314.
- Willen, E. 2006. A new species of Copepoda Harpacticoida, *Xylora calyptogenae* spec. n., with a carnivorous lifestyle from a hydrothermally active submarine volcano in the New Ireland Fore-Arc system (Papua New Guinea) with notes on the systematics of the Donsiellinae Lang, 1948. *Helgoland Marine Research* 60(4):257-272.
- Wilson, M.T., C.M. Jump & J.T. Duffy-Anderson. 2006. Comparative analysis of the feeding ecology of two pelagic forage fishes: capelin *Mallotus villosus* and walleye pollock *Theragra chalcogramma*. *Marine Ecology Progress Series* 317:245-258.
- Wishner, K.F., D.M. Outram & D.S. Ullman. 2006. Zooplankton distributions and transport across the northeastern tidal front of Georges Bank. *Deep Sea Research Part II: Topical Studies in Oceanography* 53(23-24):2570-2596.
- Xu, W., D. Jameson, B. Tang & P.G. Higgs. 2006. Relationship between the rate of molecular evolution and the rate of genome rearrangement in animal mitochondrial genomes. *Journal of Molecular Evolution* 63(3):375-392.
- Xu, Z.L. 2006. Dynamics of medusa abundance in the East China Sea. *Acta Zoologica Sinica* 52(5):854-861. [In Chinese.]
- Yamaguchi, A. & M. Terazaki. 2006. Taxonomy and the Plankton Society of Japan. *Aquabiology Tokyo* 28(3):262-266. [In Japanese.]
- Yamamoto, Y. & H. Nakahara. 2006. Seasonal variations in the diel vertical distribution of phytoplankton and zooplankton in a shallow pond. *Phycological Research* 54(4):280-293.
- Yang, M.S., K. Dodd, R. Hibshman & A. Whitehouse. 2006. Food habits of groundfishes in the Gulf of Alaska in 1999 and 2001. NOAA Technical Memorandum NMFS AFSC 164:1-199.
- Yilmaz, E., A. Bozkurt & K. Gokcek. 2006. Prey selection by African catfish *Clarias gariepinus* (Burchell, 1822) larvae fed different feeding regimes. *Turkish Journal of Zoology* 30(1):59-66.
- Yokoyama, H., H.H. Kim & S. Urawa. 2006. Differences in host selection of actinospores of two myxosporeans, *Myxobolus arcticus* and *Thelohanellus hovorkai*. *Journal of Parasitology* 92(4):725-729.
- Yube, Y., T. Iseki, M. Hibino, K. Mizuno, K. Nakayama & M. Tanaka. 2006. Daily age and food habits of *Lateolabrax latus* larvae and juveniles occurring in the innermost shallow waters of Uwajima Bay, Japan. *Fisheries Science* 72(6):1236-1249.
- Zakaria, H.Y. 2006. The zooplankton community in Egyptian Mediterranean waters: A Review. *Acta Adriatica* 47(2):195-206.
- Zhang, L. & W.X. Wang. 2006. Significance of subcellular metal distribution in prey in influencing the trophic transfer of metals in a marine fish. *Limnology and Oceanography* 51(5):2008-2017.
- Zuo, J.L., F.Y. Cui, B. Qu & G.B. Zhu. 2006. Removal effect on *Mesocyclops leukarti* [*leuckarti*] and mutagenicity with chlorine dioxide. *Journal of Environmental Sciences, China* 18(5):891-896.

## 2007

- Aberle, M., K. Lengfellner & U. Sommer. 2007. Spring bloom succession, grazing impact and herbivore selectivity of ciliate communities in response to winter warming. *Oecologia* 150(4):668-681.
- Abayah, B.B., C.E.F. Rocha & F.D. Ferrari. 2007. Redescription of *Limnoithona tetraspina* Zhang et Li, 1976 (Copepoda, Cyclopoida) with a discussion of character states shared with the Oithonidae and older

- cyclopoids. Invertebrate Zoology 3(2):115-135. [For 2006.]
- Abookire, A.A., J.T. Duffy-Anderson & C.M. Jump. 2007. Habitat associations and diet of young-of-the-year Pacific cod (*Gadus macrocephalus*) near Kodiak, Alaska. Marine Biology 150(4):713-726.
- Arroyo, N.L., K. Aarnio & E. Ólafsson. 2007. Interactions between two closely related phytal harpacticoid copepods, asymmetric positive and negative effects. Journal of Experimental Marine Biology and Ecology 341(2):219-227.
- Badosa, A., D. Boix, S. Brucet, R. López-Flores, S. Gascón & X.D. Quintana. 2007. Zooplankton taxonomic and size diversity in Mediterranean coastal lagoons (NE Iberian Peninsula): Influence of hydrology, nutrient composition, food resource availability and predation. Estuarine, Coastal and Shelf Science 71(1-2):335-346.
- Berglund, J., U. Müren, U. Båmstedt & A. Andersson. 2007. Efficiency of a phytoplankton-based and a bacterial-based food web in a pelagic marine system. Limnology and Oceanography 52(1):121-131.
- Bray, R.A. 2007. Review of: Amazon Fish Parasites, 2nd Edn. By V.E. Thatcher, pp. 508. Pensoft, Sofia-Moscow, 2006. Parasitology 134(1):135.
- Catton, K.B., D.R. Webster, J. Brown & J. Yen. 2007. Quantitative analysis of tethered and free-swimming copepodid flow fields. Journal of Experimental Biology 210:299-310.
- Cloern, J.E. 2007. Habitat connectivity and ecosystem productivity: implications from a simple model. The American Naturalist 169:E21-E33.
- Dahms, H.-U., T. Harder & P.-Y. Qian. 2007. Selective attraction and reproductive performance of a harpacticoid copepod in a response to biofilms. Journal of Experimental Marine Biology and Ecology 341(2):228-238.
- David, V., B. Sautour & P. Chardy. 2007. Successful colonization of the calanoid copepod *Acartia tonsa* in the oligo-mesohaline area of the Gironde estuary (SW France) – Natural or anthropogenic forcing? Estuarine, Coastal and Shelf Science 71(3-4):429-442.
- El-Shafai, S.A., F.A. El-Gohary, F.A. Nasr, N.P. van der Steen & H.J. Gijzen. 2007. Nutrient recovery from domestic wastewater using a UASB-duckweed ponds system. Bioresource Technology 98(4):798-807.
- Everson, E., G.A. Tarling & B. Bergström. 2007. Improving acoustic estimates of krill: experience from repeat sampling of northern krill (*Meganyctiphanes norvegica*) in Gullmarsfjord, Sweden. ICES Journal of Marine Science 64:39-48.
- Gobler, C.J., T.W. Davis, K.J. Coyne & G.L. Boyer. 2007. Interactive influences of nutrient loading, zooplankton grazing, and microcystin synthetase gene expression on cyanobacterial bloom dynamics in a eutrophic New York lake. Harmful Algae 6(1):119-133.
- Gustafson, L.L., S.K. Ellis, M.J. Beattie, B.D. Chang, D.A. Dickey, T.L. Robinson, F.P. Marenghi, P.J. Moffett & F.H. Page. 2007. Hydrographics and the timing of infectious salmon anemia outbreaks among Atlantic salmon (*Salmo salar* L.) farms in the Quoddy region of Maine, USA and New Brunswick, Canada. Preventive Veterinary Medicine 78(1):35-56.
- Hamre, K., E. Holen & M. Moren. 2007. Pigmentation and eye migration in Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae: new findings and hypotheses. Aquaculture Nutrition 3(1):65-80.
- Hayward, C.J., H.M. Aiken & B.F. Nowak. 2007. Metazoan parasites on gills of Southern Bluefin Tuna (*Thunnus maccoyii*) do not rapidly proliferate after transfer to sea cages. Aquaculture 262(1):10-16.
- Hoste, E., S. Vanhove, I. Schewe, T. Soltwedel & A. Vanreusel. 2007. Spatial and temporal variations in deep-sea meiofauna assemblages in the Marginal Ice Zone of the Arctic Ocean. Deep Sea Research Part I: Oceanographic Research Papers 54(1):109-129.
- Isiordia-Pérez, E., A. Puello-Cruz, L. D'Abromo & H. González-Vega. 2007. Evaluación de la actividad enzimática y contenido de proteína en larvas de camarón blanco *Litopenaeus vannamei* alimentadas con diferentes dietas (Evaluation of the enzymatic activity and protein content in larvae of white shrimp *Litopenaeus vannamei* fed with different diets). Revista Electrónica de Veterinaria, REDVET 7(8). 14 pp. [In Spanish; abstract in English.] [http://www.veterinaria.org/revistas/redvet/n080806/0806\\_01.pdf](http://www.veterinaria.org/revistas/redvet/n080806/0806_01.pdf)
- Jones, B., C.E.J. De Ronde, R.W. Renaut & R.B. Owen. 2007. Siliceous sublacustrine spring deposits around hydrothermal vents in Lake Taupo, New Zealand. Journal of the Geological Society 164:227-242.
- Kang, J.-H., W.-S. Kim, H.J. Jeong, K. Shin & M. Chang. 2007. Why did the copepod *Calanus sinicus* increase during the 1990s in the Yellow Sea? Marine Environmental Research 63(1):82-90.
- Kipriyanova, L.M., N.I. Yermolaeva, D.M. Bezmaternykh, S.Ya. Dvurechenskaya & E.Yu. Mitrofanova. 2007. Changes in the biota of Chany Lake along a salinity gradient. Hydrobiologia 576(1):83-93.
- Koshikawa, H., K.Q. Xu, Z.L. Liu, K. Kohata, M. Kawachi, H. Maki, M.Y. Zhu & M. Watanabe. 2007. Effect of the water-soluble fraction of diesel oil on bacterial and primary production and the trophic transfer to mesozooplankton through a microbial food web in Yangtze estuary, China. Estuarine, Coastal and Shelf Science 71(1-2):68-80.
- Kouwenberg, J.H.M. & F. Lantoin. 2007. Effects of ultraviolet-B stressed diatom food on the reproductive output in Mediterranean *Calanus helgolandicus* (Crustacea; Copepoda). Journal of Experimental Marine Biology and Ecology 341(2):239-253.

- Kwok, K.W.H., K.M.Y. Leung, G.C.S. Lui, V.K.H. Chu, P.K.S. Lam, D. Morritt, L. Maltby, T.C.M. Brock, P.J. Van Den Brink, M.St.J. Warne & M. Crane. 2007. Comparison of tropical and temperate freshwater animal species' acute sensitivities to chemicals: implications for deriving safe extrapolation factors. *Integrated Environmental Assessment and Management* 3(1):49-67.
- Lacroix, G., K. Ruddick, Y. Park, N. Gypens & C. Lancelot. 2007. Validation of the 3D biogeochemical model MIRO&CO with field nutrient and phytoplankton data and MERIS-derived surface chlorophyll *a* images. *Journal of Marine Systems* 64(1-4):66-88.
- Lee, C.E., J.L. Remfert & Y.M. Chang. 2007. Response to selection and evolvability of invasive populations. *Genetica* 129(2):179-192.
- Leung, T.L. & R. Poulin. 2007. Interactions between parasites of the cockle *Austrovenus stutchburyi*: hitch-hikers, resident-cleaners, and habitat-facilitators. *Parasitology* 134:247-255.
- Lewis, J.J. & S.L. Lewis. 2006. Cave Fauna in the Interstate 66 Somerset to London Corridor. *Proceedings of the National Cave & Karst Management Symposium*, Albany, New York. Pp. 15-20.
- Lischka, S. & W. Hagen. 2007. Seasonal lipid dynamics of the copepods *Pseudocalanus minutus* (Calanoida) and *Oithona similis* (Cyclopoida) in the Arctic Kongsfjorden (Svalbard). *Marine Biology* 150(3):443-454.
- Liu, X.-S., Z.-N. Zhang & Y. Huang. 2007. Sublittoral meiofauna with particular reference to nematodes in the southern Yellow Sea, China. *Estuarine, Coastal and Shelf Science* 71(3-4):616-628.
- Ludwig, G.M., M. Hobbs & P. Perschbacher. 2007. Ammonia, pH, and plankton in sunshine bass nursery ponds: the effect of inorganic fertilizer or sodium bicarbonate. *North American Journal of Aquaculture* 69(1):80-89.
- Magnusson, K., M. Magnusson, P. Östberg, M. Granberg & P. Tiselius. 2007. Bioaccumulation of  $^{14}\text{C}$ -PCB 101 and  $^{14}\text{C}$ -PBDE 99 in the marine planktonic copepod *Calanus finmarchicus* under different food regimes. *Marine Environmental Research* 63(1):67-81.
- Matthews, B. & A. Mazumder. 2007. Distinguishing trophic variation from seasonal and size-based isotopic ( $\delta^{15}\text{N}$ ) variation of zooplankton. *Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 64(1):74-83.
- McManus, G.B., B.A. Costas, H.G. Dam, R.M. Lopes, S.A. Gaeta, S.M. Susini & C.H. Rosetta. 2007. Microzooplankton grazing of phytoplankton in a tropical upwelling region. *Hydrobiologia* 575(1):69-81.
- Micieli, M.V., G.A. Martí, J.J. García, M.C. Tranchida & J.J. Becnel. 2007. Epizootiological studies of *Amblyospora camposi* (Microsporidia: Amblyosporidae) in *Culex renatoi* (Diptera: Culicidae) and *Paracyclops fimbriatus fimbriatus* (Copepoda: Cyclopidae) in a bromeliad habitat. *Journal of Invertebrate Pathology* 94(1):31-37.
- Moll, A. & C. Stegert. 2007. Modelling *Pseudocalanus elongatus* stage-structured population dynamics embedded in a water column ecosystem model for the northern North Sea. *Journal of Marine Systems* 64(1-4):35-46.
- Møller, E.F. 2007. Production of dissolved organic carbon by sloppy feeding in the copepods *Acartia tonsa*, *Centropages typicus*, and *Temora longicornis*. *Limnology and Oceanography* 52(1):79-84.
- Møller, O.S., J. Olesen & D. Waloszek. 2007. Swimming and cleaning in the free-swimming phase of *Argulus* larvae (Crustacea, Branchiura) - Appendage adaptation and functional morphology. *Journal of Morphology* 268(1):1-11.
- Nishibe, Y. & N. Ikeda. 2007. Vertical distribution, population structure and life cycles of four oncaeid copepods in the Oyashio region, western subarctic Pacific. *Marine Biology* 150(4):609-625.
- Olli, K., P. Wassmann, M. Reigstad, T.N. Ratkova, E. Arashkevich, A. Pasternak, P.A. Matrai, J. Knulst, L. Tranvik, R. Klais & A. Jacobsen. 2007. The fate of production in the central Arctic Ocean – top-down regulation by zooplankton expatriates? *Progress in Oceanography* 72(1):84-113.
- Oueda, A., W. Guenda, A.T. Kabre, F. Zongo & G.B. Kabre. 2007. Diversity, abundance and seasonal dynamic of zooplankton community in a South-Saharan reservoir (Burkina Faso). *Journal of Biological Sciences* 7(1):1-9.
- Pájaro, M., J. Curelovich & G.J. Macchi. 2007. Egg cannibalism in the northern population of the Argentine anchovy, *Engraulis anchoita* (Clupeidae). *Fisheries Research* 83(2-3):253-262.
- Pörtner, H.O. & R. Knust. 2007. Climate change affects marine fishes through the oxygen limitation of thermal tolerance. *Science* 315:95-97.
- Reifel, K.M., B.K. Swan, E. Olivo, J.M. Watts, C.C. Trees & S.H. Hurlbert. 2007. Influence of river inflows on plankton distribution around the southern perimeter of the Salton Sea, California. *Hydrobiologia* 576(1):167-183.
- Rejas, D., L. de Meester, L. Ferrufino, M. Maldonado & F. Ollevier. 2007. Diel vertical migration of zooplankton in an Amazonian várzea lake (Laguna Bufeos, Bolivia). *Studies on Neotropical Fauna and Environment* 42(1):71-81.
- Rinke, K., I. Hubner, T. Petzoldt, S. Rolinski, M. Konig-Rinke, J. Post, A. Lorke & J. Benndorf. 2007. How internal waves influence the vertical distribution of zooplankton. *Freshwater Biology* 52(1):137-144.
- Santangelo, J.M., A. de M. Rocha, R.L. Bozelli, L.S. Carneiro & F. de A. Esteves. 2007. Zooplankton responses to sandbar opening in a tropical eutrophic coastal lagoon. *Estuarine, Coastal and Shelf Science* 71(3-4):657-668.

- Segers, F.H.I.D., M. Dickey-Collas & A.D. Rijnsdorp. 2007. Prey selection by North Sea herring (*Clupea harengus*), with special reference to fish eggs. ICES Journal of Marine Science 64:60-68.
- Shao, R. & S.C. Barker. 2007. Mitochondrial genomes of parasitic arthropods: implications for studies of population genetics and evolution. Parasitology 134(Part 2):153-167.
- Smith, J.L., R. Wootten & C. Sommerville. 2007. The pathology of the early stages of the crustacean parasite, *Lernaeocera branchialis* (L.), on Atlantic cod, *Gadus morhua* L. Journal of Fish Diseases 30(1):1-11.
- Sommer, U., N. Aberle, A. Engel, T. Hansen, K. Lengfellner, M. Sandow, J. Wohlers, E. Zöllner & U. Riebesell. 2007. An indoor mesocosm system to study the effect of climate change on the late winter and spring succession of Baltic Sea phyto- and zooplankton. Oecologia 150(4):655-667.
- Stenevik, E.K. & S. Sundby. 2007. Impacts of climate change on commercial fish stocks in Norwegian waters. Marine Policy 31(1):19-31.
- Svensen, C., D. Viličić, P. Wassmann, E. Arashkevich & T. Ratkova. 2007. Plankton distribution and vertical flux of biogenic matter during high summer stratification in the Krka estuary (Eastern Adriatic). Estuarine, Coastal and Shelf Science 71(3-4):381-390.
- Taylor, R.L., G.S. Caldwell, H.J. Dunstan & M.G. Bentley. 2007. Short-term impacts of polyunsaturated aldehyde-producing diatoms on the harpacticoid copepod, *Tisbe holothuria*. Journal of Experimental Marine Biology and Ecology 341(1):60-69.
- Thielges, D.W. & K. Reise. 2007. Spatial heterogeneity in parasite infections at different scales in an intertidal bivalve. Oecologia 150(4):569-581.
- Thingstad, T.F., H. Havskum, U.L. Zweifel, E. Berdalet, M. M. Sala, F. Peters, M. Alcaraz, R. Scharek, M. Perez, S. Jacquet, G.A. Fonnes Flaten, J.R. Dolan, C. Marrasé, F. Rassoulzadegan, A. Hagström & D. Vaulot. 2007. Ability of a "minimum" microbial food web model to reproduce response patterns observed in mesocosms manipulated with N and P, glucose, and Si. Journal of Marine Systems 64(1-4):15-34.
- Thompson, B.A.W., P.M. Goldsworthy, M.J. Riddle, I. Snape & J.S. Stark. 2007. Contamination effects by a 'conventional' and a 'biodegradable' lubricant oil on infaunal recruitment to Antarctic sediments: A field experiment. Journal of Experimental Marine Biology and Ecology 340(2):213-226.
- Timms, B.V. 2007. The biology of the saline lakes of central and eastern inland of Australia: a review with special reference to their biogeographical affinities. Hydrobiologia 576(1):27-37.
- Waggett, R.J. & E.J. Buskey. 2007. Calanoid copepod escape behavior in response to a visual predator. Marine Biology 150(4):599-607.
- Wang, S., P. Xie, S. Wu & H. Wang. 2007. Crustacean zooplankton size structure in aquaculture lakes: is larger size structure always associated with higher grazing pressure? Hydrobiologia 575(1):203-209.
- Weber-Scannell, P.K. & L.K. Duffy. 2007. Effects of total dissolved solids on aquatic organisms: A review of literature and recommendation for salmonid species. American Journal of Environmental Sciences 3(1):1-6.
- Wickham, S.A. & U.G. Berninger. 2007. Krill larvae, copepods and the microbial food web: interactions during the Antarctic fall. Aquatic Microbial Ecology 46:1-13.
- Yeates, G.W., R.A. Skipp, R.A.J. Gray, L.-Y. Chen & T.S. Waghorn. 2007. Impact on soil fauna of sheep faeces containing a range of parasite control agents. Applied Soil Ecology 35(2):380-389.
- Zadereev, Y.S. & A.P. Tolomeyev. 2007. The vertical distribution of zooplankton in brackish meromictic lake with deep-water chlorophyll maximum. Hydrobiologia 576(1):69-82.
- Zander, C.D. 2007. Parasite diversity of sticklebacks from the Baltic Sea. Parasitology Research 100(2):287-297.

#### RECENT THESES and DISSERTATIONS

- Barz, K. 2006. Influence of pelagic invertebrate predators on the zooplankton in the Baltic Sea and the North Sea. Ph.D. Dissertation, Universität Bremen, Bremen, Germany. 99 pp.
- Basima, Lefranc Busane. 2005. An assessment of plankton diversity as a water quality indicator in small man-made reservoirs in the Mzingwane Catchment, Limpopo basin, Zimbabwe. Masters Thesis in Integrated Water Resources Management, University of Zimbabwe, Harare, Zimbabwe. 51 pp.
- Block, David Steven. 2006. Assessment of biochemical, developmental, and reproductive responses in meiobenthic copepods and estuarine amphipods exposed to potential endocrine-modulating chemicals. Ph.D. Thesis, University of South Carolina, Columbia, South Carolina, U.S.A.
- Breitlow, Karen A. 2006. Shifts in copepod grazing on varying concentrations of two bioluminescent dinoflagellate species. M.Sc. Thesis, Florida Atlantic University, Boca Raton, Florida, U.S.A. 37 pp.
- Castillo-Hernández, Sandra Loruhama. 2005. Fluctuación poblacional de *Moina* sp. y *Eucyclops elegans* (Crustacea: Branchiopoda; Copepoda) y su relación con los parámetros Fisicoquímicos en la planta tratadora de aguas residuales, SISTELEÓN, Santiago N.L. [Population fluctuation of *Moina* sp. and *Eucyclops elegans* (Crustacea: Branchiopoda; Copepoda) and its relation to the physicochemical parameters in the sewage water treatment plant, SISTELEÓN, Santiago N.L.] Ph.D. Thesis, Facultad de Ciencias Biológicas,

- Universidad Autónoma de Nuevo León, Monterrey, Nuevo León, Mexico. [In Spanish.]
- David, V. 2006. Variabilité spatio-temporelle du zooplancton dans l'estuaire de la Gironde et implications au sein du réseau trophique planctonique. [Spatio-temporal variability of the zooplankton in the Gironde estuary and implications for the central plankton trophic web.] Doctorat, Université Bordeaux 1, Bordeaux, France. 313 pp. [In French.]
- Emmett, Robert L. 2006. The relationships between fluctuations in oceanographic conditions, forage fishes, predatory fishes, predator food habits, and juvenile salmonid marine survival off the Columbia River. Ph.D. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 335 pp.
- Flinn, Michael Brainerd. 2006. Biological responses in off-channel habitat to hydrologic gradients and river management practices in Mississippi River Pool 25. Ph.D. Thesis, Southern Illinois University at Carbondale, Carbondale, Illinois, U.S.A. 146 pp.
- Jacob, U. 2005. Trophic dynamics of antarctic shelf ecosystems - food webs and energy flow budgets. Ph.D. Thesis, University of Bremen, Bremen, Germany.
- Kauvee, I.K.V., M.J. Gibbons & H.M. Verheyen. 2005. Observations on the composition of the copepod community either side of the Lüderitz upwelling cell. B.Sc. (Honors) Thesis, University of the Western Cape, Tygerberg, South Africa. 41 pp.
- Lawson, Gareth. 2006. Distribution, patchiness, and aggregative behavior of antarctic zooplankton. Ph.D. Thesis, Massachusetts Institute of Technology / Woods Hole Oceanographic Institution, Boston, Massachusetts, U.S.A.
- Melo Júnior, Mauro de. 2006. Padrões dinâmicos de transporte e migração do zooplâncton, com ênfase nos Decapoda planctônicos, da Barra de Catuama, Pernambuco, Brasil. [Dynamic patterns of zooplankton transport and migration, with emphasis on the planktonic Decapoda, of Barra de Catuama, Pernambuco, Brazil.] Ph.D. Thesis, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. Abstract: Biota Neotropica 6(3).  
<http://www.biotaneotropica.org.br/v6n3/pt/abstract?thesis+bn01306032006> [In Portuguese.]
- Morris, A. Kimo. 2006. Zooplankton aggregations in California coastal zones. Ph.D. Dissertation, University of California at Los Angeles, Los Angeles, California, U.S.A. 290 pp.
- Oarga, Andreea. 2006. Studies of subterranean aquatic fauna from Padurea Craiului Mountains (Northwestern Romania). M.Sc. in System Ecology and Biodiversity Conservation, Babes-Bolyai University, Cluj-Napoca, Romania. 62 pp.
- Onaka, Eduardo Makoto. 2005. Infestação experimental por *Dolops carvalhoi* (Crustacea: Branchiura) em peixes tropicais e seu controle com diflubenzuron na ração. [Experimental infestation by *Dolops carvalhoi* (Crustacea: Branchiura) in tropical fish and its control with diflubenzuron in food.] Ph.D. Thesis, Centro de Aquicultura, Universidade Estadual Paulista, Rio Claro, São Paulo, Brazil. 64 pp. [In Portuguese.]
- Pierson, James J. 2006. Copepod-diatom interactions in the sea: Paradigm or paradox? Ph.D. Thesis, University of Washington, Seattle, Washington, U.S.A.
- Prevattelli, Daniel. 2006. Sistemática do gênero *Argyrodiaptomus* Brehm, 1933 (Crustacea: Copepoda: Diaptomidae). [Systematics of the genus *Argyrodiaptomus* Brehm, 1933 (Crustacea: Copepoda: Diaptomidae).] M.S. Dissertation, Instituto Nacional de Pesquisas da Amazônia (Inpa), Manaus, Brazil. [In Portuguese.]
- Schulz, J. 2006. Spatial and temporal distribution patterns of zooplankton in the central Baltic Sea and methods to detect them. Ph.D. Thesis, University of Bremen, Bremen, Germany.
- Strakosh, Timothy R. 2006. Effects of water willow establishment on littoral assemblages in Kansas reservoirs: Focus on age-0 largemouth bass. Ph.D. Thesis, Kansas State University, Manhattan, Kansas, U.S.A. 158 pp.
- Tam, Quinton. 2006. Aspects of the biology of *Argulus*. M.Sc. Thesis, University of Johannesburg, Johannesburg, South Africa.
- Thum, Ryan A. 2006. The influences of environmental differences and incomplete reproductive isolation on parapatry in *Skistodiaptomus* copepods. Ph.D. Thesis, Dartmouth College, Hanover, New Hampshire, U.S.A. 117 pp.
- Tsotsobe, S. 2005. Temporal and spatial variability in abundance and community structure of zooplankton off Walvis Bay, Namibia, with a note on decade-scale changes. M.Sc. Thesis, University of the Western Cape, Tygerberg, South Africa.
- van Wijngaarden, René P. A. 2006. Interpretation and extrapolation of ecological responses in model ecosystems stressed with non-persistent insecticides. Ph.D. Thesis, Wageningen University, Wageningen, The Netherlands.
- Ventura, Carla Helena Dias. 2006. Parasitas do peixe-espada preto (*Aphanopus carbo*, Lowe 1839) de Sesimbra e Madeira. [Parasites of the black scabbardfish (*Aphanopus carbo*, Lowe 1839) of Sesimbra and Madeira.] Tese de Mestrado em Ecologia Aplicada, Faculdade de Ciências da Universidade do Porto, Porto, Portugal. [In Portuguese.]

\*\*\* Titles received by the Monoculus-Library are indicated by asterisks. \*\*\*