



MONOCULUS Copepod Newsletter

The Newsletter of the World Association of Copepodologists

Number 58A – Supplement

January 2010

CONTENTS

Editor's Notes	1
Plea for Reprints	1
Recent Publications	2

MONOCULUS Editor: Janet W. Reid

Research Associate, Division of Science & Learning
Virginia Museum of Natural History

21 Starling Avenue, Martinsville, Virginia 24112, U.S.A.

Tel. +1 276 656 6719; Fax. +1 276 656 6701

E-mail janet.w.reid(at)gmail.com

*Deadline for submissions to the next number of
MONOCULUS: 30 March 2010*

Material in *MONOCULUS* is reviewed only by the Editor.
This newsletter is not part of the scientific literature and is
not to be cited, abstracted, or reprinted as a published
document. Using the illustrations or text for other purposes
requires previous agreement by the Editor.

ISSN 1543-0731 (On-line version)

ISSN 0722-5741 (Printed version)

WAC Homepage

<http://www.monoculus.org>

Each number of *MONOCULUS* is announced on:

Crust-L crust-l@vims.edu

ALCA alca@ola.icmyl.unam.mx

Planktonnet planktonnet@yahoogroups.com

Copepod List copepods@yahoogroups.com

Editor's Notes

The following list of references has been compiled from various sources on the Web, including several search services, specialized databases, and journal and author homepages, in addition to the journals and reprints themselves. If you note inaccuracies or omissions, please let me know and the correct version will appear in the next number of *MONOCULUS*. Grateful thanks to the donors of reprints to the Monoculus and Wilson libraries.

The year of publication as given refers to the year in

which the printed version of the journal was distributed, and not the year when it first became available online, if these are different. This supplement will be posted in pdf format on the WAC website.

Hans Dahms, David Damkaer, Cristina de Oliveira Dias, Ryiji Machida, and Mark Ohman graciously provided literature references and, in some cases, reprints. Other colleagues including Hans Dahms have donated reprints of articles that were listed in previous numbers, to the Monoculus and Wilson libraries.

Translations of titles in languages other than English (if not given by the source) are provided by the management.

— Jan Reid

Martinsville, U.S.A.

Plea for Reprints

Please send reprints of your articles to the Monoculus-Library and to the C. B. Wilson Copepod Library!
Both paper copies and pdf files are welcome.

To the Monoculus-Library:

C/o Prof. Dr. Pedro Martínez Arbizu

Forschungsinstitut Senckenberg

DZMB-Forschungsinstitut Senckenberg

Monoculus-Library

Suedstrand 44

D-26382 Wilhelmshaven, Germany

E-mail: pmartinez@senckenberg.de

To the C. B. Wilson Library:

C/o Mr. T. Chad Walter

Smithsonian Institution

Museum Support Center, MRC 534

4210 Silver Hill Road

Suitland, MD 20746, U.S.A.

E-mail: WALTERC@si.edu

Recent Publications on Copepoda

Compiled by Jan Reid and Chad Walter

Older publications that were recently listed in the "World of Copepoda" bibliographic database (C. B. Wilson Library) are included. Please advise us if you learn of publications (including theses and "gray literature"), on any aspect of the Copepoda, that are not held in the Monoculus Library or listed in the "World of Copepoda" database.

2000 and before

- Abdel Aziz, N.E. 2000. Zooplankton dynamics and ecology of an eutrophic area, Egypt. Arab Gulf Journal of Scientific Research 18(2):110-121.
- Abdel Aziz, N.E. 2002. Impact of water circulation and discharge wastes on zooplankton dynamics in the Western Harbour of Alexandria, Egypt. Egyptian Journal of Aquatic Biology & Fisheries 6(1):1-21.
- Alzara, L. 1968. A survey of free amino acids in copepod populations. M.S. Thesis, University of Rhode Island, Kingston, Rhode Island, U.S.A. 97 pp.
- Andrade-Salas, O. 1997. Feeding and digestion in the ectoparasitic copepod *Lepeophtheirus salmonis* (Krøyer, 1837). Doctoral dissertation, University of Stirling, Stirling, Scotland, U.K.
- Baker, C. 1990. The morphology of the alimentary canal of *Argulus japonicus* (Crustacea : Branchiura) with reference to the host (*Cyprinus carpio*) parasite interface. M.Sc. Thesis, Rand Afrikaans University, Johannesburg, South Africa.
- Baloch, W.A. 1998. Ecological studies on freshwater zooplankton of Southern Kyushu, Japan. Ph.D. Dissertation, Kagoshima University, Japan.
- Bardan, E. & F.P. Navarro. 1952. Estudios sobre la sardina de Málaga en 1951 y consideraciones sobre la variabilidad de su fórmula vertebral. [Studies on the sardine at Málaga in 1951 and considerations on the variability of its vertebral formula.] Boletín del Instituto Español de Oceanografía 57:3-23. [In Spanish.]
- Baruah, A., A.K. Sinha & U.P. Sharma. 1993. Plankton variability of a tropical wetland, Kowar (Begusarai), Bihar. Journal of Freshwater Biology 5:27-32.
- Becheikh, S. 1993. Contribution à l'étude de *Peroderma cylindricum* Heller, 1865, parasite de la sardine, *Sardina pilchardus* (Walbaum, 1792) des côtes tunisiennes. [Contribution to the study of *Peroderma cylindricum* Heller, 1865, parasite of the sardine, *Sardina pilchardus* (Walbaum, 1792) of the Tunisian coasts.] DEA, Faculté des Sciences de Tunis, Tunis, Algeria. [In French.]
- Becker, D.A. & D.G. Cloutman. 1975. Parasites of selected game fishes of Lake Fort Smith, Arkansas. Proceedings of the Arkansas Academy of Science 29:12-18.
- Beklioglu, M. 1995. Whole lake and mesocosm studies on the role of nutrients and zooplankton grazing in a system of shallow and deep lakes. Ph.D. Thesis, University of Liverpool, Liverpool, U.K.
- Bengtsson, B.-E., M. Tarkpea, T. Sletten, G.E. Carlberg, A. Kringstad & L. Renberg. 1986. Bioaccumulation and effects of some technical triaryl phosphate products in fish and *Nitocra spinipes*. Environmental Toxicology and Chemistry 5(9):853-861.
- Ben Souissi, J. 1990. Contribution à l'étude des copépodes parasites de la sardine, *Sardina pilchardus* (Walbaum, 1792) des côtes tunisiennes. [Contribution to the study of the parasitic copepods of the sardine, *Sardina pilchardus* (Walbaum, 1792) of the Tunisian coasts.] DEA, Faculté des Sciences de Tunis, Tunis, Algeria. [In French.]
- Ben Souissi, J. & O.K. Ben Hassine. 1991. Action pathogène de *Peroderma cylindricum* Heller, 1865 (Copépode parasite) sur la condition et le développement des gonades de *Sardina pilchardus* (Walbaum, 1792) des côtes tunisiennes. [Pathogenic action of *Peroderma cylindricum* Heller, 1865 (parasitic copepod) on the condition and development of the gonads of *Sardina pilchardus* (Walbaum, 1792) of the Tunisian coasts.] Cahiers de Biologie Marine 3(2):234. [In French.]
- Ben Souissi, J. & O.K. Ben Hassine. 1992. Aspects écologiques des copépodoses de la sardine, *Sardina pilchardus* (Walbaum, 1792) des côtes tunisiennes. [Ecological aspects of the copepodoses of the sardine, *Sardina pilchardus* (Walbaum, 1792) of the Tunisian coasts.] Revue de la Faculté des Sciences de Tunis 5, Série D:1-12. [In French.]
- Biaz, R. & M. Rami. 1978. Données disponibles sur les poissons pélagiques de la côte nord marocaine. [Available data on the pelagic fishes of the northern Moroccan coast.] FAO Rapport sur les Pêches 204:125-138. [In French.]
- Blanchard, R. 1911. Les troupes noires en Algérie et la santé publique. [The black troops in Algeria and public health.] Bulletins et Mémoires de la Société d'Anthropologie de Paris 2(2):242-258. [In French.]
- Bornhold, E.A. 2000. Interannual and interdecadal patterns in timing and abundance of phytoplankton and zooplankton in the central straight of Georgia, BC with special reference to *Neocalanus plumchrus*. M.Sc. Thesis, University of British Columbia, Vancouver, British Columbia, Canada.
- Bottrell, H.H. 1977. Quantitative studies on the Cladocera, Copepoda and Rotifera of the River Thames and River Kennet at Reading. Ph.D. Thesis, University of Reading, Reading, U.K.
- Braga, E.A. 1997. Copepod phylogeny inferred from mitochondrial and nuclear rRNA gene sequences with emphasis on the Euchaetidae (Calanoida). M.Sc. Thesis, New York State University at Stony Brook, New York, U.S.A. 74 pp.
- Bressac, Y. 1985. Le zooplancton des lacs de barrage. Les retenues du sud-est de la France. Influence des arrivées d'eau et de la qualité du seston sur la structure spatiale

- du peuplement. [The zooplankton of reservoirs. The withdrawals of south-eastern France. Influence of water inflows and seston quality on the spatial structure of the population.] Thèse Doctorale, Université de Provence, Provence, France. 144 pp. [In French.]
- Brezničar, T. 1998. Zooplankton hidroakumulacije Modrac. [Zooplankton of Modrac Reservoir.] M.Sc. Thesis, University of Zagreb, Zagreb, Croatia. 85 pp. [In Croatian.]
- Brkanović, I. 1999. Zooplankton hidroakumulacija Hazna i Vidara. (Zooplankton in Hazna and Vidara reservoirs.) M.Sc. Thesis, University of Zagreb, Zagreb, Croatia. 61 pp. [In Croatian.]
- Bromley, H.J. 1970. A study of the zooplankton of Tjeukemeer. M.Sc. Thesis, University of Liverpool, Liverpool, U.K.
- Carrillo Barrios-Gomez, E. 1973. Experimental interbreeding between Atlantic and Pacific populations of the marine calanoid copepod *Acartia clausi* Giesbrecht. M.S. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 47 pp.
- Cesare, L.C. 1986. Taksonomie, ekologie en morfologie van die genus *Argulus* Müller, 1785 (Crustacea : Branchiura) in Afrika. [Taxonomy, ecology and morphology of the genus *Argulus* Müller, 1785 (Crustacea : Branchiura) in Africa.] M.Sc. Thesis, Rand Afrikaans University, Johannesburg, South Africa. [In Afrikaans.]
- Chappaz, R., G. Brun & G. Olivar. 1989. Contribution à l'étude du régime alimentaire, de la croissance et de la fécondité de la perche (*Perca fluviatilis* L.) dans un lac oligotrophe de région tempérée. Contribution to the study of the food, of the growth and of the fecundity of the perch (*Perca fluviatilis* L) in a temperate oligotrophic lake. Revue des Sciences de l'Eau / Journal of Water Science 2(1):95-107. [In French; abstract in English.]
- Chen, S.-P., X.-M. Chen & C.-P.Li. 1999. Distribution features of zooplankton in the southwest of the Daya Bay. Pp. 73-100 In: Research on the ecosystem of the Daya Bay. Synthetic Experimental Station of Marine Biology in the Daya Bay, Chinese Academy of Sciences. Meteorological Press, Beijing.
- Chinabut, S. 1979. Studies on the parasites of bluegill, *Lepomis macrochirus* (Rafinesque) from West Point Reservoir. M.S. Thesis, Auburn University, Auburn, Alabama, U.S.A.
- Chung, C.E., H.B. Yoo, S.Y. Kim, K.S. Lee & H.S. Hong. 1995. On the distribution and species composition of freshwater Copepods in Honam Area. Korean Journal of Limnology 27(4):385. [In Korean.]
- Chalker, L.K. 1980. Sensitivity of the marine copepod *Tigriopus californicus* to ultraviolet-B (290-320 nm) radiation. M.S. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 81 pp.
- Chow-Fraser, P. 1985. Herbivorous feeding of zooplankton in lakes of south central Ontario. Ph.D. Thesis, University of Toronto, Toronto, Ontario, Canada. 96 pp.
- Cloutman, D.G. 1976. Parasitism in relation to taxonomy of the sympatric sibling species of stonerollers, *Campostoma anomalum pullum* (Agassiz) and *C. oligolepis* Hubbs and Greene, in the White River, Arkansas. The Southwestern Naturalist 21(1):67-70.
- Coetzee, P. & H. Pieterse. 1986. Determination of trace elements in the human hair reference material, HH-I, by neutron activation analysis and atomic absorption spectrophotometry. South African Journal of Chemistry 39(2):85-88.
- Colton, T.F. 1984. Predation by a damselfly naiad on two species of zooplankton: Preference, switching, and the modelling of predation. Ph.D. Dissertation, Duke University, Durham, North Carolina, U.S.A. 184 pp.
- Comaschi, A., F. Bianchi & G. Socal. 1995. Osservazioni sulla distribuzione e sul ciclo stagionale delle specie appartenenti al genere *Acartia* presenti nella Palude di Cona (bacino settentrionale della laguna di Venezia). [Observations on the distribution and the seasonal cycle of species belonging to the genus *Acartia* in the Cona Marsh (northern basin of the Lagoon of Venice).] Istituto Veneto di Scienze, Lettere ed Arti, Commissione di Studio dei Provvedimenti per la Conservazione e Difesa della Laguna e della Città di Venezia, Rapporti e Studi 12:107-120. [In Italian.]
- Crispim, M.C., R.L. Leite & T. Watanabe. 2000. Diferenças nas comunidades zooplanctônicas de dois açudes vizinhos, no município de Taperoá, semi-árido da Paraíba. [Differences in the zooplankton communities of two neighboring reservoirs in the municipality of Taperoá, semi-arid region of Paraíba.] In: I Encontro Nordestino de Biogeografia, 2000, João Pessoa. Anais do I Encontro Nordestino de Biogeografia, 2000. CD-ROM. [In Portuguese.]
- Crouch, R.A. 1983. The effects of dredged materials on the copepod, *Acartia tonsa*. M.Sc. Thesis, Old Dominion University, Norfolk Virginia, U.S.A. 40 pp.
- Demaree, R.S. 1966. Studies on the ecology and external morphology of *Lernaea cyprinacea* Linnaeus of Vigo County, Indiana. M.A. Thesis, Indiana State University, Terre Haute, Indiana, U.S.A.
- Edgar, N.B. 1989. The effects of Calanoid Copepod grazing on phytoplankton in Lake Rotomanuka. M.Sc. Thesis, University of Waikato, Hamilton, New Zealand.
- El Saby, M.K. 1932. Notes on the morphology of several parasitic copepods. Ph.D. Thesis, University of Liverpool, Liverpool, U.K.
- Estepa, F.D.P. 1982. Effect of feeding different zooplankton species on the growth and survival of *Penaeus monodon* larvae. M.S. Thesis, University of the Philippines, Iloilo, The Philippines. 37 pp.
- Evans, Wallace Arwood. 1968. A comparative pre-impoundment and early post-impoundment survey of the helminth and copepod parasites of *Micropterus dolomieu* Lacepede, *M. punctulatus* (Rafinesque), and *M. salmoides* (Lacepede) (Perciformes) of Beaver

- Reservoir in Northwestern Arkansas. M.S. Thesis, University of Arkansas - Fayetteville, Fayetteville, Arkansas, U.S.A. 59 pp.
- Ferguson, C. 1965. Reproductive rate of *Diaptomus ashlandi* in Lake Washington, an enriched lake. M.S. Thesis, University of Washington, Seattle, Washington, U.S.A. 38 pp.
- Fermi, S.J. 1977. An electrophoretic comparison of *Calanus pacificus* and *Calanus marshallae*. M.Sc. Thesis, San Francisco State University, San Francisco, California, U.S.A. 42 pp.
- Forcella, A.C. 1966. Some aspects of the biochemistry and ecology of the copepod *Diaptomus novamexicanus* from Castle Lake, California. M.A. Thesis, University of California, Davis, California, U.S.A. 41 pp.
- Fortes, N.R. 1993. Studies of zooplankton in brackishwater ponds. III. Refinement of techniques for the mass propagation of selected zooplankton (Mysis/Copepod). College of Fisheries, University of the Philippines in the Visayas, Miag-ao, Iloilo. Terminal Report.
- Franklin, J.C. 1965. Nuclear cytology of the parasitic copepod *Charopinus dentatus* (Kroyer), (Crustacea: Copepoda). M.A. Thesis, Walla Walla University, Walla Walla, Washington, U.S.A. 14 pp.
- Fukusho, K., O. Hara, H. Iwamoto & C. Kitajima. 1977. Mass production of the copepod, *Tigriopus japonicus*, in combination with rotifer, *Brachionus plicatilis*, feeding baking yeast and using large scale outdoor tanks. Report of Nagasaki Prefectural Fisheries Experimental Station 3:33-40.
- Galaviz-Silva, L., G. De Witt-Sepulveda, R. Mercado-Hernandez, J.J. Martinez-Hernandez & F. Segovia-Salinas. 1990. New localities for monogenic trematodes and other ectoparasites of carp *Cyprinus carpio* and catfish *Ictalurus punctatus* in northeastern México and their relations with some biotic and abiotic factors. Journal of the Elisha Mitchell Scientific Society 106(3):64-77.
- Garcia-Valero, J. 1989. La Vitel·logènesi a *Acanthocyclops robustus* G.O. Sars (Copepoda, Cyclopoida): previtel·logènesi i vitel·logènesi primària. [Vitellogenesis in *Acanthocyclops robustus* G.O. Sars (Copepoda, Cyclopoida): previtellogenesis and primary vitellogenesis.] Treballs de la Societat Catalana de Biologia 40:71-76. [In Catalan.]
- Gatten, R.R. 1977. A study of the biosynthesis of alkyldiacylglycerols, triacylglycerols and wax esters in squaloid fish and calanoid copepods. Ph.D. Thesis, University of Aberdeen, Aberdeen, Scotland, U.K.
- Gentleman, W.C., D.R. Lynch, D.J. McGillicuddy & C.S. Davis. 1997. *In-situ* population dynamics of *Calanus finmarchicus*. In: Wallace, G.T. & E.F. Braasch (eds.). Proceedings of the Gulf of Maine Ecosystem Dynamics, A Scientific Symposium and Workshop, St. Andrews, New Brunswick, 16-19 September 1996. Regional Association for Research on the Gulf of Maine (RARGOM) Report 97-1.
- Go, J.D. 1996. Selective zooplankton predation of milkfish, *Chanos chanos* (Forsk.). Undergraduate Thesis, University of the Philippines in the Visayas, Iloilo, The Philippines. 32 pp.
- Gravier, Ch. 1912. Sur les Ptérobranchés rapportés par la seconde Expédition antarctique française et sur un Crustacé parasite de l'un d'eux. Comptes Rendus hebdomadaires des Séances de l'Académie des Sciences, Paris 154:1438-1440.
- Green, J.D. 1973. Ecological studies of Lake Ototoa with special reference to the copepod *Calamoecia lucasi*. M.Sc. Thesis, University of Waikato, Hamilton, New Zealand.
- Haase, W. 1975. Bau und Funktion der ventralen Carapaxfelder der Karpfenlaus *Argulus foliaceus* L. (Crustacea, Branchiura). [Structure and function of the ventral carapace field of the fish louse *Argulus foliaceus* L. (Crustacea, Branchiura).] Doctoral Dissertation, University of Giessen, Giessen, Germany. 2 vols. 60 pp. [In German.]
- Habito, C.V. 1988. Survey of the taxonomic fauna of Candaba Swamp, Pampanga. M.Sc. Thesis, Philippines University, Los Baños, College, Laguna, Philippines. 66 pp.
- Hajji, T., O.K. Ben Hassine & H. Farrugio. 1998. Impact du copépode parasite *Peroderma cylíndricum* Heller, 1868 sur la croissance et la fécondité des stocks exploités de la sardine *Sardina pilchardus* (Walbaum, 1792). [Impact of the parasitic copepod *Peroderma cylíndricum* Heller, 1868 on the growth and fecundity of the exploited stocks of the sardine *Sardina pilchardus* (Walbaum, 1792).] In: Leonart J. (ed.). Dynamique des Populations Marines. Deuxième Réunion du Groupe de Travail DYNPOP, 1996/10/02-05, Geneva, Italy. CIHEAM-IAMZ, 1998, Saragossa. (Cahiers Options Méditerranéennes 35:79-86. [In French.]
- Håkanson, J.L. 1985. The long and short term feeding condition in field-caught *Calanus pacificus*, as determined from the lipid content : relationship with phytoplankton pigments in the California current. Doctoral Thesis, University of Göteborg, Göteborg, Sweden.
- Hansen, Benni Winding, P.K. Bjørnsen & P.J. Hansen. 1994. The size ratio between planktonic predators and their prey. Limnology and Oceanography 39(2):395-403.
- Hardy, B.L.S. 1977. The effects of a warm water effluent on the biology of the sand-dwelling harpacticoid copepod *Asellopsis intermedia* (T. Scott). Ph.D. Thesis, University of Glasgow, Glasgow, Scotland, U.K.
- Harries, D.B. 1995. The impact of demersal fishing on marine soft-sediment meiofauna. Ph.D. Thesis, Herriot-Watt University, Edinburgh, Scotland, U.K.
- Hauch, R.G. 1980. Toxicity of sodium pentachlorophenate to the estuarine calanoid copepod, *Pseudodiaptomus*

- coronatus*. M.S. Thesis, Florida Institute of Technology, Melbourne, Florida, U.S.A. 62 pp.
- Heard, R.G. 1965. A preimpoundment survey of the helminth and copepod parasites of *Micropterus dolomieu* Lacepede, *M. punctulatus* (Rafinesque), and *M. salmoides* (Lacepede) (Perciformes) of Beaver Reservoir in northwest Arkansas. M.S. Thesis, University of Arkansas-Fayetteville, Fayetteville, Arkansas, U.S.A. 55 pp.
- Hemstreet, W.G. 1978. Parasites of young of the year bass, *Micropterus salmoides*, in a new hydroelectric impoundment, West Point Reservoir. M.S. Thesis, Auburn University, Auburn, Alabama, U.S.A.
- Hérouard, E. 1920. Notice sur les Travaux Scientifiques. J. Dumoulin, Paris. 86 pp. [In French.]
- Herrera-Cubilla, A. 1985. Etudes morphologiques et bio-écologiques des Copépodes parasites de quelques poissons marins des côtes languedociennes. Morphology and bio-ecological studies of parasites Copepods of marine fishes from Languedoc coast. Thèse Doctorat, Université d'Aix-Marseille II, Marseilles, France. 188 pp. [In French; abstracts in English and Spanish.]
- Hopcroft, R.R. 2000. The structure and importance of copepods in the pelagic food web of Jamaica. In: Janekarn, V., P. Munk & S. Sawangraruks (eds.). Ecology of Tropical Mesoplankton and Fish Larvae. Paper of Regional Workshop, 15-23 November 2000. Phuket Marine Biological Centre. 20 pp.
- Hopkins, D.R. & E. Ruiz-Tiben. 1991. Strategies for dracunculiasis eradication. Bulletin of the World Health Organization 69(5):533-540.
- Howse, H.D. 1960. The internal anatomy of a marine copepod, *Acartia tonsa*. M.S. Thesis, University of Southern Mississippi, Hattiesburg, Mississippi, U.S.A. 29 pp.
- Huq, A. & R.R. Colwell. 1996. Environmental factors associated with emergence of disease with special reference to cholera. Eastern Mediterranean Health Journal 2(1):37-45.
- Ingvarsdottir, A. 1998. Seasonal changes in physiology and chemical composition of *Calanus finmarchicus* late copepodite stages. Ph.D. Thesis, University of Aberdeen, Aberdeen, Scotland, U.K.
- Jackson, J.V. 1986. The effects of intraspecific variability and recent feeding history on the ingestion rates of *Diatomus sanguineus*. M.S. Thesis, University of Rhode Island, Kingston, Rhode Island, U.S.A. 85 pp.
- Kale, O.O. 1982. Fall in incidence of guinea-worm infection in western Nigeria after periodic treatment of infected persons. Diminution de l'incidence de l'infection par la filaire de médine dans l'ouest du Nigéria après traitement périodique des personnes infectées. Bulletin de l'Organisation Mondiale de la Santé / Bulletin of the World Health Organization 60(6):951-957. [In English; abstract in French.]
- Kaufman, T.S. 1965. Studies on external morphology and development of the reproductive system in the female cyclopoid copepod *Cyclops navus* Herrick. M.S. Thesis, University of Maryland-College Park, College Park, Maryland, U.S.A. 49 pp.
- Khalifa, K.A. 1973. Tissue damage caused by *Lernaecyprinaea* (a copepod parasite) and its developmental stages. M.S. Thesis, Colorado State University, Colorado Springs, Colorado, U.S.A. 91 pp.
- Khattat, F.H. & S. Farley. 1976. Acute toxicity of certain pesticides to *Acartia tonsa* Dana. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory; Springfield, Va. Research Reporting Series 3, Ecological Research, EPA-600/3-76-033. 29 pp.
- Kjaedegaard, R.M. 1997. Fontes alternativas de alimentos vivos na nutrição e alimentação de larvas de espécies de peixes marinhos da costa brasileira. [Alternative sources of live foods in the nutrition and feeding of larvae of species of marine fishes of the Brazilian coast.] Monografia (Especialização em Aqüicultura), Universidade Federal Rural de Pernambuco, Recife, Pernambuco, Brazil. 49 pp. [In Portuguese.]
- Kreffit, K.P. 1991. The swimming behavior of the copepod *Calanus marshallae* under various food conditions. M.S. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 65 pp.
- Kurasawa, H. 1975. Productivity of communities in Japanese inland waters. Part 9. Zooplankton. Pp. 391-395 In: Mori, S. & G. Yamamoto (eds.). JIBP synthesis, Vol. 10. Tokyo University Press, Tokyo.
- Kurziel, J.P. 1991. Emergence and dispersal of phytal-dwelling meiobenthic copepods. M.S. Thesis, University of South Florida, Tampa, Florida, U.S.A. 55 pp.
- Lawrence, S.A. 1982. Population continuity and seasonal egg production variation in the copepod, *Tortanus discaudatus*, in Narragansett Bay, Rhode Island. M.S. Thesis, University of Rhode Island, Kingston, Rhode Island, U.S.A. 162 pp.
- Leck, C., U. Larsson, L.E. Bagander, S. Johansson & S. Hajdu. 1990. Dimethyl sulfide in the Baltic Sea: Annual variability in relation to biological activity. Journal of Geophysical Research 95(C3):3353-3363.
- Lefevre, M. 1986. Variations spatio-temporelles du peuplement zooplanctonique du lagon de l'île de Moorea (Archipel de la Société, Polynésie française). [Spatio-temporal variations of the zooplankton population of the lagoon of the island of Moorea (Society Archipelago, French Polynesia).] Thesis, Université Pierre and Marie Curie, Paris, France. [In French.]
- Leitritz, E. 1959. Trout and Salmon Culture (Hatchery Methods). State of California Department of Fish and Game Fish Bulletin 107:1-169.
- Leitritz, E. & R.C. Lewis. 1976. Trout and Salmon Culture (Hatchery Methods). State of California Department of Fish and Game Fish Bulletin 164:1-197.

- Limsuwan, W. 1986. Morphological development and some behaviors of copepod, *Metacyclops minutus* (Claus, 1863). M.Sc. Thesis, Kasetsart University, Bangkok, Thailand. 117 pp. [In Thai.]
- Lohner, L.M. 1989. Diapause in *Diaptomus minutus* (Copepoda: Calanoida) from two acidic lakes in relation to neutralization. M.S. Thesis, Cornell University, Ithaca, New York, U.S.A. 51 pp.
- López, J. 1963. Edad de la sardina (*Sardina pilchardus*, Walb.) de Barcelona. [Age of the sardine (*Sardina pilchardus*, Walb.) of Barcelona.] Investigación Pesquera, Barcelona 23:133-157. [In Spanish.]
- Mayberry, L.F., A.G. Canaris, J.R. Bristol & S.L. Gardner. 2000. Bibliography of Parasites and Vertebrate Hosts in Arizona, New Mexico and Texas (1893–1984). Faculty Publications from the Harold W. Manter Laboratory of Parasitology.
<http://digitalcommons.unl.edu/parasitologyfacpubs/2/>
- Mazheikaite, S. 1997. Proto- ir metazooplanktono rushines ir kiekybines struktūros formavimosi ir vystymosi desningumu pokyčiai Drukshiu ezhere del ekologiniu veiksnii. (Changes of species composition, formation of quantitative structure and peculiarities of development of proto- and meta zooplankton under the impact of ecological factors in Lake Drukshiai.) Lietuvos Mokslu Akademija. Ekologija 4:76-85. [In Lithuanian.]
- McManus, G.B. 1981. Elimination of PCB residues by the copepod *Acartia tonsa*, and effects of PCB on fecundity, egg viability, and survival of nauplii. M.S. Thesis, State University of New York at Stony Brook, New York, U.S.A. 57 pp.
- Menzies, D.W. 1972. Short-period quantitative and qualitative utilization of food carbon and nitrogen by starved *Calanus* copepods. M.S. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 101 pp.
- Moemen Bellah Fard, Mohammad Djaefar. 1995. Morphological and ultrastructural studies on two marine parasitic copepods: *Lernaeocera branchialis* and *Parachordeumium amphiurae*. Ph.D. Thesis, King's College London (University of London), London, U.K.
- Moore, Benjamin. 1909. Observations on certain marine organisms of (a) variations in reaction to light, and (b) a diurnal periodicity of phosphorescence. Biochemical Journal 4(1-2):1-29.
- Moroff, T. 1912. Cyto-histogenetische Studien, 2. Über die Entwicklung des Muskelgewebes bei Crustaceen. [Cyto-histogenetic studies, 2. On the development of muscle tissue in crustaceans.] Zoologische Jahrbücher, Abteilung für Anatomie und Ontogenie der Tiere 34:559-620, Pls. 39-41. [In German.]
- Muller, R. 1970. Laboratory experiments on the control of cyclops transmitting guinea worm. Expériences de laboratoire relatives à la lutte contre les cyclopes, hôtes intermédiaires du ver de Guinée. Bulletin de l'Organisation Mondiale de la Santé / Bulletin of the World Health Organization 42(4):563-567. [In English; abstract in French.]
- Muskó, I.B. 1984. Morphology of the alimentary system of some crustaceans in relation to the effect of contaminating substances in the water. Candidate of Biological Science Thesis, A. N. Severtsov Institute of Evolutionary Animal Morphology and Ecology, USSR Academy of Sciences, Moscow, Russia. [In Russian.]
- Nazli, S. 1999. Seasonal variation in the copepod parasites of hybrid *Labeo x Catla* from fish hatchery, Pirowal, Punjab. M.Sc. Thesis, Institute of Pure & Applied Biology, B. Z. University, Multan, Pakistan.
- Nielsen, T.G. 2000. Copepod feeding. In: Janekarn, V., P. Munk & S. Sawangarreruks (eds.). Ecology of Tropical Mesoplankton and Fish Larvae. Proceedings of Regional Workshop, 15-23 November 2000. Phuket Marine Biological Centre. 20 pp.
- Nival, S. 1981. Etude ecophysiologique de deux copépodes pélagiques. Essai d'application au mesoplancton des principes relatifs aux systemes. [Ecophysiological study of two pelagic copepods. Test of application to the mesoplankton of the principles relative to the systems.] These de Doctorat, Université Paris VI, Paris, France. [In French.]
- Nixon, B.F., III. 1982. Development of electrophoretic and histochemical assays for enzyme studies of the copepod *Eurytemora affinis*. M.S. Thesis, University of Maryland-Baltimore County, Baltimore, Maryland, U.S.A. 90 pp.
- Nwaorgu, O.C. 1991. The effectiveness of combined control measures on the prevalence of guinea worm disease in Anambra State, Nigeria. Journal of Helminthology 65(3):226-231.
- Ohman, M.D. 1977. Isozymes in *Tigropus californicus* (Crustacea: Harpacticoida): plasticity of individuals or population? M.S. Thesis, California State University, San Francisco, California, U.S.A. 83 pp.
- Ohman, M.D. 1983. The effects of predation and resource limitation on the copepod *Pseudocalanus* sp. in Dabob Bay, a temperate fjord. Ph.D. Thesis, University of Washington, Seattle, Washington, U.S.A. 249 pp.
- Olajide, I. & M.K. Sridhar. 1987. Guinea worm control in an endemic area in western Nigeria. Journal of Water Supply: Research & Technology AQUA 6:333-339.
- Ondeh, M.R. 1984. Dynamique saisonnière du zooplancton dans la lagune de Oualidia (Maroc): Étude préliminaire. [Seasonal dynamics of the zooplankton in Oualidia Lagoon (Morocco): Preliminary study.] Rabat, Morocco. 68 pp. [In French.]
- Onwudinjo, C.C. 1990. The hydrology and plankton of Benin River, Nigeria. Ph.D Thesis, University of Benin, Benin City, Nigeria. 216 pp.
- Ovie, S.I. & F.S. Adeniji. 1993. Mass production of zooplankton in outdoor concrete tanks for fish culture. New Bussa Publishers, New Bussa, Nigeria. Pp. 129-135.

- Pace, S.D. 1978. Distribution, abundance and rates of fecundity and growth of *Acartia tonsa* Dana and *Acartia californiensis* Trinast (Copepoda) in Elkhorn Slough, California. M.A. Thesis, San Jose State University, San Jose, California, U.S.A. 113 pp.
- Palma, S. & K. Kaiser. 1993. Plancton marino de águas chilenas. [Marine plankton of Chilean waters.] Ediciones Universitarias de Valparaíso, Valparaíso. 151 pp. [In Spanish.]
- Parren, P., P. Van Damme & F.P. Ollevier. 1991. Population dynamics, spatial distribution and host-specificity of *Lernaeocera lusci* in the North Sea and the Delta area. Belgian Journal of Zoology 121(suppl. 1):34.
- Pastalove, B.J. 1973. An analysis of the copepod populations of the western end of Long Island Sound. M.S. Thesis, State University of New York at Stony Brook, New York. 47 pp.
- Patterson, R.E. 1968. Physiological ecology of *Tigriopus californicus*, a high intertidal copepod. M.A. Thesis, University of California Berkeley, Berkeley, California, U.S.A. 22 pp.
- Patton, D.R. 1983. Seasonal population structures of two coexisting *Diaptomus* species. M.S. Thesis, Emporia State University, Emporia, Kansas, U.S.A. 32 pp.
- Pautzke, C.G. 1979. Phytoplankton primary production below Arctic Ocean pack ice: An ecosystems analysis. Ph.D. Thesis, University of Washington, Seattle, Washington, U.S.A.
- Pedersen, L., H. Jensen, A. Burmeister & Benni Winder Hansen. 1999. The significance of food web structure for the condition and tracer lipid content of juvenile snail fish (Pisces: *Liparis* spp.) along 65-72°N off West Greenland. Journal of Plankton Research 21(9):1593-1611.
- Perkins, P.S. 1981. Life history and morphology of *Cardiodectes medusaeus* (Wilson), a copepod parasite of lanternfishes (Myctophidae). M.S. Thesis, California State University, Long Beach, California, U.S.A. 169 pp.
- Perumal, P., P. Sampathkumar & P. Santhanam. 1998. Zooplankton of Parangipettai coastal waters. Monograph Series, Vol. I. UGC-SAP, CAS in Marine Biology, Annamalai University, Parangipettai. 31 pp.
- Pintchouk, N.M. 2000. Modeling life stage dynamics of *Pseudocalanus* spp. (Copepoda: Calanoida) from Prince William Sound, Alaska. M.Sc. Thesis, University of Alaska, Fairbanks, Alaska, U.S.A. 59 pp.
- Prophet, C.W. 1959. A winter population of *Streptocephalus seali* Ryder inhabiting a roadside ditch in Lyon County, Kansas. Transactions of the Kansas Academy of Science 62(2):153-161.
- Prudente, P.M.L.P. 2000. Effect of different salinity levels on the prosome length of *Pseudodiaptomus annandalei* (Copepoda: Calanoida). Undergraduate Thesis, University of the Philippines in the Visayas, Iloilo, The Philippines. 34 pp.
- Raess, F. 1982. The relative effects of fish and copepod predation on the density and size structure of a zooplankton community. M.Sc. Thesis, Concordia University, Montréal, Québec, Canada. 68 pp.
- Razaq, A. 1999. Observations on the occurrence of copepod ectoparasites of Theila (*Catla catla*) (Hamilton) from fish hatchery, Pirowal, (Punjab, Pakistan). M.Sc. Thesis, Institute of Pure & Applied Biology, B. Z. University, Multan, Pakistan.
- Reddiah, K. 1959. Studies on the biology of the Manx Pectinidae (Lamellibranchiata) and on the Copepoda associated with some invertebrates. Ph.D. Thesis, University of Liverpool, Liverpool, U.K.
- Rogers, J.H. 1978. Observations on the *Lernaea* epizootics of a Central California lake. M.S. Thesis, California Polytechnic State University, San Luis Obispo, California, U.S.A.
- Roth, M. 1992. Studies on aspects of the chemotherapeutic control of the salmon louse *Lepeophtheirus salmonis* Krøyer 1837 (Copepoda: Caligidae). Ph.D. Thesis, University of Stirling, Stirling, Scotland, U.K.
- Russell, B.J. 1960. Biological studies on *Lernaea* Sp. (Parasitic Copepod). M.A. Thesis, California State University, Chico, California, U.S.A. 45 pp.
- Sabas, C.S.S. 2000. Metazoários parasitos do xaréu *Caranx hippos* (Osteichthyes: Carangidae) do litoral do Estado do Rio de Janeiro. [Metazoan parasites of the crevalle *Caranx hippos* (Osteichthyes: Carangidae) from the coast of the State of Rio de Janeiro.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. [In Portuguese.]
- Sadler, K. 1977. Host parasite relationship of two copepod parasites of freshwater fishes (*Lernaea cyprinacea* and *Thersitina gasterostei*) and of the parasites of the three-spined sticklebacks in Winterset Reservoir. Ph.D. Thesis, University of Leeds, Leeds, U.K.
- Sanjer, L.R. & U.P. Sharma. 1995. Community structure of plankton in Kawar lake wetland, Begusarai, Bihar: II Zooplankton. Journal of Freshwater Biology 7:165-167.
- Sarma, P.K. 2000. Systematics, distribution and ecology of zooplankton of some floodplain wetlands of Assam, India. Ph.D. Thesis, Gauhati University, Assam, India.
- Schlumberger, H.G. 1952. Nerve sheath tumors in an isolated goldfish population. Cancer Research 12:890-899.
- Scott, D.A. & T.S. English. 1969. Copepoda collected from Fletcher's Ice Island (T-3) in the Canadian Basin of the Arctic Ocean. University of Washington School of Oceanography, Seattle, Technical Report No. 240. 69 pp.
- Shahzad, M.F. 1999. Studies on the seasonal dynamics of copepod ectoparasites of silver carp (*Hypophthalmichthys molitrix*). M.Sc. Thesis, Institute of Pure & Applied Biology, B. Z. University, Multan, Pakistan.

- Shaw, T.H. 1926. The life history of a new tide-pool copepod *Tigriopus montereyensis*. M.A. Thesis, Stanford University, Stanford, California, U.S.A. 26 pp.
- Sheen, S.-S. 1985. The effect of nutritional quality of phytoplankton on *Acartia tonsa* during reproduction. M.Sc. Thesis, University of North Carolina-Wilmington, Wilmington, North Carolina, U.S.A. 69 pp.
- Shields, J.D. 1996. The parasitic dinoflagellates of marine crustaceans. *Journal of Shellfish Research* 15(2):489-490.
- Shim, J.H. & D.S. Lee. 1986. Studies of the plankton in the southwestern waters of the East Sea (Sea of Japan) (III). *Journal of the Oceanological Society of Korea* 21:146-155.
- Shim, M.B., J.-K. Choi & D.-Y. Kim. 1988. The distribution zooplankton in the mid-eastern part of the Yellow sea. *Yellow Sea Research* 1:1-10.
- Short, E.D. & E.H. Schmitz. 1976. An evaluation of the effects of dredging within the Arkansas River navigation system. III. Zooplankton associations. Final Report to the United States Corps of Engineers, Contract No. DACW03-74-C-0146. Arkansas Water Resource Center, University of Arkansas, Publication No. 45.163 pp.
- Simm, M. 1985. Zooplankton central'noj chasti Baltijskogo morja. [Zooplankton in the central part of the Baltic Sea.] *Issledovaniya Ekosistemy Baltijskogo Morya*, 49-55. [In Russian.]
- Sinha, A.K., A. Baruah, D.K. Singh & U.P. Sharma. 1994. Biodiversity and pollution status in relation to physico-chemical factors of Kowar lake (Begusarai), North Bihar. *Journal of Freshwater Biology* 6:309-331.
- Skiver, J.H. 1980. Resource partitioning patterns of marine copepods. M.Sc. Thesis, Dalhousie University, Halifax, Nova Scotia, Canada. 108 pp.
- Smith, L.V. 1936. Preliminary ecological studies on the plankton of Puerto Galera Bay, Mindoro, with special emphasis on *Labidocera glauca* (sp.nov.) together with the description of the species. M.S. Thesis, University of the Philippines, Diliman, Quezon City, The Philippines.
- Taniguchi, A. 1993. Phytoplankton and zooplankton in the Western Subarctic Gyre. *PICES Scientific Report* 1:45-50.
- Taniguchi, A. 1996. Phytoplankton and zooplankton in the Western Subarctic Gyre. *Proceedings of 1995 Salmon Workshop*. Pp. 1-19. [In Japanese.]
- Tasawar, Z. & L. Hussain. 1999. Studies on lernaeid ectoparasites of *Labeo rohita* from fish hatchery Mian Channu. *Acta Scientia* 9:25-32.
- Tasawar, Z. & S. Khurshid. 1999. Studies on copepod ectoparasites of *Cirrhius mrigala* from fish hatchery Mian Channu (Punjab, Pakistan). *Acta Scientia* 9:13-18.
- Temel, M. 1996. Riva Deresi zooplankton faunasi hakkinda taksonomik bir calisma. [A taxonomic study of the zooplankton fauna of Riva stream.] *Istanbul Universitesi, Su Urunleri Fakultesi Dergisi* 9:1-2. [In Turkish.]
- Thomas, M.P. 1959. A study of the freshwater zooplankton. Ph.D. Thesis, University of Liverpool, Liverpool, U.K.
- Tičina, V., O. Vidjak & I. Kačič. 2000. Feeding of adult sprat, *Sprattus sprattus*, during spawning season in the Adriatic Sea. *Italian Journal of Zoology* 67(3):307-311.
- Venn, C. 1980. Studies on harpacticoid copepod populations of two transects across the south Texas outer continental shelf. M.S. Thesis, Texas A&M University, College Station, Texas, U.S.A. 151 pp.
- Venter, M. 1988. Voortplantingsbiologie van die visluis *Argulus japonicus* Thiele, 1900 (Crustacea : Branchiura). [Reproductive biology of the fish louse *Argulus japonicus* Thiele, 1900 (Crustacea : Branchiura).] M.Sc. Thesis, Rand Afrikaans University, Johannesburg, South Africa. [In Afrikaans.]
- Viljoen, B.C.S. 1983. 'n Seisoenstudie van die vissektoparasiet *Lernaea* (Crustacea : Copepoda) in Boskopdam, Transvaal. [A seasonal investigation of the fish parasite *Lernaea* (Crustacea : Copepoda) in Boskop Dam, Transvaal.] *Verhandeling* (M.Sc. Thesis), Rand Afrikaans University, Johannesburg, South Africa. [In Afrikaans.]
- Welch, H.E., M.A. Bergmann, T.D. Siferd, K.A. Martin, M.F. Curtis, R.E. Crawford, R.J. Conover & H. Hop. 1992. Energy flow through the marine ecosystem of the Lancaster Sound Region, Arctic Canada. *Arctic* 45(4):343-357.
- Westfall, D.L. 1968. Relationships between *Daphnia*, *Diaptomus*, and *Cyclops* type copepod populations and water physical and chemical conditions. M.S. Thesis, Kearney State Teachers College, Kearney, Nebraska, U.S.A. 21 pp.
- Widyastuti, U., R.A. Yuniarti, Ch.P. Blondine & Widiarti. 1995. Predasi *Mesocyclops* terhadap berbagai jentik nyamuk vektor di laboratorium. [Predation of various species of *Mesocyclops* against mosquito vectors in the laboratory.] *Majalah Parasitologi Indonesia* 8(2):32-38. [In Bahasa Indonesia.]
- Wiese, C.S. 1974. Effects of the polychlorinated biphenyl mixture Aroclor® 1254 on *Acartia clausi*. M.Sc. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 85 pp.
- Williams, D.R. 1976. The ecology of some Harpacticoid copepods of a California sand flat:--a thesis. M.S. Thesis, University of the Pacific, Stockton, California, U.S.A.
- Williams, T.D. 1997. Life-cycle parameters of *Tisbe battagliai* (Copepoda: Harpacticoida) as indicators of chronic toxicity. Ph.D. Thesis, University of Plymouth, Plymouth, U.K.
- Wilson, T.C. 1979. Hatching success of *Calanus pacificus* embryos following short-term thermal exposure during three development stages. M.S. Thesis, California Polytechnic State University, San Luis Obispo, California, U.S.A. 67 pp.
- Wissmath, P. 1974. Untersuchungen zur Entwicklung und zum jahreszeitlichen Zyklus des Kiemenkrebsses *Ergasilus sieboldii* v. Nordmann an den Renken des

- Ammersees. [Studies on the development and seasonal cycle of the gill-crustacean *Ergasilus sieboldii* v. Nordmann in the whitefish of Lake Ammersee.] Ph.D. Dissertation, University of Munich, Munich, Germany. 96 pp. [In German.]
- Wongrat, L., N. Cho, M.U. Gauns, M. Zainuri, I. Phromthong, B. Sikhantakasamit & M. Kaewsiang. 2000. Feeding and production of copepods in the Andaman Sea. In: Janekarn, V., P. Munk & S. Sawangrerruks (eds.). Ecology of Tropical Mesoplankton and Fish Larvae. Proceedings of Regional Workshop, 15-23 November 2000. Phuket Marine Biological Centre. Pp. 14-18.
- Wood, S.N. 1989. Estimation of mortality rates in stage-structured zooplankton populations. Ph.D. Thesis, University of Strathclyde, Strathclyde, Scotland, U.K.
- Yadava, Y.S., R.K. Singh, M. Choudhury & V. Kolekar. 1987. Limnology and productivity in Dighali beel (Assam). *Tropical Ecology* 28:137-146.
- Yockim, R.S. 1975. An investigation into the identity and function of the red pigmentation of the copepods: *Diaptomus leptopus*, *Diaptomus stagnalis* and *Diaptomus sanguineus*. M.A. Thesis, Mankato State College, Mankato, Minnesota, U.S.A. 60 pp.
- Yoo, K.I. 1991. Zooplankton studies of Yellow sea in Korea. *Yellow Sea Research* 4:31-37.
- Yuniarti, R.A., U. Widyastuti & Widiarti. 1997. Efektivitas *Mesocyclops aspericornis* (Copepoda: Cyclopoidea) Terhadap Jentik Nyamuk *Aedes aegypti* Pada Penampungan Air (Gentong). [Effectiveness of *Mesocyclops aspericornis* (Copepoda: Cyclopoidea) against the mosquito species *Aedes aegypti* in water (Gentong).] Stasiun Penelitian Vektor Penyakit, Salatiga. [In Bahasa Indonesia.]
- 2001**
- Balayla, D. 2001. The role of the plant-associated cladocera in an English shallow lake (Little Mere, Cheshire). Ph.D. Thesis, University of Liverpool, Liverpool, U.K.
- Chmyr, V.D. 2001. Production and energetic balance of two Black Sea copepoda species in natural environment. *Ekologiya Morya* (55):28-32. [In Russian; abstract in English.]
- Douglas, P.J. 2001. Studies on *Entobdella hippoglossi* (Muller, 1776) (Monogenea) and *Lepeophtheirus hippoglossi* (Kroyer, 1837) (Copepoda): ectoparasites of Atlantic halibut (*Hippoglossus hippoglossus* L., 1758). Ph.D. Thesis, University of Stirling, Stirling, Scotland, U.K.
- Franz, K. 2001. Sequential infection of a copepod with the tapeworm *Schistocephalus solidus* and life history consequences. Max-Planck-Institut für Limnologie, Arbeitsgruppe Evolutionsökologie, Plön, Germany. 64 pp. [In German.]
- Hawkins, D.J. 2001. Morphology and epidemiology of the ergasilid (Copepoda: Poecilostomatoida) parasites of British freshwater fish. Ph.D. Thesis, Royal Holloway College, University of London, London, U.K.
- Jaroszewicz, B. 2001. Branchiura, Amphipoda sic (Copepoda), Ordo (rzad): Branchiura - tarczenie. In: Gutowski, J.M. & B. Jaroszewicz (eds.). Catalogue of the fauna of Bialoweza Primeval Forest. Katalog fauny Puszczy Bialowieskiej. Instytut Badawcy Lesnictwa, Warsaw. P. 53. [In Polish.]
- Kalinkina, N.M. & I.V. Pimenova. 2001. Effect of the ionic composition of water on the zooplankton of Karelian water bodies. Problemy Hidroekologii na Rubezhe Vekov. International Conference "Problems in Hydroecology at the Turn of the Century", St. Petersburg, 2000. P. 68. [Abstract; in Russian.]
- Loftus, W.F., M.C. Bruno, K.J. Cunningham, S. Perry & J.C. Trexler. 2001. The ecological role of the karst wetlands of southern Florida in relation to system restoration. In: Kuniandy, E.L. (ed.). U.S. Geological Survey Karst Interest Group Proceedings, Water-Resources Investigations Report 01-4011:8-15.
- Radziejewska, T., I. Drzycimski, V.V. Galtsova & L.V. Kulangieva. 2001. Changes in genus-level diversity of meiobenthic free-living nematodes (Nematoda) and harpacticoids (Copepoda Harpacticoida) at an abyssal site following experimental sediment disturbance. In: Chung, J.S. & V. Stoyanova (eds.). Proceedings of the IV ISOPE Ocean Mining Symposium, Szczecin, Poland, September 23-27, 2001. International Society of Offshore and Polar Engineers, Cupertino, California. Pp. 38-43.
- Steel, S. & M.F. Mulcahy. 2001. Impact of the copepod *Mytilicola orientalis* on the Pacific oyster *Crassostrea gigas* in Ireland. *Diseases of Aquatic Organisms* 47(2):145-149.
- Terdalkar, S. & K. Kameswara Rao. 2001. Diel vertical migration of zooplankton from the Andaman Sea. *Journal of the Marine Biological Association of India* 43(1&2):49-56.
- Ziegenfuss, M.C. & L.W. Hall, Jr. 2001. Standard operating procedures for conducting acute and chronic aquatic toxicity tests with *Eurytemora affinis*, a calanoid copepod. U.S. Environmental Protection Agency Technical Report PB--99-115503/XAB. 52 pp. [see also PB95-179925, 1998.]
- 2002**
- Arend, K.K. 2002. Do vertical gradients affect larval fish depth distribution and prey electivity among reservoirs that vary in productivity? M.Sc. Thesis, Ohio State University, Columbus, Ohio, U.S.A.
- Arias, M.M., P.M. Peltzer & R.C. Lajmanovich. 2002. Diet of the giant tadpole *Pseudis paradoxa platensis* (Anura, Pseudidae) from Argentina. *Phyllomedusa* 1(2):97-100.

- Brown, M.E. 2002. A 2001 survey of crustacean zooplankton in the western arm of Lake Superior. M.S. Thesis, University of Minnesota, Minneapolis, Minnesota, U.S.A.
- Cruz-Padilla, M. 2002. Meiofauna del Golfo de Guayaquil, Ecuador (Río Guayas, Canal Cascajal y Estero Salado), obtenida en la segunda campaña (Convenio: VUB-INOCAR) en Abril de 1997. [Meiofauna of the Gulf of Guayaquil, Ecuador (Rio Guayas, Cascajal Channel and the Salado Estuary) obtained in the second campaign (VUB-INOCAR agreement) in April 1997.] Acta Oceanográfica del Pacífico 11(1):138-146. [In Spanish; abstract in English.]
- Fonseca, M.C. 2002. Composição e aspectos quantitativos das infracomunidades parasitárias do tira-vira, *Percophis brasiliensis* (Osteichthyes: Percophidae) do litoral do Estado do Rio de Janeiro, Brasil. [Composition and quantitative aspects of the parasite infracommunities of the Brazilian flathead, *Percophis brasiliensis* (Osteichthyes: Percophidae) from the coast of the State of Rio de Janeiro, Brazil.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Castelo Branco, Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Kang, J.-H., W.-S. Kim & J.-H. Shim. 2002. Species composition and abundance of zooplankton community in spring and autumn around Dokdo. Ocean and Polar Research 24:407-417.
- Kurashov, E.A. 2002. The role of meiobenthos in lake ecosystems. Aquatic Ecology 36(3):447-463.
- Santos, M.G. dos. 2002. Composição e aspectos quantitativos das infracomunidades parasitárias da bicuda, *Sphyraena guachancho* Cuvier, 1829 (Osteichthyes: Sphyraenidae) do litoral do Estado do Rio de Janeiro, Brasil. [Composition and quantitative aspects of the parasite infracommunities of the Guachanche Barracuda, *Sphyraena guachancho* Cuvier, 1829 (Osteichthyes: Sphyraenidae) from the coast of the State of Rio de Janeiro, Brazil.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Castelo Branco, Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Thariq, M., Mustamin & D. Handoko. 2002. Biologi Zooplankton. [Zooplankton biology.] dalam Budidaya Fitoplankton dan Zooplankton. [in: Phytoplankton and Zooplankton cultivation.] Balai Budidaya Laut Lampung, Dirjen Perikanan Budidaya. [Sea Farming Center of Lampung, Director General of Aquaculture.] Dep. Kelautan dan Perikanan. [Dept. of Maritime Affairs and Fisheries.] Seri Budidaya Laut. 9:78-96. [In Bahasa Indonesia.]
- Vyalova, G.P. 2002. Variety in chum and pink salmon parasites from Sakhalin Region. Izvestiya Tikhookeanskogo Nauchno-Issledovatel'skogo Rybokhozyaistvennogo Tsentra 131:439-459. [In Russian.]
- World Health Organization. 2002. Silver and Silver Compounds: Environmental Aspects. Concise International Chemical Assessment Document 44:1-36. <http://whqlibdoc.who.int/hq/2002/9241530448.pdf>

2003

- Hrbáček, J. 2003. Jak ovlivnil silný průtok plankton Slapské nádrže? [The effect of a high through-flow on the plankton of the reservoir Slapy.] In: Ambrožová, J. (ed.). 19. seminář Aktuální otázky vodárenské biologie, Prague, February 5-6, 2003. Vodní zdroje Ekomonitor, Chrudim, pp. 203-208. ISBN 80-903203-1-7.
- Hrbáček, J. & Z. Brandl. 2003. Co ovlivňuje život planktonu v údolních nádržích? [Effects on planktonic life in valley reservoirs?] Acta Facultatis Ecologiae 10(Suppl. 1):123-126. [In Czech.]
- Machida, R.J. 2003. Structural characteristics of copepods mitochondrial DNA and its application for phylogenetic studies. Ph.D. Thesis, University of Tokyo, Tokyo, Japan. 83 pp.
- Santhanam, P. & P. Perumal. 2003. Diversity of zooplankton in Parangipettai coastal waters, southeast coast of India. Journal of the Marine Biological Association of India 45(2):144-151.
- Santos, M.D. dos. 2003. Parasitos metazoários de *Franciscodoras marmoratus* (Reinhardt, 1874) serrudo (Siluriformes, Doradidae) do Rio São Francisco, Brasil. [Metazoan parasites of the "serrudo" *Franciscodoras marmoratus* (Reinhardt, 1874) (Siluriformes, Doradidae) from the Rio São Francisco, Brazil.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. [In Portuguese.]
- Zainuri, M., H. Endrawati & H.P. Kusumaningrum. 2003. Komponen Nutritif pada Copepoda sebagai Pakan Alami Biota Laut: Kajian Bioenergitik. [Nutritive components of Copepoda in the food of natural marine biota: bioenergetic study.] Laporan Penelitian Dasar (Basic Research Report). DP2M. Dirjen Dikti. Depdiknas. 36 pp. [In Bahasa Indonesia.]

2004

- Abdallah, V.D. 2004. Metazoários parasitos dos lambaris *Astyanax bimaculatus*, *A. parahybae* e *Oligosarcus hepsetus* (Osteichthys: Characidae) do Rio Guandu, Estado do Rio de Janeiro, Brasil. [Parasitic metazoans of the lambaris *Astyanax bimaculatus*, *A. parahybae* and *Oligosarcus hepsetus* (Osteichthys: Characidae) from the Rio Guandu, State of Rio de Janeiro, Brazil.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. [In Portuguese.]
- Castelar, L.C.P. 2004. Distribuição das infracomunidades de metazoários parasitos de *Hypostomus affinis*

- (Steindachner, 1876) (Siluriformes: Loricariidae) do Rio Guandu, Rio de Janeiro, Brasil. [Distribution of the infracommunities of parasitic metazoans of *Hypostomus affinis* (Steindachner, 1876) (Siluriformes: Loricariidae) from the Rio Guandu, Rio de Janeiro, Brazil.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Castelo Branco, Rio de Janeiro, Rio de Janeiro, Brazil. [In Portuguese.]
- Duncan, R. 2004. Grazing habits of the estuarine copepods *Eurytemora affinis* and *Acartia tonsa* in turbid and non-turbid environments in Chesapeake Bay. Senior Thesis, Eckerd College, St. Petersburg, Florida, U.S.A. 29 pp.
- Galdino, T.S. 2004. Zooplâncton estuarino nas desembocaduras Norte e Sul do Canal de Santa Cruz, Itamaracá, PE. [Estuarine zooplankton in the north and south outlets of the Santa Cruz Channel, Itamaracá, PE.] Monografia de Bacharelado, Universidade Federal de Pernambuco, Recife, Pernambuco, Brazil. [In Portuguese.]
- Grobler, N.J. 2004. A review of the genus *Caligus* (Copepoda: Caligidae) from South Africa. Ph.D. Thesis, University of the Free State, Bloemfontein, South Africa.
- Kappe, A. 2004. Parasitologische Untersuchungen von ein- und zweijährigen Karpfen (*Cyprinus carpio*) aus Teichwirtschaften des Leipziger Umlandes während der Winterhaltung. [Parasitological studies of one-and two-year carp (*Cyprinus carpio*) from fish farms of the surrounding areas of Leipzig during the winter maintenance.] Doctor medicinae veterinariae (Dr. med. vet.) Dissertation, Veterinärmedizinische Fakultät der Universität Leipzig, Leipzig, Germany. 113 + xvii pp. [In German; abstract in English.]
- Krevõ, A., S. Mapeikaitë & R. Paðkauskas. 2004. Sezoninë planktono bendrijos struktûros kaita Gulbino eþere. Seasonal structural changes of planktonic community in Lake Gulbinas. *Ekologija* 2004(4):43-49. [In Lithuanian; abstract in English.]
- Ostergaard, P. 2004. The family Chondracanthidae (Crustacea, Copepoda): anatomy, morphology and phylogeny. Ph.D. Thesis, Imperial College London (University of London), London, U.K.
- Parks, W. & L. Lloyd. 2004. Planning social mobilization and communication for dengue fever prevention and control: a step-by-step guide. World Health Organization, Geneva. 138 pp. <http://whqlibdoc.who.int/publications/2004/9241591072.pdf>
- Poongothai, R. 2004. Molecular studies in marine copepods *Pontella danae*, *Metis jousseaumei* and *Oithona rigida* from Parangipettai coastal waters (India). M.Sc. Thesis, Annamalai University, Chidambaram, Tamil Nadu, India. 45 pp.
- Ribeiro, R.S. 2004. Aspectos ecológicos dos metazoários parasitos da castanha *Umbrina canosai* (Berg, 1895) (Osteichthyes: Sciaenidae). [Ecological aspects of the parasitic metazoans of the Argentine croaker *Umbrina canosai* (Berg, 1895) (Osteichthyes: Sciaenidae).] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. [In Portuguese.]
- Teng, H.J., M.H. Hsue, Y.L. Wu & H.J. Lee. 2004. The mosquito fauna (Culicidae: Diptera) in the surface water of Hapen Creek, Ilan, Taiwan. *Formosan Entomologist* 24(4):293-303.
- Vakatov, A.V. 2004. Feeding habits of *Acartia* species (Copepoda) in the White Sea. M.Sc. Thesis, Kazan State University, Kazan, Tatarstan, Russia. [In Russian.]
- World Health Organization. 2004. Manganese and Its Compounds: Environmental Aspects. Concise International Chemical Assessment Document 63:1-63. <http://whqlibdoc.who.int/publications/2004/9241530634.pdf>

2005

- Belogurova, L.S. & S.I. Maslennikov. 2005. Investigation of meioepifaunal communities on cultured bivalves in Whale Bay, Sea of Japan. *Izvestiya TINRO (Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii)* 140:366-375. [In Russian; abstract in English.]
- Chertoprud, E.S. 2005. Prostranstvenno-vremennaya izmenchivost' soobshchestva Harpacticoida (Copepoda) litorali Belogo morya. Existential variability of the Harpacticoida (Copepoda) assemblage in the littoral of the White Sea. Dissertation Kandidate Biologii Nauk, Moscow State University, Moscow, Russia. 172 pp. [In Russian.]
- Dawo, U. 2005. Die ökotoxikologische Bewertung multipler Pestizideinträge in aquatische Ökosysteme: Der Vergleich einer einmaligen mit einer mehrmaligen Pyrethroidbelastung. [Ecotoxicological assessment of multiple pesticide input into aquatic ecosystems: Comparison of single and repeated pyrethroid loading.] Doktors der Agrarwissenschaften (Dr. agr.) Dissertation, Technische Universität München, Munich, Germany. 231 pp. [In German.]
- Moriceau, B. 2005. Etude de la dissolution de la silice biogénique des agrégats: Utilisation dans la reconstruction des flux de sédimentation de la silice biogénique et du carbone. [Study of the dissolution of the biogenic silica of aggregates: Use in the reconstruction of the sedimentation flux of biogenic silica and carbon.] Thèse de Doctorat, l'Université de Bretagne Occidentale, France. 215 pp. [In French.]
- Ribeiro, D.F.O. 2005. Alimentação de pós-larvas de dourado *Salminus brasiliensis* (Pisces, Characidae) em viveiros de piscicultura. [Feeding of postlarvae of dourado *Salminus brasiliensis* (Pisces, Characidae) in nursery ponds.] Dissertação de Mestrado, Universidade Federal de Santa Catarina, Florianópolis, Santa Catarina, Brazil. 48 pp. [In Portuguese.]

Tsounis, G. 2005. Demography, reproductive biology and trophic ecology of red coral (*Corallium rubrum* L.) at the Costa Brava (NW Mediterranean): ecological data as a tool for management. Doctor of Natural Sciences Dissertation, Alfred Wegener Institute for Polar and Marine Research, University of Bremen, Bremen, Germany. 104 pp. [In English; abstracts in German and Spanish.]

2006

Belogurova, L.S. & A.Y. Zvyagintsev. 2006. The dynamics of meio- and macro-fouling in conditions of chronic anthropogenic pollution (Golden Horn Bay, Sea of Japan). *Izvestiya TINRO (Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii)* 144:331-350. [In Russian; abstract in English.]

Diovisalvi, N.R. 2006. Estudio del ciclo anual del mesozooplankton en una estación permanente ubicada en aguas costeras bonaerenses. [Study of the annual cycle of the mesozooplankton in a permanent station located in Buenos Aires coastal waters.] Tesis de Grado, Universidad Nacional de Mar del Plata, Mar del Plata, Argentina. 47 pp. [In Spanish.]

Felizardo, N.N. 2006. Composição e estrutura das comunidades parasitárias dos namorados *Pseudoperca numida* e *P. semifasciata* (Osteichthyes: Pinguipedidae) do litoral do Estado do Rio de Janeiro, Brasil. [Composition and structure of the parasite communities of the namorado sandperches *Pseudoperca numida* and *P. semifasciata* (Osteichthyes: Pinguipedidae) from the coast of the State of Rio de Janeiro, Brazil.] Dissertação de Mestrado, Universidade Federal Rural do Rio de Janeiro, Seropédica, Rio de Janeiro, Brazil. 65 pp. [In Portuguese.]

Gruberts, D. 2006. Palu pulsa koncepcija Daugavas vidusteces palienu ezeru ekoloģija. [Flood pulse concept and the ecology of Middle Daugava floodplain lakes.] Ph.D. Thesis, Daugavpils University, Daugavpils, Latvia. [In Latvian.]

Henderson, R.A. 2006. An investigation into the occurrence of ecdysteroids and the ecdysteroid receptor complex in the marine copepod *Calanus finmarchicus* (Gunnerus). Ph.D. Thesis, University of Exeter, Exeter, U.K.

Jafri, S.I.H. & M.A. Mahar. 2006. New record of an ectoparasitic crustacean *Argulus bengalensis* (Copepoda: Argulidae) from a Cyprinid fish of Pakistan. *Bangladesh Journal of Fisheries Research* 29(1&2):143-145.

Jafri, S.I.H. & M.A. Mahar. 2006. *Lamproglena notoapterai* sp. nov. of a copepod parasite from a freshwater fish of (Sindh) Pakistan. *Bangladesh Journal of Fisheries* 10(1):41-44.

Kim, J.H., H.J. Gibb & P.D. Howe. 2006. Cobalt and Inorganic Cobalt Compounds. World Health Organization, Geneva, Concise International Chemical Assessment Document 69:1-85.

http://whqlibdoc.who.int/publications/2006/9241530693_eng.pdf

Miehls, A.L.J. 2006. Invasive species impacts on ecosystem structure and function. M.S. Thesis, Michigan State University, East Lansing, Michigan, U.S.A.

Padovani, L. 2006. Importancia de diferentes taxa de copépodos en la dieta de los adultos de anchoita (*Engraulis anchoita*) bonaerense durante la época reproductiva. [Importance of different taxa of copepods in the diet of the adults of the anchovy (*Engraulis anchoita*) in Buenos Aires during the reproductive season.] Tesis de Licenciatura, Universidad Nacional de Mar del Plata, Mar del Plata, Argentina. 52 pp. [In Spanish.]

Schulze, P.-E. 2006. Early life history of coastal cod. Along-coast and in-fjord variation in body length, feeding, condition and macro parasites of post settlement juvenile cod (*Gadus morhua*) in eelgrass (*Zostera marina*) habitats at the Skagerrak coast. Master's Thesis, University of Oslo, Oslo, Norway.

Song, Chuan-Zheng. 2006. Zooplankton production and communities in Yan-Liao Bay, the north-eastern coast of Taiwan. M.Sc. Thesis, National Taiwan University, Taipei, Taiwan, Republic of China. 94 pp. [In Chinese; abstract in English.]

Stolbunova, V.N. 2006. Zooplankton ozera Pleshcheevo. [The zooplankton of lake Pleshcheevo.] Ph.D. Dissertation, Borok, Russia. Nauka, Moscow. 152 pp.

Walkusz, W. 2006. Temporal and spatial variability of zooplankton from two Svalbard fjords: Kongsfjorden and Hornsund. Ph.D. Thesis, Institute of Oceanology, Polish Academy of Sciences, Sopot, Poland.

Zinevici, V. & L. Parpalá. 2006. The zooplankton structure and productivity in Danube Delta lacustrine ecosystems. Pp. 177-210 In: Tudorancea, C. & M.M. Tudorancea (eds.). *Danube Delta. Genesis and Biodiversity. Biology of Inland Waters Series*. Backhuys, Leiden. 444 pp.

2007

Belogurova, L.S., A.Yu. Zvyagintsev & A.V. Moshchenko. 2007. Meiofauna fouling communities in the hydraulic structures of the TEC-2 G. cooling system, Vladivostok. *Izvestiya TINRO (Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii)* 150:260-280. [In Russian; abstract in English.]

Bojanic, D. 2007. Importance of the copepodite stages in the total number of calanoid copepods in the middle Adriatic Sea. *Rapport du Congrès de la CIESM* 38:439.

Dreher, N.S. 2007. Entwicklung des pelagischen Nahrungsnetzes in einem neu entstandenen Tageausee. Development of the pelagic community in a newly flooded mining lake. Dr. Rer. Nat. Dissertation, Helmholtz-Zentrum für Umweltforschung – UFZ,

- Universität Potsdam, Potsdam, Germany. 137 pp. [In German.]
- Drira, Z., J. Elloumi, H. Ayadi, M. Belhassen, A. Hamza & A. Bouain. 2007. Records of the presence of tintinnids in the Gulf of Gabes (south east Tunisia). Mise en évidence de la présence des tintinnides dans le Golfe de Gabès (sud-est Tunisien). Rapport du Congrès de la CIESM 38:465. [In French.]
- Gebauer, S. 2007. Effekte eines Pyrethroids auf verschiedene aquatische Ökosysteme: ökotoxikologische und genetische Untersuchungen. [Effect of some pyrethroids on different aquatic ecosystems: Ecotoxicological and genetic investigations.] Doctoral Dissertation, Technical University of Munich, Munich, Germany. 118 pp. [In German; abstract in English.]
- Kršinić, F. 2007. Zooplankton population structure in the lower reach of the Krka estuary. In: Marguš, D. (ed.). Simpozij rijeka Krka i Nacionalni park Krka. Prirodna i kulturna baština, zaštita i održivi razvitak. Šibenik. Pp. 469-480. [In Croatian.]
- Lai, Phu Hoang. 2007. Meiobenthos with special reference to free-living marine nematodes as bioindicators for different mangrove types in Can Gio Biosphere Reserve, Vietnam. Doctor of Natural Sciences Dissertation, University of Bremen, Bremen, Germany. 105 pp. [In English; abstracts in German and Vietnamese.]
- Mageed, A.A.A. 2007. Distribution and long-term historical changes of zooplankton assemblages in Lake Manzala (south Mediterranean Sea, Egypt). Egyptian Journal of Aquatic Research 33(1):183-192.
- Naranjo, C. & M.E. Tapia. 2007. Comunidades del plankton en la caleta Aeolian de la isla Baltra – Galápagos (Ecuador), durante 2005. [Plankton communities in Aeolian Bay of Baltra Island – Galápagos (Equador), during 2005.] Acta Oceanográfica del Pacífico 14(1):49-55. [In Spanish; abstract in English.]
- Okogwu, O.I. & O.A. Ugwumba. 2007. The zooplankton and environmental characteristics of Ologe lagoon, Southwest, Nigeria. The Zoologist 4:86-91.
- Rajthilak, C. 2007. Molecular studies in marine copepods *Acrocalanus gracilis* and *Euterpina acutifrons* from Vellar estuary (South east coast of India). M.Sc. Thesis, Annamalai University, Chidambaram, Tamil Nadu, India. 45 pp.
- Ramfos, A., I. Siokou-Frangou, E. Christou, S. Isari & N. Fragopoulou. 2007. Interannual and bathymetric variations in body size of *Calanus helgolandicus* (Copepoda: Calanoida) diapausing populations in the north Aegean Sea. Rapport du Congrès de la CIESM 38:579.
- Samargiu, M.D. & D. Sava. 2007. Harpacticoids (Crustacea, Copepoda) associated with macrophytes from the Romanian Black Sea waters. Rapport du Congrès de la CIESM 38:586.
- Selivanova, E.N. 2007. Zooplankton of Kievka Bight, sea of Japan (structure, seasonal and interannual variability). Ph.D. Dissertation, Vladivostok, Russia. 221 pp. [In Russian.]
- Singh, D.K. & A. Kumar. 2007. Role of copepods in aquacultural strategies. Pp. 1-13 In: Kumar, A. & S. Nehar (eds.). Environmental Protection. Daya Publishing House, New Delhi. 322 pp.
- Stefanova, K., L., Kamburska, S. Moncheva, V. Doncheva, N. Slabakova & V. Alexandrova. 2007. Zooplankton community changes along the eutrophication gradient Varna Lakes- Varna Bay (Western Black Sea). Rapports de la Commission Internationale pour l'Exploration Scientifique de la Mer Méditerranée, Monaco 38:605.
- Stenberg, S. 2007. Recruitment processes in West Greenland waters: with special focus on Greenland halibut (*Reinhardtius hippoglossoides*, W.). Ph.D. Thesis, University of Bergen, Bergen, Norway.
- Stoch, F. 2007. Copepods colonising Italian springs. In: Cantonati, M., E. Bertuzzi & D. Spitale (eds.). The spring habitat: Biota and sampling methods. Monografie del Museo Tridentino di Scienze Naturali 4:217-235.
- Thompson, P.F. 2007. Assessment of a permanent habitat module in the littoral zone of Onondaga Lake, New York with regard to spawning and juvenile habitat of fishes. M.S. Thesis, State University of New York College of Environmental Science and Forestry, Syracuse, New York, U.S.A. 136 pp.
- Tiffany, M.A., B.K. Swan, G.F. Gebler, J.C. Cole, M.R. Gonzalez, K.M. Reifel, J.M. Watts, E.B. Small & S.H. Hurlbert. 2007. Ciliate plankton dynamics and survey of ciliate diversity in the Salton Sea, California, 1997-1999. Lake & Reservoir Management 23(5):606-619.
- Zakaria, H.Y. 2007. On the distribution of zooplankton assemblages in Abu-Qir Bay, Alexandria, Egypt. Egyptian Journal of Aquatic Research 33(1):238-256.
- Zakaria, H.Y., A.A. Radwan & M.A. Said. 2007. Influence of salinity variations on zooplankton community in El-Mex Bay, Alexandria, Egypt. Egyptian Journal of Aquatic Research 33(3):52-67.
- Zhivotova, E.N. 2007. Influence of an atomic power station on the zooplankton of cooling reservoirs (on an example of the Novovoronezhsky atomic power station). Ph.D. Dissertation, Voronezh, Russia. 208 pp. [In Russian.]

2008

- Amberg, S.M. & T.E. Hall. 2008. Communicating risks and benefits of aquaculture: Analysis of US newsprint representations of farmed salmon. Journal of the World Aquaculture Society 39(2):143-157.
- Bao, V.W.W., A. Koutsaftis & K.M.Y. Leung. 2008. Temperature-dependent toxicities of chlorothalonil and copper pyrethrin to the marine copepod *Tigriopus japonicus* and dinoflagellate *Pyrocystis lunula*. Australasian Journal of Ecotoxicology 14:45-54.
- Bradford-Grieve, J. 2008. Marine biodiversity: Sampling the Atlantic depths. Water & Atmosphere 16(1):14-15.

- Chakrabarty, D., M.K. Das & S.K. Das. 2008. Growth performance of *Cyprinus carpio* L. in intensively different organic manures. *International Journal of Environmental Research* 2(4):419-424.
- Cherevichko, A.V & A.V. Krylov. 2008. Zooplankton of Polystovo-Lovatskaya mire system (Russia, Novgorod and Pskov regions). In: *Modern condition of water biological resources: Proceeding of the International Conference at Novosibirsk*. Pp. 76–81. [In Russian.]
- Drzycimski, I. & T. Radziejewska. 2008. Harpacticoida. Pp. 304-309. In: Bogdanowicz, W., E. Chudzicka, I. Pilipuk & E. Skibinska (eds.). *Fauna of Poland - characteristics and checklist of species*. Volume 3. Muzeum i Instytut Zoologii PAN, Warsaw. 603 pp.
- Ershath, M., K. Altaff, P. Sriyutha Murthy & V.P. Venugopalan. 2008. Chlorine toxicity to copepods: implications in the context of zooplankton entrainment in power plants. P. 180 In: *Proceedings of the Symposium on operational and environmental issues concerning use of water as a coolant in power plants and industries, OPENWAC-2008: symposium on operational and environmental issues concerning use of water as a coolant in power plants and industries, Kalpakkam (India), 15-16 Dec 2008*. Department of Atomic Energy, Kalpakkam, India. 423 pp. [Abstract.]
- Falk-Petersen, S., E. Leu, J. Berge, S. Kwasniewski, H. Nygård, A. Røstad, E. Keskinen, J. Thormar, C. von Quillfeldt, A. Wold & B. Gulliksen. 2008. *Calanus hyperboreus* feeding on an Arctic autumn bloom at 82°N induced by the northernmost location of the ice edge since 1751. *Deep Sea Research Part II Topical Studies in Oceanography* 55:2275-2284.
- Gophen, M. 2008. Long term (1970 – 2001) eco-hydrological processes in Lake Kinneret and its watershed. Pp. 373-401 In: Zereini, F. & H. Hötzl (eds.). *Climatic Changes and Water Resources in the Middle East and North Africa*. Springer, Berlin.
- Hubareva, E.S., I.S. Svetlichny, M. Isinibilir & G. Belmonte. 2008. Distribution and mortality of mesozooplankton in the Bosphorus area of the Black and Marmara Seas: salinity tolerance of *Acartia clausi* and *Acartia tonsa*. *Morskyi Ekologichnyi Zhurnal* 7(4):27-39. [In Russian.]
- Khemic, F. 2008. Etude hydrobiologique du barrage lakehal en 2008. [Hydrobiological study of Lakehal Reservoir in 2008.] Mémoire, Agence nationale des Ressources Hydrauliques, DRC, Soumaa, Algeria. [In French.] <http://www.memoireonline.com/08/09/2641/Etude-hydrobiologique-du-barrage-lakehal-en-2008.html>
- Hoffmeyer, M.S., M.D. Fernández-Severini, M.C. Menéndez, A.A. Berasategui & F. Biancalana. 2008. Composition and dynamics of mesozooplankton assemblages in the Bahía Blanca estuary. Pp. 273-278 In: Neves, R., J. Baretta & M. Mateus (eds.). *Perspectives on Integrated Coastal Zone Management in South America*. IST Scientific Publishers, Lisbon. ISBN: 978-972-8469-74-0.
- Hoffmeyer, M.S. & V. Fuentes. 2008. Morphometry of *Calanoides acutus* and *Calanus propinquus* (Copepoda, Calanoida) from West Antarctic Peninsula waters. In: Wiencke, C., G.A. Ferreyra, D. Abele & S. Marensi (eds.). *The Antarctic ecosystem of Potter Cove, King-George Island (Isla 25 de Mayo)*. Synopsis of research performed 1999-2006 at the Dallmann Laboratory and Jubany Station. *Berichte zur Polarforschung und Meereforschung, Bremerhaven* 571:85-94. ISSN: 1618-3193.
- Kartasheva, N.V., D.V. Fomin, A.V. Popov, M.A. Kuchkina & D.V. Minin. 2008. Evaluation of man-made effects on zooplankton of water-cooling of atomic and thermal power plants. *Vestnik Moskovskogo Universiteta, Seriya 16: Biologiya*, 2008(3):30-35. [In Russian; abstract in English.]
- Kirillov, A.F., T.A. Salova, V.V. Khodilov, E.V. Ivanov, T.M. Aabutina, N.S. Mamilov, I.G. Sobachina, V.A. Sokolova, H.M. Solomon, E.A. Fedorova et al. 2008. Aquatic middle reaches of the Lena River in the monitoring system. *Gidrobiologicheskii Zhurnal* 44(6): 49-54. [In Russian; abstract in English.]
- Kumar, P. 2008. Studies of some aspects of ecology of certain fish ponds in relation to seasonal variation in physico-chemical characters of water and biotic community. *Uttar Pradesh Journal of Zoology* 28(1):25-30.
- Litvinenko, L.I. 2008. Plankton of hypersaline lakes of Western Siberia. *Sibirsky Vestnik Sel'skokhozyaistbennoi Nauki* 2008(12): 95-101. [In Russian; abstract in English.]
- Lizama, M.L.A.P., R.M. Takemoto & G.C. Pavanelli. 2008. Ecological aspects of metazoan parasites of *Astyanax altiparanae* Garutti & Britski, 2000 (Characidae) of the upper Paraná River floodplain, Brazil. *Boletim do Instituto de Pesca, São Paulo* 34(4):527-533. [In English; abstract in Portuguese.]
- Loureiro-Fernandes, L.F. & J.G. Bersano-Filho. 2008. *Memória - Mónica Adelina Montú (1942-2003)*. *Boletim da Associação Brasileira de Biologia Marinha* 1:13-14. [In Portuguese.]
- Makarkyava, N.V. & N.G. Shevelev. 2008. Species composition and productivity of zooplankton in Tazheransk brackish lakes (Baikal region). *Vestnik Tomskogo Gosudarstvennogo Universiteta* 2008(316):190-195. [In Russian; abstract in English.]
- Makushenko, M.E., A.A. Potapov & R.A. Filin. 2008. Zooplankton as indicator of water quality of natural water-currents in the area of Lomonosov diamond pipe. *Vestnik Sankt-Petersburgskogo Universiteta, Seriya 3: Biologiya*, no. 3:17-28. [In Russian; abstract in English.]
- Melo, P.A.M.C., S. Neumann-Leitão, L.M. de O. Gusmão & F. de F. Porto Neto. 2008. Variação nictemeral do macrozooplâncton na Barra Orange – canal de Santa Cruzestado de Pernambuco (Brasil). *Nyctemeral variation of the macrozooplankton at Orange Inlet –*

- Santa Cruz Channel, Pernambuco (Brazil). *Revista Brasileira de Engenharia de Pesca* 3(2):30-49. [In Portuguese; abstract in English.]
- Melo Júnior, M. de, N.J. da Silva & R.M. Lopes. 2008. Produção de ovos e crescimento de quatro copépodes pelágicos nas proximidades da Ilha Anchieta (SP, Brasil). [Egg production and growth of four pelagic copepods in the region of Anchieta Island (São Paulo, Brazil).] In: III Congresso Brasileiro de Oceanografia, 2008, Fortaleza. CD do III Congresso Brasileiro de Oceanografia. Fortaleza: AOCEANO/UFC, 2008. CD. p. 1-3. [In Portuguese. Extended abstract.]
- Naumenko, E.N. 2008. The zooplankton species composition of the Curonian and Vistula Lagoons of the Baltic Sea. *Trudy Zoologicheskogo Instituta RAN* 312(1-2):155-162. [In Russian; abstract in English.]
- Omesová, M., M. Horsák & Jan Helešic. 2008. Nested patterns in hyporheic meta-communities: the role of body morphology and penetrability of sediment. *Naturwissenschaften* 95:917-926.
- Phukham, N., S. Patarajinda & P. Huano. 2008. Species diversity of copepods at Surin Islands National Park, Phang-Nga Province. *Kasetsart University Annual Conference* 51(46):476-483. [In Thai; abstract in English.]
- Pilipiuk, I. 2008. Branchiura. P. 296 In: Bogdanowicz, W., E. Chudzicka, I. Pilipuk & E. Skibinska (eds.). *Fauna of Poland - characteristics and checklist of species. Volume 3. Muzeum i Instytut Zoologii PAN, Warsaw.* 603 pp.
- Pilipiuk, I. 2008. Siphonostomatoidea. Pp. 309-310. In: Bogdanowicz, W., E. Chudzicka, I. Pilipuk & E. Skibinska (eds.). *Fauna of Poland - characteristics and checklist of species. Volume 3. Muzeum i Instytut Zoologii PAN, Warsaw.* 603 pp.
- Ponomarenko, V.P. 2008. Characteristics of Arctic cod (*Boreogadus saida*) of the Barents Sea. *Voprosy Rybolovstva* 9(2-34):330-343. [In Russian; abstract in English.]
- Pozdeyev, I.V., E.V. Seletkova & K.A. Chesnokov. 2008. Transformation of the hydrobiological regime of Chermoz Bay in connection with its separation from the dam of the Kama reservoir. *Vestnik Permskogo Universiteta* 2008(9):41-47. [In Russian; abstract in English.]
- Purivirojkul, W. & N. Areechon. 2008. Parasitic diversity of siluriform fishes in Mekong River, Chiang Rai Province. *Kasetsart Journal (Natural Sciences)* 42:34-39.
- Ranjan, G., R. Mohan & N.P. Rakesh. 2008. Physiochemical characteristics of a lentic water body of Birganj (Nepal) in relation to growth of zooplankton and fish culture. *Flora and Fauna – Jhansi* 14(1):65-68.
- Silva, N.J. da, M. de Melo Júnior & R.M. Lopes. 2008. Determinação de copépodes planctônicos mortos na plataforma continental interna de Ubatuba (SP). [Determination of dead planktonic copepods on the inner continental shelf of Ubatuba (São Paulo).] In: III Congresso Brasileiro de Oceanografia, 2008, Fortaleza. CD do III Congresso Brasileiro de Oceanografia. Fortaleza: AOCEANO/UFC, 2008. CD. pp. 1-3. [In Portuguese. Extended abstract.]
- Stoch, F. 2008. Invertebrati acquatici e pesci. [Aquatic invertebrates and fish.] In: Gasparo, D. (ed.). *La Val Rosandra. Comune di Dolina.* Pp. 97-108. [In Italian.]
- Stoch, F. 2008. La fauna cavernicola delle Prealpi Giulie settentrionali. [Subterranean fauna of the northern Julian Alps.] *Memorie dell'Istituto Italiano di Speleologia, series II*, 20:97-121. [In Italian.]
- Stoch, F. 2008. Gli abitatori delle grotte. *Biospeleologia del Friuli.* [The inhabitants of caves. Biospeleology of Friuli.] *Quaderni del Circolo Speleologico e Idrologico Friulano, Udine* 1:72 pp. [In Italian.]
- Stuge, T.S. 2008. The first data on zooplankton of Toguz water reservoir (Southern Kazakhstan region). *Selevinia* 2007:179. [In Russian.]
- Stuge, T.S., S.A. Matmuratov, E.G. Krupa & G.Z. Akberdina. 2008. The plankton shrimps in waters of Semipalatinsk test range zone (on materials of 2002). *Selevinia* 2007:38-45. [In Russian.]
- Stuge, T.S. & L.I. Sharapova. 2008. About zooplankton of Kumdykol lake in Akmolra region. *Selevinia* 2007:156-157. [In Russian.]
- Stuge, T.S. & V.A. Ten. 2008. Materials on hydrobiology of the Bayanaul lakes. *Selevinia* 2007:33-37. [In Russian.]
- Vadadi-Fülöp, C., L. Hufnagel, C. Sipkay & C. Veraszto. 2008. Evaluation of climate change scenarios based on aquatic food web modeling. *Applied Ecology & Environmental Research* 6(1):1-28.
- Vadadi-Fülöp, C., G. Meszaros, G. Jablonszky & L. Hufnagel. 2008. The zooplankton of the Raceve-Soroksar Danube: Spatio-temporal changes and similarity patterns. *Applied Ecology & Environmental Research* 6(4):121-148.
- Yalım, F.B. & B. Çıplak. 2008. Yeşil Göl'ün (Antalya, Türkiye) Cladocera ve Copepoda (Crustacea) Faunası ile Populasyon Yoğunluğundaki Mevsimsel Değişimler. *Cladocera and Copepoda fauna of Yesil Lake (Antalya, Turkey) and seasonal changes in population abundance.* *Ege University Journal of Fisheries & Aquatic Sciences* 25(3):239-243. [In Turkish; abstract in English.]

2009

- Alkhalaf, I.A., T. Hübener & S. Porembski. 2009. Prey spectra of aquatic *Utricularia* species (Lentibulariaceae) in northeastern Germany: The role of planktonic algae. *Flora - Morphology, Distribution, Functional Ecology of Plants* 204(9):700-708.
- Alsaman, I.M., M. Soliman & R. Nehru. 2009. Ecology on *Cyclops* (Cyclopoidae) in Sabha Pond, south of Libya. *Ecscan* 3(1-2):47-51.
- Alvarez-Cadeña, J.N., U. Ordóñez-López, A.R. Almaral-Mendivil & A. Uicab-Sabido. 2009. Composition and

- abundance of zooplankton groups from a coral reef lagoon in Puerto Morelos, Quintana Roo, Mexico, during an annual cycle. *Revista de Biología Tropical* 57(3):647-658.
- Alves, A., H. Adão, J. Patrícia, J.M. Neto, M.J. Costa & J.C. Marques. 2009. Spatial distribution of subtidal meiobenthos along estuarine gradients in two Southern European estuaries (Portugal). *Journal of the Marine Biological Association of the United Kingdom* 89(8):1529-1540.
- Ara, K. & J. Hiromi. 2009. Seasonal variability in plankton food web structure and trophodynamics in the neritic area of Sagami Bay, Japan. *Journal of Oceanography* 6(6):757-779.
- Ariza, P. & P. Ouellet. 2009. Diet components of northern shrimp *Pandalus borealis* first stage larvae in the northwest Gulf of St. Lawrence. *Journal of Crustacean Biology* 29(4):532-543.
- Avendaño-Ibarra, R. & M.E. Hernández-Rivas. 2009. Reproductive strategies of sea basses based on larval abundance in Magdalena Bay, Mexico, 1982-1986. *North American Journal of Fisheries Management* 29(1):205-215.
- Awa, J.N., P. Anyanwu & B. Ezenwa. 1988. Incidence of parasitic infection of pond raised *Tilapia* spp and some cultivable fish species from three ecological areas of Lagos state. NIOMR, Nigerian Institute for Oceanography and Marine Research, Victoria Island, Lagos, Technical Paper 32:1-24.
- Baloch, W.A. & H. Suzuki. 2009. Summer zooplankton composition, vertical distribution and biomass in Lake Ikeda, southern Kyushu, Japan. *Sindh University Research Journal (Science Series)* 41(2):35-40.
- Bănar, D. & M. Harmelin-Vivien. 2009. Feeding behaviour of Black Sea bottom fishes: Did it change over time? *Acta Oecologica* 35(6):769-777.
- Bartulovic, V., S. Matic-Skoko, D. Lucic, A. Conides, N. Jasprica, A. Joksimovic, J. Dulcic & B. Glamuzina. 2009. Recruitment and feeding of juvenile leaping grey mullet, *Liza saliens* (Risso, 1810) in the Neretva River estuary (south-eastern Adriatic, Croatia). *Acta Adriatica* 50(1):91-103.
- Barz, K. & H.-J. Hirche. 2009. Ecology of mysid shrimps in the Bornholm Basin (central Baltic Sea). *Helgolander Marine Research* 63(4):317-326.
- Batten, S.D. & D.L. Mackas. 2009. Shortened duration of the annual *Neocalanus plumchrus* biomass peak in the Northeast Pacific. *Marine Ecology Progress Series* 393:189-198.
- Beamish, R., J. Wade, W. Pennell, E. Gordon, S. Jones, C. Neville, K. Lange & R. Sweeting. 2009. A large, natural infection of sea lice on juvenile Pacific salmon in the Gulf Islands area of British Columbia, Canada. *Aquaculture* 297(1-4):31-37.
- Benoit-Bird, K.J. 2009. Dynamic 3-dimensional structure of thin zooplankton layers is impacted by foraging fish. *Marine Ecology Progress Series* 396:61-76.
- Berasategui, A.A., M.S. Hoffmeyer, F. Biancalana & M.C. Menéndez. 2009. Análisis exploratorio sobre la estrategia reproductiva del copépodo invasor *Eurytemora americana*. [Exploratory analysis on the reproductive strategy of the invasive copepod *Eurytemora americana*.] Pp. 395-407. In: Cazzaniga, N. & H.M. Arelovich (eds.). *Ambientes y recursos naturales del sudoeste bonaerense: Producción, contaminación y conservación*. Actas de las V Jornadas Interdisciplinarias del Sudoeste Bonaerense. Editorial de la Universidad Nacional del Sur, Bahía Blanca. [In Spanish.]
- Bertram, D.F., A. Harfenist & A. Hedd. 2009. Seabird nestling diets reflect latitudinal temperature-dependent variation in availability of key zooplankton prey populations. *Marine Ecology Progress Series* 393:199-210.
- Bode, A., M.T. Alvarez-Ossorio, J.M. Cabanas, A. Miranda & M. Varela. 2009. Recent trends in plankton and upwelling intensity off Galicia (NW Spain). In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches*. Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain. *Progress in Oceanography* 83(1-4):342-350.
- Bolkov, A.F., N.A. Kuznetsova, E.V. Farley & D.M. Murphy. 2009. Composition and distribution of zooplankton and food of Pacific salmon in the eastern Bering Sea in the autumn period of 2003-2008. (results of surveys in the program "BASIS"). *Izvestiya TINRO (Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii)* 158:275-292. [In Russian; abstract in English.]
- Bonacci, O., S. Gottstein & T. Roje-Bonacci. 2009. Negative impacts of grouting on the underground karst environment. *Ecohydrology* 2(4):492-502.
- Bozkurt, A., M.Z.L. Göksu & A. Altun. 2009. Cladocera and Copepoda fauna of Aslantaş dam Lake (Osmaniye-Turkey). *Journal of Fisheries Sciences* 3(4):285-297.
- Borme, D., V. Tirelli, S.B. Brandt, S. Fonda Umani & E. Arneri. 2009. Diet of *Engraulis encrasicolus* in the northern Adriatic Sea (Mediterranean): ontogenetic changes and feeding selectivity. *Marine Ecology Progress Series* 392:193-209.
- Brito, L.O., L. de F. Pimentel, S.C. Marcelino, V.F. de Melo, W. de M. Costa & A.O. Gálvez. 2009. Efeito de duas estratégias de fertilização na composição do zooplankton no cultivo de *Litopenaeus vannamei*. Effect of two fertilization strategies on zooplankton composition in the *Litopenaeus vannamei* culture. *Revista Brasileira de Engenharia de Pesca* 4(1):57-66. [In Portuguese; abstract in English.]

- Brown, A.R., D.J. Hosken, F. Balloux, L.K. Bickley, G. LePage, S.F. Owen, M.J. Hetheridge & C.R. Tyler. 2009. Genetic variation, inbreeding and chemical exposure—combined effects in wildlife and critical considerations for ecotoxicology. *Philosophical Transactions of the Royal Society B* 364(1534):3377-3390.
- Bruno, M.C., B. Maiolini, M. Carolli & L. Silveri. 2009. Impact of hydropeaking on hyporheic invertebrates in an Alpine stream (Trentino, Italy). *Annales de Limnologie / International Journal of Limnology* 45(3):157-170.
- Caldwell, G.S. 2009. The influence of bioactive oxylipins from marine diatoms on invertebrate reproduction and development. *Marine Drugs* 7(3):367-400.
- Carney, J.P., T.A. Sheldon & N.R. Lovejoy. 2009. Parasites of the deepwater sculpin (*Myoxocephalus thompsonii*) across its Canadian range. *Journal of Parasitology* 95(5):1209-1212.
- Caron, D.A., P.D. Countway, P. Savai, R.J. Gast, A. Schnetzer, S.D. Moorthi, M.R. Dennett, D.M. Moran & A.C. Jones. 2009. Defining DNA-based operational taxonomic units for microbial eukaryote ecology. *Applied and Environmental Microbiology* 75(18):5797-5808.
- Centers for Disease Control and Prevention (CDC). 2009. Progress toward global eradication of dracunculiasis, January 2008-June 2009. *MMWR. Morbidity and Mortality Weekly Report* 8(40):1123-1125.
- Chang, C.Y. 2009. Illustrated Encyclopedia of Fauna and Flora of Korea. Vol. 42. Inland-water Copepoda. Ministry of Education, Seoul. 687 pp. [In Korean; extensive summary in English.]
- Chen, H. & G. Liu. 2009. Zooplankton community structure in the Yangtze River Estuary and adjacent sea area in summer 2006. *Journal of Beijing Normal University, Natural Science Edition* 45(4):393-398.
- Chen, H.Y., H. Zhou, F.H. Mu & S.C. Yang. 2009. The spatial-temporal distributional characteristics of meiobenthic abundance and biomass in the northern Yellow Sea. *Zhongguo Haiyang Daxue Xuebao* 39(4):657-663. [In Chinese.]
- Chen, Yinghua & Yufeng Yang. 2009. Characteristics of the microzooplankton community in Jiaozhou Bay, Qingdao, China. *Chinese Journal of Oceanography and Limnology* 27(3): 435-442.
- Choi, C.G., S.J. Oh & I.J. Kang. 2009. Subtidal marine algal community of Jisepo in Geoje, Korea. *Journal of the Faculty of Agriculture, Kyushu University* 54(2):339-345.
- Christiansen, B., B. Martin & S. Hirch. 2009. The benthopelagic fish fauna on the summit of Seine Seamount, NE Atlantic: Composition, population structure and diets. In: Christiansen, B. & G. Wolff (eds.). *The Oceanography, Biogeochemistry and Ecology of Two NE Atlantic Seamounts: OASIS. Deep Sea Research Part II: Topical Studies in Oceanography* 56(25):2705-2712.
- Connelly, P.W. & R.L. Turner. 2009. Epibionts of the Eastern Surf Chiton, *Ceratozona Squalida* (Polyplacophora: Mopaliidae), from the Atlantic Coast of Florida. *Bulletin of Marine Science* 85(3):187-202.
- Coston-Clements, L., R.J. Waggett & P.A. Tester. 2009. Chaetognaths of the United States South Atlantic Bight: distribution, abundance and potential interactions with newly spawned larval fish. *Journal of Experimental Marine Biology and Ecology* 373(2):111-123.
- Cunha, M.E., H. Quental, A. Barradas, P. Pousao-Ferreira, E. Cabrita & S. Engrola. 2009. Rearing larvae of dusky grouper, *Epinephelus marginatus* (Lowe, 1834), (Pisces: Serranidae) in a semi-extensive mesocosm. *Scientia Marina* 73(Suppl. 1):201-212.
- Dahms, H.-U., S. Chullasorn, N.V. Schizas, P. Kangtia, W. Anansatitporn & W.X. Yang. 2009. Naupliar development among Tisbidae (Copepoda: Harpacticidae) with a phylogenetic analysis and naupliar description of *Tisbe thailandensis* from Thailand. *Zoological Studies* 48(6):780-796.
- Dalpadado, P., B. Bogstad, E. Eriksen & L. Rey. 2009. Distribution and diet of 0-group cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*) in the Barents Sea in relation to food availability and temperature. *Polar Biology* 32(11):1583-1596.
- Dantas, Ê.W., V.L. dos S. Almeida, J.E. de L. Barbosa, M. do C. Bittencourt-Oliveira & A. do N. Moura. 2009. Efeito das variáveis abióticas e do fitoplâncton sobre a comunidade zooplânctônica em um reservatório do Nordeste brasileiro. Abiotic variables and phytoplankton effects on zooplanktonic community from a reservoir in northeast Brazil. *Iheringia, Série Zoologia* 99(2):132-141. [In Portuguese; abstract in English.]
- Dejen, E., J. Vijverberg, L.A. Nagelkerke & F.A. Sibbing. 2009. Growth, biomass, and production of two small barbs (*Barbus humilis* and *B. tanapelagijs*, Cyprinidae) and their role in the food web of Lake Tana (Ethiopia). *Hydrobiologia* 636:89-100.
- Dias, C. de O., A.V. de Araujo & S.L.C. Bonecker. 2009. Seasonal variability of planktonic copepods (Copepoda: Crustacea) in a tropical estuarine region in Brazil. *Zoologia, Curitiba* 26(4):705-715.
- Dias, C. de O. & S.L.C. Bonecker. 2009. The copepod assemblage (Copepoda: Crustacea) on the inner continental shelf adjacent to Camamu Bay, northeast Brazil. *Zoologia, Curitiba* 26(4):629-640.
- Dippenaar, S.M. 2009. Estimated molecular phylogenetic relationships of six siphonostomatoid families (Copepoda) symbiotic on elasmobranchs. *Crustaceana* 82(12):1547-1567.
- Dobrota, N., M. Costache, S. Stancioiu & Gh. Dobrota. 2009. Technologic performances of carp breeding in ground basins of small dimensions. *Universitatea de Științe Agricole și Medicină Veterinară Iași Lucrări Științifice, Seria Zootehnie* 52(14):643-648.

- Drouin, A., P. Sirois & P. Archambault. 2009. Discriminating zooplankton communities in lakes with brook trout (*Salvelinus fontinalis*) and in fishless lakes. *Ecoscience* 16(3):271-281.
- Du, Y.-f., K.-d. Xu & Y.-l. Lei. 2009. Simultaneous enumeration of diatom, protozoa and meiobenthos from marine sediments using Ludox-QPS method. *Chinese Journal of Oceanology and Limnology* 27(4):775-783.
- Eisen, L., B.J. Beaty, A.C. Morrison & T.W. Scott. 2009. Proactive vector control strategies and improved monitoring and evaluation practices for dengue prevention. *Journal of Medical Entomology* 46(6):1245-1255.
- Eisenhauer, L., F. Carlotti, M. Baklouti & F. Diaz. 2009. Zooplankton population model coupled to a biogeochemical model of the North Western Mediterranean Sea ecosystem. *Ecological Modelling* 220(21):2865-2876.
- Elliott, D.T. & K.W. Tang. 2009. A simple staining method for differentiating live and dead marine zooplankton in field samples. *Limnology and Oceanography: Methods* 7:585-594.
- El-Rashidy, H.H. & G.A. Boxshall. 2009. Parasites gained: Alien parasites switching to native hosts. *Journal of Parasitology* 95(6):1326-1329.
- Enjalbert, B., A. Rachini, G. Vedyappan, D. Pietrella, R. Spaccapelo, A. Vecchiarelli, A.J.P. Brown & C. d'Enfert. 2009. A multifunctional, synthetic *Gaussia princeps* Luciferase reporter for live imaging of *Candida albicans* infections. *Infection & Immunity* 77(11):4847-4858.
- Espinoza, P., A. Bertrand, C.D. van der Lingen, S. Garrido & B. Rojas de Mendiola. 2009. Diet of sardine (*Sardinops sagax*) in the northern Humboldt Current system and comparison with the diets of clupeoids in this and other eastern boundary upwelling systems. In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches*. Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain. *Progress in Oceanography* 83(1-4):242-250.
- Fast, M.D., M.S. Sokolowski, K.J. Dunton & P.R. Bowser. 2009. *Dichelesthium oblongum* (Copepoda: Dichelesthidae) infestation in wild-caught Atlantic sturgeon, *Acipenser oxyrinchus oxyrinchus*. *ICES Journal of Marine Science / Journal du Conseil* 66(10):2141-2147.
- Ferdous, Z. & A.K.M. Muktedir. 2009. A review: Potentiality of zooplankton as bioindicator. *American Journal of Applied Sciences* 6(10):1815-1819.
- Fernandes, V. & N. Ramaiah. 2009. Mesozooplankton community in the Bay of Bengal (India): spatial variability during the summer monsoon. *Aquatic Ecology* 43(4):951-963.
- Freeman, M.A. & C. Sommerville. 2009. *Desmozoon lepeophtherii* n. gen., n. sp., (Microsporidia: Enterocytozoonidae) infecting the salmon louse *Lepeophtheirus salmonis* (Copepoda: Caligidae). *Parasites & Vectors* 2(1):58. doi:10.1186/1756-3305-2-58
- Frutos, S.M., A.S.G. Poi de Neiff & J.J. Neiff. 2009. Zooplankton abundance and species diversity in two lakes with different trophic states (Corrientes, Argentina). Abundância e diversidade específica do zooplâncton em dois lagos com estados tróficos diferentes (Corrientes, Argentina). *Acta Limnologica Brasiliensia* 21(3):367-375. [In English; abstract in Portuguese.]
- Fujii, M. & F. Chai. 2009. Influences of initial plankton biomass and mixed-layer depths on the outcome of iron-fertilization experiments. In: Uematsu, M., M.L. Wells, A. Tsuda & H. Saito (eds.). *SEEDS II: The Second Subarctic Pacific Iron Experiment for Ecosystem Dynamics Study*. North Pacific Marine Science Organization (PICES) and International SOLAS. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(26):2936-2947.
- Gagneten, A.M., R.R. Plá, L. Regaldo & J.C. Paggi. 2009. Assessment of bioconcentration factor of chromium by instrumental neutron activation analysis in *Argyrodiaptomus falcifer* Daday, a subtropical freshwater copepod. *Water, Air, & Soil Pollution* 204(1-4):133-138.
- Geddes, P. 2009. Decoupling carbon effects and UV protection from terrestrial subsidies on pond zooplankton. *Hydrobiologia* 628(1):47-66.
- Gee, J.M. 2009. Some new and rare species of Ameiridae (Copepoda: Harpacticoida) from the Isles of Scilly, UK. *Journal of Natural History* 43(45/46):2809-2851.
- Gheerardyn, H., M. de Troch, M. Vincx & A. Vanreusel. 2009. Harpacticoida (Crustacea: Copepoda) associated with cold-water coral substrates in the Porcupine Seabight (NE Atlantic): species composition, diversity and reflections on the origin of the fauna. *Scientia Marina* 73(4):747-760.
- Gislason, A. & T. Silva. 2009. Comparison between automated analysis of zooplankton using ZooImage and traditional methodology. *Journal of Plankton Research* 31(12):1505-1516.
- Glazunova, A.A. & Yu.Yu. Polunina. 2009. Copepods as the first intermediate hosts of *Ligula intestinalis* L.: Parasite of bream *Abramis brama* L. in the Vistula Lagoon of the Baltic Sea. *Inland Water Biology* 2(4):371-376.
- Gomes, T.P. & J.S. Rosa Filho. 2009. Composição e variabilidade espaço-temporal da meiofauna de uma praia arenosa na região amazônica (Ajuruteua, Pará). Composition and spatio-temporal variability of meiofauna community on a sandy beach in the Amazon region (Ajuruteua, Pará, Brazil). *Iheringia, Série Zoologia* 99(2):210-216. [In Portuguese; abstract in English.]

- Gómez, F., D. Moreira & P. López-García. 2009. Life cycle and molecular phylogeny of the dinoflagellates *Chytriodinium* and *Dissodinium*, ectoparasites of copepod eggs. *European Journal of Protistology* 45(4):260-270.
- Gómez, S. & E.S. Chertoprud. 2009. *Sentiropsis vietnamensis* n. sp., a new pseudotachidiid (Copepoda: Harpacticoida) from the South China Sea. *Journal of Crustacean Biology* 29(4):568-578.
- Gómez, S. & J.M. Gee. 2009. On four new species of *Cletocamptus* Shmankevich, 1875 (Copepoda: Harpacticoida) from inland waters of Argentina. *Journal of Natural History* 43(45):2853-2910.
- Gorbatenko, K.M., A.V. Nikolayev, A.L. Figurkin & E.N. Il'inskii. 2009. Quantitative composition, distribution, and feeding of large jellyfish (*Scyphozoa* et *Hydrozoa*) on the West Kamchatka shelf in summer. *Russian Journal of Marine Biology* 35(7):579-592.
- Graham, M.D. & R.D. Vinebrooke. 2009. Extreme weather events alter planktonic communities in boreal lakes. *Limnology and Oceanography* 54(6, part 2):2481-2492.
- Gruber, D.F., R. DeSalle, E.K. Lienau, D. Tchernov, V.A. Pieribone & H.-T. Kao. 2009. Novel internal regions of fluorescent proteins undergo divergent evolutionary patterns. *Molecular Biology and Evolution* 26(12):2841-2848.
- Guidi-Guilvard, L.D., D. Thistle, A. Khripounoff & S. Gasparini. 2009. Dynamics of benthic copepods and other meiofauna in the benthic boundary layer of the deep NW Mediterranean. *Marine Ecology Progress Series* 396:181-195.
- Guo, N.c., M. Zhang, Y. Yu, S.q. Qian, D.m. Li & F.x. Kong. 2009. Crustacean zooplankton communities in 13 lakes of Yunnan-Guizhou plateau: Relationship between crustacean zooplankton biomass or size structure and trophic indicators after invasion by exotic fish. *Annales de Limnologie - International Journal of Limnology* 45(4):279-288.
- Ha, J.-Y. & T. Hanazato. 2009. Role of interference from *Daphnia* and predation by cyclopoid copepods in zooplankton community structure: experimental analysis using mesocosms. *Plankton & Benthos Research* 4(4):147-153.
- Hanson, C.E. & A.D. McKinnon. 2009. Pelagic ecology of the Ningaloo region, Western Australia: influence of the Leeuwin Current. *Journal of the Royal Society of Western Australia* 92(Part 2):129-137.
- Hanson, M.A., S.E. Bowe, F.G. Ossman, J. Fieberg, M.G. Butler & R. Koch. 2009. Influences of forest harvest and environmental gradients on aquatic invertebrate communities of seasonal ponds. *Wetlands* 29(3):884-895.
- Harvey, B. 2009. Sea lice and salmon farms: A second look. An update of "Science and sea lice: What do we know?" Prepared for the B.C. Salmon Forum. Victoria, B.C. 31 pp.
- Haus, H.M. & M.A. Peck. 2009. Comparing observed and modelled growth of larval herring (*Clupea harengus*): Testing individual-based model parameterisations. *Scientia Marina* 73(Suppl. 1):37-45.
- Helaouët, P. & G. Beaugrand. 2009. Physiology, ecological niches and species distribution. *Ecosystems* 12(8):1235-1245.
- Henry, M.A., M.N. Alexis, E. Fountoulaki, I. Nengas & G. Rigos. 2009. Effects of a natural parasitological infection (*Lernanthropus kroyeri*) on the immune system of European sea bass, *Dicentrarchus labrax* L. *Parasite Immunology* 31(12):729-740.
- Hinckley, S., K.O. Coyle, G. Gibson, A.J. Hermann & E.L. Dobbins. 2009. A biophysical NPZ model with iron for the Gulf of Alaska: Reproducing the differences between an oceanic HNLC ecosystem and a classical northern temperate shelf ecosystem. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(24):2520-2536.
- Hipfner, J.M. 2009. Euphausiids in the diet of a North Pacific seabird: annual and seasonal variation and the role of ocean climate. *Marine Ecology Progress Series* 390:277-289.
- Hirsch, S., B. Martin & B. Christiansen. 2009. Zooplankton metabolism and carbon demand at two seamounts in the NE Atlantic. In: Christiansen, B. & G. Wolff (eds.). *The Oceanography, Biogeochemistry and Ecology of Two NE Atlantic Seamounts: OASIS*. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(25):2656-2670.
- Ho, J.-S & I.-H. Kim. 2009. Two species of Copepoda parasitic in the algal-bearing ascidian, *Didemnum molle* (Herdman), in Okinawa, Japan. *Proceedings of the Biological Society of Washington* 122(4):414-425.
- Ho, Y.S., S.C. Shih, M.J. Cheng, Y.Y. Jiang, J.H. Dong, R.C. Lee, W.Y. Chen & W.B. Chang. 2009. Reproduction behavior and larval rearing of the tomato anemonefish (*Amphiprion frenatus*). *Journal of Taiwan Fisheries Research* 17(1):39-51. [In Chinese.]
- Holmborn, T., K. Dahlgren, C. Høleton, H. Hogfors & E. Gorokhova. 2009. Biochemical proxies for growth and metabolism in *Acartia bifilosa* (Copepoda, Calanoida). *Limnology and Oceanography: Methods* 7:785-794.
- Hooker, L.J. 2009. Using seasonal succession in lake plankton to illustrate concepts of community structure & species diversity. *The American Biology Teacher* 71(8):474-481.
- Huggett, J., H. Verheye, R. Escribano & T. Fairweather. 2009. Copepod biomass, size composition and production in the Southern Benguela: spatio-temporal patterns of variation, and comparison with other eastern boundary upwelling systems. In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches*. *Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain*. *Progress in Oceanography* 83(1-4):197-207.

- Huys, R. & W. Lee. 2009. Proposal of *Marbefia*, gen. n. and *Inermiphonte*, gen. n., including updated keys to the species of *Pseudonychocamptus* Lang, 1944 and *Paralaophonte* Lang, 1948 (Copepoda, Harpacticoida, Laophontidae). *ZooKeys* 23:1-38.
- Hwang, J.S., R. Kumar & C.S. Kuo. 2009. Impacts of predation by the copepod, *Mesocyclops pehpeiensis* on life table demography and population dynamics of four cladoceran species: A comparative laboratory study. *Zoological Studies* 48(6):738-752.
- Institute of Speology. 2009. Cornel Constantin Plesa (3 August 1931-15 August 2008). *Travaux de l'Institut de Speologie 'Emile Racovitza'* 48:3-10.
- Isinibilir, M., L. Svetlichny, E. Hubareva, F. Ustun, I.N. Yilmaz, A.E. Kideys & L. Bat. 2009. Population dynamics and morphological variability of *Calanus euxinus* in the Black and Marmara Seas. *Italian Journal of Zoology* 76(4):403-414.
- Itoh, H. 2009. Feeding habits of larval and juvenile fish collected by a shore seine for shirasu (whitebait) in the inner part of Suruga Bay, central Japan. *Bulletin of the Japanese Society of Fisheries Oceanography* 73(3):181-189. [In Japanese.]
- Jagadeesan, L., P. Perumal & M. Thangaraj. 2009. Molecular identification of marine calanoid copepod *Paracalanus parvus* (Claus 1863) using RFLP. *World Journal of Fish and Marine Sciences* 1 (3): 239-242.
- Jiang, Z.-B., J.-N. Zeng, Q.-Z. Chen, Y.-B. Liao, X.-Q. Xu, L. Shou, J.-J. Liu, A.-G. Gao, Y.-Q. Zhao & Y.-J. Huang. 2009. Toxicity of residual chlorine on copepods under temperature increase in different seasons. *Acta Hydrobiologica Sinica* 33(5):903-908.
- Jitchum, P. & L. Wongrat. 2009. Community structure and abundance of epipelagic copepods in a shallow protected bay, Gulf of Thailand. *Kasetsart University Fisheries Research Bulletin* 33(1):28-40.
- Johnson, J.H., J.E. McKenna, M.A. Chalupnicki, T. Wallbridge & R. Chiavelli. 2009. Feeding ecology of lake whitefish larvae in eastern Lake Ontario. *Journal of Great Lakes Research* 35(4):603-607.
- Jyoti, M.K., K.K. Sharma & J. Sharma. 2009. Population dynamics and community structure of zooplankton inhabiting in fish pond Jammu, India. *Current World Environment* 4(1):165-169.
- Kaartvedt, S., A. Rostad & T.A. Klevjer. 2009. Sprat *Sprattus sprattus* can exploit low oxygen waters for overwintering. *Marine Ecology Progress Series* 390:237-249.
- Karanovic, T. & P. Hancock. 2009. On the diagnostic characters of the genus *Stygonitocrella* (Copepoda, Harpacticoida), with descriptions of seven new species from Australian subterranean waters. *Zootaxa* 2324:1-85.
- Keister, J.E., T.J. Cowles, W.T. Peterson & C.A. Morgan. 2009. Do upwelling filaments result in predictable biological distributions in coastal upwelling ecosystems? In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches*. Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain. *Progress in Oceanography* 83(1-4):303-313.
- Kelly, D.W., G. Lamberti & H.J. MacIsaac. 2009. The Laurentian Great Lakes as a case study of biological invasion. Pp. 205-225 In: Keller, R.P., D.M. Lodge, M.A. Lewis & J.F. Shogren (eds). *Bioeconomics of Invasive Species: Integrating Ecology, Economics, Policy, and Management*. Oxford University Press, New York.
- Kihara, T.C. & R. Huys. 2009. Corrigenda: Kihara TC & Huys R (2009). A new genus of Ectinosomatidae (Copepoda, Harpacticoida) from sublittoral sediments in Ubatuba, Sao Paulo State (Brazil), an updated key to genera and notes on *Noodtiella* Wells, 1965. *Zookeys* 17:57-88. *ZooKeys* 18:181-182.
- Kim, M.J., J.C. Kim & S.B. Hur. 2009. Effect of microalgal species on nauplii production in the benthic copepod *Tigriopus japonicus*. *Journal of the Korean Fisheries Society* 42(3):268-275.
- Kimmel, D.G., W.C. Boicourt, J.J. Pierson, M.R. Roman & X.s. Zhang. 2009. A comparison of the mesozooplankton response to hypoxia in Chesapeake Bay and the northern Gulf of Mexico using the biomass size spectrum. *Journal of Experimental Marine Biology and Ecology* 381(Suppl. 1):S65-S73.
- Kirby, R.R. & G. Beaugrand. 2009. Trophic amplification of climate warming. *Proceedings of the Royal Society B* 276(1676):4095-4103.
- Kirillov, A.F., T.A. Salova, V.V. Khodulov, E.V. Ivanov, N.S. Mamilov, I.G. Sobakin, N.M. Solomon, E.A. Fedorova & D.V. Shakhtarin. 2009. Assessing the impact of agglomeration of the city of Yakutsk on the ecological condition of the Lena River. *Problemy Regional'noi Ekologii* 2009(1):74-78. [In Russian; abstract in English.]
- Kline, T.C., Jr. 2009. Characterization of carbon and nitrogen stable isotope gradients in the northern Gulf of Alaska using terminal feed stage copepodite-V *Neocalanus cristatus*. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(24):2537-2552.
- Knudsen, F.R. & P. Larsson. 2009. Discriminating the diel vertical migration of fish and *Chaoborus flavicans* larvae in a lake using a dual-frequency echo sounder. *Aquatic Living Resources* 22(3):273-280.
- Køie, M. 2009. *Boreogadus saida* (Lepechin) (Gadidae): a review of its metazoan parasite fauna from Greenland, eastern Canada, Alaska and the Russian Arctic. *Polar Biology* 32(10):1399-1406.
- Kosobokova, K.N. & H.J. Hirche. 2009. Biomass of zooplankton in the eastern Arctic Ocean - A base line study. *Progress in Oceanography* 82(4):265-280.
- Kozuharov, D., T. Trichkova, P. Borisova & M. Stanachkova. 2009. The zooplankton composition in two

- reservoirs in the north-west Bulgaria in relation to *Dreissena* spp. occurrence. *Biotechnology and Biotechnological Equipment* 23:271-275. [Special Edition.]
- Krivenkova, I.F., O.K. Klishko & L.I. Lokot'. 2009. Features of the structural-functional organization of the zooplankton and zoobenthos communities in a cooling pond (on the example of Lake Kenon). *Uchenie Zapiski Zabaikal'skogo Gosudarstvennogo Gumanitarno-pedagogicheskogo universiteta NG Chernyshevsky* 2009(1):74-81. [In Russian; abstract in English.]
- Ku, C.-C. & C.-H. Lu. 2009. Investigation and treatment of *Parapetalus occidentalis* Wilson (Copepoda, Caligidae) infestation in sea cage-cultured cobia (*Rachycentron canadum*) at Penghu Islands (Pescadores), Taiwan. *Journal of the Fisheries Society of Taiwan* 36(2):161-169.
- Kuczynska-Kippen, N. & E. Milecka. 2009. The diurnal distribution of the zooplankton community of the littoral zone of Lake Wielkowiejskie (Wielkopolski National Park, Poland). *Oceanological and Hydrobiological Studies: International Journal of Oceanography and Hydrobiology* 38(2):91-98.
- Kuczyńska-Kippen, N., B. Nagengast, S. Celewicz-Góldyn & M. Klimko. 2009. Zooplankton community structure within various macrophyte stands of a small water body in relation to seasonal changes in water level. *Oceanological and Hydrobiological Studies: International Journal of Oceanography and Hydrobiology* 38(3):125-133.
- Kuczyńska-Kippen, N., B. Nagengast & T. Joniak. 2009. The impact of biometric parameters of a hydromacrophyte habitat on the structure of zooplankton communities in various types of small water bodies. *Oceanological and Hydrobiological Studies: International Journal of Oceanography and Hydrobiology* 38(2):99-108.
- Kuznetsova, N.A., M.A. Shebanova & L.N. Bohan. 2009. The structure of plankton community in summer-autumn period of 2007 and annual dynamics of zooplankton in the eastern Bering Sea. *Izvestiya TINRO (Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii)* 156:218-235. [In Russian; abstract in English.]
- Kukharskaya, E.V. & V.N. Dolgin. 2009. Distribution of zooplankton in swamp ecosystems of the middle reach of the R. Chulym basin (Tomsk region). *Vestnik Tomskogo Gosudarstvennogo Pedagogicheskogo Universiteta* 2009(3):70-76. [In Russian; abstract in English.]
- Kukharskaya, E.V. & V.N. Dolgin. 2009. Zooplankton of the basin of the Chulym River. *Vestnik Tomskogo Gosudarstvennogo Pedagogicheskogo Universiteta* 2009(6):141-146. [In Russian; abstract in English.]
- Landry, M.R., M.D. Ohman, R. Goericke, M.R. Stukel & K. Tsyrklevich. 2009. Lagrangian studies of phytoplankton growth and grazing relationships in a coastal upwelling ecosystem off Southern California. In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches. Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain. Progress in Oceanography* 83(1-4):208-216.
- Larson, A.A., J.J. Stachowicz & B.T. Hentschel. 2009. The effect of a tube-building phoronid on associated infaunal species diversity, composition and community structure. *Journal of Experimental Marine Biology and Ecology* 381(2):126-135.
- Lavaniegos, B.E. 2009. Influence of a multiyear event of low salinity on the zooplankton from Mexican ecoregions of the California Current. In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches. Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain. Progress in Oceanography* 83(1-4):369-375.
- Leflaive, J. & L. Ten-Hage. 2009. Chemical interactions in diatoms: role of polyunsaturated aldehydes and precursors. *New Phytologist* 184(4):794-805.
- Li, G., Q.J. Zhang, J. Zhong & Y.Q. Wang. 2009. Evolutionary and functional diversity of green fluorescent proteins in cephalochordates. *Gene, Amsterdam* 446(1):41-49.
- Liu, G.x. & D.h. Xu. 2009. Effects of calanoid copepod *Schmackeria poplesia* as a live food on the growth, survival and fatty acid composition of larvae and juveniles of Japanese flounder, *Paralichthys olivaceus*. *Journal of Ocean University of China (English edition)* 8(4):359-365.
- Liu, W.-C., J.-S. Ho & C.-L. Lin. 2009. Three species of *Lernanthropus* de Blainville, 1822 (Copepoda, Lernanthropidae) parasitic on marine fishes of Taiwan. *Journal of the Fisheries Society of Taiwan* 36(1):29-48.
- Liu, W.-C., J.-S. Ho & C.-L. Lin. 2009. Another three species of *Lernanthropus* de Blainville, 1822 (Copepoda, Lernanthropidae) parasitic on marine fishes of Taiwan, with a key to the species of the genus *Lernanthropus* found in Taiwan. *Journal of the Fisheries Society of Taiwan* 36(2):119-134.
- Liu, Y., W.-q. Cao, Y.-s. Lin, S.-y. Yang & N.-j. Li. 2009. Comparison studies on major ecological characteristics of zooplankton in Mindong coastal waters in warm-water season of 2004 to 2006. *Journal of Oceanography in Taiwan Strait* 28(3):378-384.
- Llames, M.E., L. Lagomarsino, N. Diovisalvi, P. Fermani, A.M. Torremorell, G. Perez, F. Unrein, J. Bustingorry, R. Escaray, M. Ferraro & H.E. Zagarese. 2009. The effects of light availability in shallow, turbid waters: a mesocosm study. *Journal of Plankton Research* 31(12):1517-1529.

- Lobunicheva, E.V. & D.A. Filippov. 2009. Zooplankton of raised bogs hollows of Pechora-Onegensis Province (Vologda region). *Vestnik Tomskogo Gosudarstvennogo Pedagogicheskogo Universiteta* 2009(3):82-86. [In Russian; abstract in English.]
- Lonsdale, D.J., R.M. Cerrato, R. Holland, A. Mass, L. Holt, R.A. Schaffner, J. Pan & D.A. Caron. 2009. Influence of suspension-feeding bivalves on the pelagic food webs of shallow, coastal embayments. *Aquatic Biology* 6:263-279.
- López-Bueno, A., J. Tamames, D. Velázquez, A. Moya, A. Quesada & A. Alcamí. 2009. High diversity of the viral community from an Antarctic lake. *Science* 326(5954):858-861.
- López-Ordaz, A., M. Ortaz & J.G. Rodriguez-Quintal. 2009. Trama trófica de una comunidad de peces en una pradera marina en el Caribe Venezolano. Trophic network of a fish community in a seagrass bed in the Venezuelan Caribbean. *Revista de Biología Tropical* 57(4):963-975. [In Spanish; abstract in English.]
- Ludsin, S.A., X. Zhang, S.B. Brandt, M.R. Roman, W.C. Boicourt, D.M. Mason & M. Costantini. 2009. Hypoxia-avoidance by planktivorous fish in Chesapeake Bay: Implications for food web interactions and fish recruitment. *Journal of Experimental Marine Biology and Ecology* 381(Suppl. 1):S121-S131.
- Maar, M., K. Bolding, J.K. Petersen, J.L.S. Hansen & K. Timmermann. 2009. Local effects of blue mussels around turbine foundations in an ecosystem model of Nysted off-shore wind farm, Denmark. In: Alunno-Bruscia, M. & H. van der Veer (eds.). *Metabolic organization: 30 years of DEB applications and developments*. *Journal of Sea Research* 62(2-3):159-174.
- Macovei, V. & I. Gilcă. 2009. The hydro and biological characteristic of water from an ornamental lake. *Universitatea de Științe Agricole și Medicină Veterinară Iași Lucrări Științifice, Seria Zootehnie* 52(14):639-642.
- Madinabeitia, I., S. Ohtsuka, J. Okuda, E. Iwamoto, T. Yoshida, M. Furukawa, N. Nakaoka & T. Nakai. 2009. Homogeneity among *Lactococcus garvieae* isolates from striped jack, *Pseudocaranx dentex* (Bloch & Schneider), and its ectoparasites. *Journal of Fish Diseases* 32(10):901-905.
- Marcucci, C., M. Caffara & E. Goretti. 2009. Occurrence of actinosporean stages (Myxozoa) in the Nera River system (Umbria, central Italy). *Parasitology Research* 105(6):1517-1530.
- Markhaseva, E.L. & K. Schulz. 2009. A new family and genus of calanoid copepods (Crustacea) from the abyss of the Atlantic Ocean. *Zootaxa* 2304:21-40.
- Markhaseva, E.L., K. Schulz & P. Martínez-Arbizu. 2009. New family of Crustacea (Calanoida) – Rostrocalanidae fam. nov.: making the name available. *Zoosystematica Rossica* 18(2):318-319.
- Martin, B. & B. Christiansen. 2009. Distribution of zooplankton biomass at three seamounts in the NE Atlantic. In: Christiansen, B. & G. Wolff (eds.). *The Oceanography, Biogeochemistry and Ecology of Two NE Atlantic Seamounts: OASIS. Deep Sea Research Part II: Topical Studies in Oceanography* 56(25):2671-2682.
- Martinez-Barragan, M.P., A. Franco-Herrera, J. Medina-Calderon & A. Santos-Martinez. 2009. The copepod community at Providence and Santa Catalina islands (Colombian Caribbean), during a rainy season (October) 2005. *Boletín de Investigaciones Marinas y Costeras / Bulletin of Marine and Coastal Research* 38:85-103. [In Spanish.]
- Martynova, D.M. & A.V. Gordeeva. 2009. Towards darkness or vice versa? *Priroda* 10:24-30. [In Russian.]
- Matsukura, R., H. Yasuma, H. Murase, S. Yonezaki, T. Funamoto, S. Honda & K. Miyashita. 2009. Measurements of density contrast and sound-speed contrast for target strength estimation of *Neocalanus* copepods (*Neocalanus cristatus* and *Neocalanus plumchrus*) in the North Pacific Ocean. *Fisheries Science* 75(6):1377-1387.
- Matsuno, K., H.S. Kim & A. Yamaguchi. 2009. Causes of under- and overestimation of zooplankton biomass using Optical Plankton Counter (OPC): effect of size and taxa. *Plankton & Benthos Research* 4(4):154-159.
- McClatchie, S., R. Goericke, F.B. Schwing, S.J. Bograd, W.T. Peterson, R. Emmett, R. Charter, W. Watson, N. Lo, K. Hill, C. Collins, M. Kahru, B.G. Mitchell, J.A. Koslow, J. Gomez-Valdes, B.E. Lavaniegos, G. Gaxiola-Castro, J. Gottschalk, M. L'Heureux, Y. Xue, M. Manzano-Sarabia, E. Bjorkstedt, S. Ralston, J. Field, L. Rogers-Bennett, L. Munger, G. Campbell, K. Merkens, D. Camacho, A. Havron, A. Douglas & J. Hildebrand. 2009. The state of the California Current, spring 2008-2009: Cold conditions drive regional differences in coastal production. *CalCOFI Reports* 50:43-68.
- McManus, G.B. & L.A. Katz. 2009. Molecular and morphological methods for identifying plankton: what makes a successful marriage? *Journal of Plankton Research* 31(10):1119-1129.
- Meleg, I., M. Cimpean & C. Pavelescu. 2009. Hyporheic fauna from interstitial of the Somes River Basin (Transylvania, northwestern Romania). *Travaux de l'Institut de Speologie 'Emile Racovitza'* 48:45-58.
- Menéndez, M.C., M.S. Hoffmeyer, M.C. Piccolo & F. Biancalana. 2009. Variabilidad en la distribución vertical del mesozooplancton durante un ciclo de marea en la zona interna del estuario de Bahía Blanca. [Variability in the vertical distribution of the mesozooplankton during one tidal cycle in the inner zone of the Bahía Blanca estuary.] Pp. 395-407 In: Cazzaniga, N. & H. Arelovich (eds.). *Ambientes y recursos naturales del sudoeste bonaerense: Producción, contaminación y conservación*. Actas de las V Jornadas Interdisciplinarias del Sudoeste Bonaerense. EdiUNS, Bahía Blanca. ISBN: 978-987-655-021-5. [In Spanish.]

- Mercado-Salas, N. & E. Suárez-Morales. 2009. A new species and illustrated records of *Paracyclops* Claus, 1893 (Copepoda: Cyclopoida: Cyclopinae) from Mexico. *Journal of Natural History* 43(45/46):2789-2808.
- Mikheev, V.N. 2009. Combined effects of predators and parasites on shoaling behavior of fishes. *Journal of Ichthyology* 49(11):1032-1041.
- Miller, R.J., D.C. Reed & M.A. Brzezinski. 2009. Community structure and productivity of subtidal turf and foliose algal assemblages. *Marine Ecology Progress Series* 388:1-11.
- Misarti, N., B. Finney, H. Maschner & M.J. Wooller. 2009. Changes in northeast Pacific marine ecosystems over the last 4500 years: evidence from stable isotope analysis of bone collagen from archeological middens. *The Holocene* 19(8):1139-1151.
- Möbius, W., J. Patzig, K.A. Nave & H.B. Werner. 2009. Phylogeny of proteolipid proteins: divergence, constraints, and the evolution of novel functions in myelination and neuroprotection. *Neuron Glia Biology* 4(2):111-127.
- Moore, B.C., D. Christensen & A.C. Richter. 2009. Newman Lake restoration: A case study. Part II. Microfloc alum injection. *Lake and Reservoir Management* 25(4):351-363.
- Moravec, F. 2009. Experimental studies on the development of *Contracaecum rudolphii* (Nematoda: Anisakidae) in copepod and fish paratenic hosts. *Folia Parasitologica* 56(3):185-193.
- Mueter, F.J., C. Broms, K.F. Drinkwater, K.D. Friedland, J.A. Hare, G.L. Hunt Jr., W. Melle & M. Taylor. 2009. Ecosystem responses to recent oceanographic variability in high-latitude Northern Hemisphere ecosystems. In: Megrey, B.A., J.S. Link & E. Moksness (eds.). *Comparative Marine Ecosystem Structure and Function: Descriptors and Characteristics*. Progress in Oceanography 81(1-4):93-110.
- Mustapha, M.K. 2009. Zooplankton assemblage of Oyun Reservoir, Offa, Nigeria. *Revista de Biología Tropical* 57(4):1027-1047.
- Muthupriya, P. & K. Altaff. 2009. Effect of salinity and temperature on the reproduction of the estuarine copepod *Apocyclops royi* (Lindberg, 1940). *Journal of Experimental Zoology India* 12(1):103-106.
- Nagasawa, K. 2009. A note on *Dinemoleus indeprensus*, a parasitic copepod of the megamouth shark. Report of the Japanese Society for Elasmobranch Studies 45:39-43. [In Japanese; English abstract.]
- Nagasawa, K. 2009. Synopsis of branchiurans of the genus *Argulus* (Crustacea, Argulidae), ectoparasites of freshwater and marine fishes, in Japan (1900-2009). *Bulletin of the Japanese Society of Biogeography* 64:135-148. [In Japanese with English abstract.]
- Neira, S., C. Moloney, P. Cury, C. Mullon & V. Christensen. 2009. Mechanisms affecting recovery in an upwelling food web: the case of the southern Humboldt. In: Fréon, P., M. Barange, J. Arístegui & A.D. McIntyre (eds.). *Eastern Boundary Upwelling Ecosystems: Integrative and Comparative Approaches*. Eastern Boundary Upwelling Ecosystems Symposium, 2-8 June 2008, Las Palmas, Gran Canaria, Spain. *Progress in Oceanography* 83(1-4):404-416.
- Noyon, M., S. Gasparini & P. Mayzaud. 2009. Feeding of *Themisto libellula* (Amphipoda Crustacea) on natural copepods assemblages in an Arctic fjord (Kongsfjorden, Svalbard). *Polar Biology* 32(11):1559-1570.
- Oba, Y., S.-i. Kato, M. Ojika & S. Inouye. 2009. Biosynthesis of coelenterazine in the deep-sea copepod, *Metridia pacifica*. *Biochemical and Biophysical Research Communications* 390(3):684-688.
- Offem, B.O., Y.A. Samsons, I.T. Omoniyi & G.U. Ikpi. 2009. Dynamics of the limnological features and diversity of zooplankton populations of the Cross River System SE Nigeria. *Dynamique des paramètres limnologiques et diversité du zooplancton dans la rivière Cross (Niger)*. Knowledge and Management of Aquatic Ecosystems No. 393, 02. DOI: 10.1051/kmae/2009013 [In English; abstract in French.]
- Okogwu, O.I. & C.D. Nwani. 2009. Variations in zooplankton in response to physicochemical changes in a tropical coastal lagoon. *Journal of Ecophysiology & Occupational Health* 9(1/2):67-75.
- Ökter, A. & J.P. Trilles. 2009. Four parasitic copepods on marine fish (Teleostei and Chondrichthyes) from Turkey. *Acta Adriatica* 50(2):121-128.
- Olivotto, I., M.A. Avella, I. Buttino, A. Cutignano & O. Carnevali. 2009. Calanoid copepod administration improves yellow tail clownfish (*Amphiprion clarkii*) larviculture: biochemical and molecular implications. *AAFL Bioflux* 2(3):355-367. [In English; abstracts in Italian and Romanian.]
- Ooishi, S. 2009. Four new species of *Haplostoma* (Copepoda: Cyclopoida: Ascidicolidae) living in compound ascidians from Madagascar. *Proceedings of the Biological Society of Washington* 122(4):426-448.
- Ostojic, A.A., M.D. Topuzovic, L.R. Comic & S.S. Curcic. 2009. Long-term changes in some chemical and biological characteristics of the Grosnica Reservoir water, Serbia. *Polish Journal of Environmental Studies* 18(4):681-691.
- Palm, H.W. & S. Rückert. 2009. A new approach to visualize ecosystem health by using parasites. *Parasitology Research* 105(2):539-553.
- Parrish, C.C., D. Deibel & R.J. Thompson. 2009. Effect of sinking spring phytoplankton blooms on lipid content and composition in suprabenthic and benthic invertebrates in a cold ocean coastal environment. *Marine Ecology Progress Series* 391:33-51.
- Pasternak, A., W. Hagen, G. Kattner, J. Michels, M. Graeve & S.B. Schnack-Schiel. 2009. Lipid dynamics and feeding of dominant Antarctic calanoid copepods in the

- eastern Weddell Sea in December. *Polar Biology* 32(11):1597-1606.
- Perumal, P., M. Rajkumar & P. Santhanam. 2009. Biochemical composition of wild copepods, *Acartia spinicauda* and *Oithona similis*, from Parangipettai coastal waters in relation to environmental parameters. *Journal of Environmental Biology* 30(6):995-1005.
- Peterson, J.O. & W.T. Peterson. 2009. The influence of the Columbia River plume on cross-shelf transport of zooplankton. *Journal of Geophysical Research* 114, C00B10. doi:10.1029/2008JC004965.
- Peterson, W.T. 2009. Copepod species richness as an indicator of long-term changes in the coastal ecosystem of the California Current. *CalCOFI Reports* 50:73-81.
- Petrik, C.M., T. Kristiansen, R.G. Lough & C.S. Davis. 2009. Prey selection of larval haddock and cod on copepods with species-specific behavior: a model-based analysis. *Marine Ecology Progress Series* 396:123-143.
- Pierson, J.J., M.R. Roman, D.G. Kimmel, W.C. Boicourt & X. Zhang. 2009. Quantifying changes in the vertical distribution of mesozooplankton in response to hypoxic bottom waters. *Journal of Experimental Marine Biology and Ecology* 381(Suppl. 1):S74-S79.
- Pillay, D., G.M. Branch & A. Steyn. 2009. Complex effects of the gastropod *Assiminea globulus* on benthic community structure in a marine-dominated lagoon. *Journal of Experimental Marine Biology and Ecology* 380(1-2):47-52.
- Platell, M.E. & P. Freewater. 2009. Importance of saltmarsh to fish species of a large south-eastern Australian estuary during a spring tide cycle. *Marine & Freshwater Research* 60(9):936-941.
- Plum, C. & K.-H. George. 2009. The paramesochrid fauna of the Great Meteor Seamount (Northeast Atlantic) including the description of a new species of *Scottopsyllus* (*Intermedopsyllus*) Kunz (Copepoda: Harpacticoida: Paramesochridae). *Marine Biodiversity* 39(4):265-289.
- Poi de Neiff, A., M.E. Galassi & M.C. Franceschini. 2009. Invertebrate assemblages associated with leaf litter in three floodplain wetlands of the Paraná River. *Wetlands* 29(3):896-906.
- Polacek, M. 2009. Banks Lake Fishery Evaluation Project Annual Report: Fiscal Year 2008 (March 1, 2008 to February 1, 2009). Bonneville Power Administration (BPA), Portland, Oregon, U.S.A. Report No. P112494. 54 pp.
- Pongsiri, M.J., J. Roman, V.O. Ezenwa, T.L. Goldberg, H.S. Koren, S.C. Newbold, R.S. Ostfeld, S.K. Pattanayak & D.J. Salkeld. 2009. Biodiversity loss affects global disease ecology. *BioScience* 59(11):945-954.
- Primakov, I.M., N.A. Ivanova, O.A. Lasovechkaya & E.H. Chernova. 2009. Study of the marine zooplankton of Keretskaya Bay. *Vestnik Sankt-Petersburgskogo Universiteta, Seriya 3: Biologiya* 3-3:135-145. [In Russian; abstract in English.]
- Probst, W.N. & R. Eckmann. 2009. Diet overlap between young-of-the-year perch, *Perca fluviatilis* L., and burbot, *Lota lota* (L.), during early life-history stages. *Ecology of Freshwater Fish* 18(4):527-536.
- Pryakhin, E.A., G.A. Tryapitsyna, L.V. Deryabina, S.S. Andreev, I.A. Kolomiets, E.V. Gavrilova, S.P. Belonogova, G.O. Bogdanov, N.I. Dukhovnaya et al. 2009. Current status of the ecosystem of Reservoir V-11 in the Techen cascade of reservoirs. *Voprosy Radiatsionnoi Bezopasnosti* 2009(S1):29-48. [In Russian; abstract in English.]
- Rakus, K.L., G.F. Wiegertjes, P.M. Jurecka, P.D. Walker, A. Pilarczyk & I. Irnazarow. 2009. Major histocompatibility (MH) class II β gene polymorphism influences disease resistance of common carp (*Cyprinus carpio* L.). *Aquaculture* 288(1-2):44-50.
- Ramdane, Z., M.A. Bensouilah & J.-P. Trilles. 2009. Étude comparative des crustacés isopodes et copepods ectoparasites de poissons marins algériens et marocains. Comparative study of ectoparasitic crustacean isopods and copepods, of Algerian and Moroccan marine fishes.] *Cybius* 33(2):123-131. [In French; abstract in English.]
- Rautio, M., S. Bonilla & W.F. Vincent. 2009. UV photoprotectants in arctic zooplankton. *Aquatic Biology* 7:93-105.
- Reid, J.W. & C.E. Williamson. 2009. Copepoda. Pp. 829-899 In: Thorp, J.H. & A.P. Covich (eds.). *Ecology and Classification of North American Freshwater Invertebrates*. 3rd Edition. Academic Press.
- Rezai, H., F.M. Yusoff, A. Arshad & B.H.R. Othman. 2009. Abundance and composition of zooplankton in the Straits of Malacca. *Indian Journal of Marine Sciences* 12(3):264-270.
- Richardson, D.E., J.K. Llopiz, K.D. Leaman, P.S. Vertes, F.E. Muller-Karger & R.K. Cowen. 2009. Sailfish (*Istiophorus platypterus*) spawning and larval environment in a Florida Current frontal eddy. *Progress in Oceanography* 82(4):252-264.
- Saito, H., A. Tsuda, Y. Nojiri, T. Aramaki, H. Ogawa, T. Yoshimura, K. Imai, I. Kudo, J. Nishioka & T. Ono. 2009. Biogeochemical cycling of N and Si during the mesoscale iron-enrichment experiment in the western subarctic Pacific (SEEDS-II). In: Uematsu, M., M.L. Wells, A. Tsuda & H. Saito (eds.). *SEEDS II: The Second Subarctic Pacific Iron Experiment for Ecosystem Dynamics Study*. North Pacific Marine Science Organization (PICES) and International SOLAS. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(26):2852-2862.
- Saler, S. & N. Ipek. 2009. Cladocera and Copepoda (Crustacea) fauna of Seli Stream (Elazig-Turkey). *Journal of Fisheries Sciences* 3(4):318-322.
- Salonen, M., L. Urho & J. Engström-Öst. 2009. Effects of turbidity and zooplankton availability on the condition and prey selection of oiké larvae. *Boreal Environment Research* 14:981-989.

- Sampei, M., H. Sasaki, H. Hattori, A. Forest & L. Fortier. 2009. Significant contribution of passively sinking copepods to the downward export flux in Arctic waters. *Limnology and Oceanography* 54(6):1894-1900.
- Santana-Porto, E.A. & I.F. Andrian. 2009. Trophic organization the ichthyofauna of two semi-lentic environments in a flood plain on the upper Paraná River, Brazil. Estrutura trófica da ictiofauna em dois ambientes semi-lênticos da planície de inundação do Alto Rio Paraná, Brasil. *Acta Limnologica Brasiliensia* 21(3):359-366. [In English; abstract in Portuguese.]
- Sato, M., S. Takeda & K. Furuya. 2009. Responses of pico- and nanophytoplankton to artificial iron infusions observed during the second iron enrichment experiment in the western subarctic Pacific (SEEDS II). In: Uematsu, M., M.L. Wells, A. Tsuda & H. Saito (eds.). SEEDS II: The Second Subarctic Pacific Iron Experiment for Ecosystem Dynamics Study. North Pacific Marine Science Organization (PICES) and International SOLAS. Deep Sea Research Part II: Topical Studies in Oceanography 56(26):2745-2754.
- Sedova, N.A., A.S. Grigoryev & S.S. Grigoryev. 2009. Morphological variation in *Bradyidius pacificus* (Brodsky, 1959) (Copepoda: Aetideidae) in the eastern part of the Sea of Okhotsk. *Zoosystematica Rossica* 18(1):17-24.
- Semenova, A.S. & S.V. Aleksandrov. 2009. The zooplankton consumption of primary production and an assessment of the waterbody trophic state on the basis of its structural and functional characteristics. *Inland Water Biology* 2(4):348-354.
- Setälä, O., S. Sapanen, R. Autio & K. Erler. 2009. Grazing and food selection of the calanoid copepods *Eurytemora affinis* and *Acartia bifilosa* feeding on plankton assemblages containing *Dinophysis* spp. *Boreal Environment Research* 14(5):837-849.
- Sever, T.M., B. Bayhan, G. Bilge & E. Taşkavak. 2009. Diet composition of *Belone belone* (Linnaeus, 1761) (Pisces: Belontiidae) in the Aegean Sea. *Journal of Applied Ichthyology* 25(6):702-706.
- Sharma, B.K. & S. Sharma. 2009. Microcrustacea (Crustacea: Branchiopoda) of Deepor Beel, Assam, India: richness, abundance and ecology. *Journal of Threatened Taxa* 1(8):411-418.
- Sharma, B.K. & S. Sharma. 2009. Diversity of microcrustacea (Crustacea: Branchiopoda) of Loktak Lake, a Ramsar site, Manipur, India. *Journal of Threatened Taxa* 1(11):541-548.
- Sharma, M.B., S. Devi & P. Bhardwaj. 2009. Scanning electron microscopic analysis of *Cyclops exilis* and *Cyclops basitosus*. *Journal of Experimental Zoology India* 12(1):211-217.
- Shebanova, M.A. & V.I. Chuchukalo. 2009. Biology of *Calanus glacialis* in far eastern seas. *Izvestiya TINRO (Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii)* 156:203-217. [In Russian; abstract in English.]
- Shershenkova, S.A., V.D. Zharnikova & M.V. Rakitin. 2009. Effect of hydrological factors on distribution of plankton in the spring and summer in Tauisk Bay. *Voprosy Rybolovstva* 10(2-38):264-283. [In Russian; abstract in English.]
- Shettu, N. & M. Yasin N. 2009. Proximate and mineral composition of calanoid copepod *Sinodiaptomus (Rhinediaptomus) indicus*. *Biomedical and Pharmacology Journal* 2(1):157-160.
- Shimode, S., Y. Hiroe, K. Hidaka, K. Takahashi & A. Tsuda. 2009. Life history and ontogenetic vertical migration of *Neocalanus gracilis* (Dana) in the western North Pacific Ocean. *Aquatic Biology* 7:295-306.
- Shoji, J., K.I. Mizuno, M. Yamamoto, T.W. Miller, H. Hamaoka & K. Omori. 2009. Spatial distribution and dietary overlap between Japanese anchovy *Engraulis japonicus* and moon jellyfish *Aurelia aurita* in the Seto Inland Sea, Japan. *Scientia Marina* 73(Suppl. 1):191-198.
- Shustova, N.K., I.N. Zalicheva, S.P. Kitaev & V.S. Ganina. 2009. Assessment of surface waters acidification as indicated by zooplankton in the taiga zone of Northern European Russia. *Russian Journal of Ecology* 40(7):495-500.
- Silva, W.M., K.F. Roche, V. Eilers & M.D. Oliveira. 2009. Copepod (Crustacea) distribution in the freshwater and hyposaline lakes of the Pantanal of Nhecolândia (Mato Grosso do Sul, Brazil). *Distribuição de Copepoda (Crustacea) nos lagos de água doce e hiposalinos do Pantanal de Nhecolândia (Mato Grosso do Sul, Brasil)*. *Acta Limnologica Brasiliensia* 21(3):327-331. [In English; abstract in Portuguese.]
- Simcic, T. & M. Germ. 2009. Organic matter degradation through respiration in littoral and pelagial including profundal zones of an oligotrophic lake assessed by electron transport system activity. *Hydrobiologia* 635(1):137-146.
- Simonelli, P., C. Troedsson, J.C. Nejtgaard, K. Zech, J.B. Larsen & M.E. Frischer. 2009. Evaluation of DNA extraction and handling procedures for PCR-based copepod feeding studies. *Journal of Plankton Research* 31(12):1465-1474.
- Siokou-Frangou, I., U. Christaki, M.G. Mazzocchi, M. Montresor, M. Ribera d'Alcalá, D. Vaqué & A. Zingone. 2009. Plankton in the open Mediterranean Sea: a review. *Biogeosciences Discussions* 6:11187-11293.
- Skovgaard, A. & X.M. Salomonsen. 2009. *Blastodinium galatheanum* sp. nov. (Dinophyceae) a parasite of the planktonic copepod *Acartia negligens* (Crustacea, Calanoida) in the central Atlantic Ocean. *European Journal of Phycology* 44(3):425-438.
- Soares, M.C., R. Bshary & I.M. Côté. 2009. Cleaning in pairs enhances honesty in male cleaning gobies. *Behavioral Ecology* 20(6):1343-1347.

- Sobecka, E., J. Moskal & B. Więcaszek. 2009. Checklist of the pathogens of lamprey species of Poland. *Oceanological and Hydrobiological Studies: International Journal of Oceanography and Hydrobiology* 38(2):129-137.
- Sono, S., C.L. Moloney & C.D. van der Lingen. 2009. Assessing the utility of a continuous, underway fish egg sampler (CUFES) for sampling zooplankton. *African Journal of Marine Science* 31(2):181-189.
- Stich, H.B., A. Hoppe & G. Maier. 2009. Zooplankton composition in a gravel pit lake invaded by the Ponto-Caspian mysid *Hemimysis anomala* G.O. Sars 1907. *Aquatic Invasions* 4(4):697-700.
- Stiernstroem, S., K. Hemstroem, O. Wik, G. Carlsson & M. Breitholtz. 2009. Methodology for classification of the H14 criterion according to the directive 2008/98/EC on waste. Proposal of a biotest battery for the classification of hazardous waste. Ecotoxicological testing with bacterium, algae, crustacean and fish embryo; Metodik foer klassificering av H14-kriteriet i Avfallsfoerordningen. Foerslag till biotestbatteri foer klassificering av farligt avfall. Ekotoxikologisk testning med bakterie, alg, kraeftdjur och fiskembryo. Vaermeforsk, Stockholm, Sweden, Report No. VARMEFORSK—1092. 93 pp. [In Swedish; summary, figure and table legends in English.]
- Stoch, F., V. Pieri, B. Sambugar & A. Zullini. 2009. La fauna delle acque sotterranee dell'Alta Val Secchia (Appennino Reggiano). [The fauna of groundwater in the Upper Secchia Valley (Reggian Appennines).] *Memorie dell'Istituto Italiano di Speleologia, serie II*, 22:145-164. [In Italian.]
- Stoch, F., D. Valenti, M. Chiesi & G. Tomasin. 2009. Il drift delle specie stigobie alle sorgenti di Poiano (Appennino Reggiano): relazioni con l'idrodinamica dell'acquifero. [The drift of stygobitic species of sources of the Po River (Reggian Appennines): relationships with the hydrodynamics of the aquifer.] *Memorie dell'Istituto Italiano di Speleologia, serie II*, 22:129-144. [In Italian.]
- Stowasser, G., D.W. Pond & M.A. Collins. 2009. Using fatty acid analysis to elucidate the feeding habits of Southern Ocean mesopelagic fish. *Marine Biology, Berlin* 156(11):2289-2302.
- Stuge, T.S. & G.Z. Akberdina. 2009. Materials on zooplankton of Voinskoe and Yubileinoe lakes in Zhambyl region. *Selevinia* 2008:147-151. [In Russian.]
- Sugden, A.M. 2009. Timing is everything. *Science* 326:773.
- Suzuki, H. & T. Matsutani. 2009. Infection of the parasitic copepod, *Pectenophilus ornatus* on juvenile Japanese scallops, *Patinopecten yessoensis*. *Suisan Zoshoku* 57(3):513-514.
- Sydeman, W.J., K.L. Mills, J.A. Santora, S.A. Thompson, D.F. Bertram, K.H. Morgan, J.M. Hipfner, B.K. Wells & S.G. Wolf. 2009. Seabirds and climate in the California Current—A synthesis of change. *CalCOFI Reports* 50:82-104.
- Takemoto, R.M., G.C. Pavanelli, M.A.P. Lizama, A.C.F. Lacerda, F.H.M. Yamada, T.L. Ceschini & S. Bellay. 2009. Diversity of parasites of fish from the Upper Paraná River floodplain, Brazil. *Brazilian Journal of Biology* 69(2):691-705 (Suppl).
- Tang, K.W., C. Dziallas, K. Hutalle-Schmelzer & H.-P. Grossart. 2009. Effects of food on bacterial community composition associated with the copepod *Acartia tonsa* Dana. *Biology Letters* 5:549-553.
- Tartarotti, B. & J.J. Torres. 2009. Sublethal stress: Impact of solar UV radiation on protein synthesis in the copepod *Acartia tonsa*. *Journal of Experimental Marine Biology and Ecology* 375(1-2):106-113.
- Tasawar, Z., M. Hanif, M.H. Lashari & C.S. Hayat. 2009. The prevalence of lernaeid ectoparasites in grass carp (*Ctenopharyngodon idella*). *Pakistan Veterinary Journal* 29(2):95-96.
- Ternjej, I., I. Stankovic, Z. Mihaljevic, L. Furac, D. Zeljezic & N. Kopjar. 2009. Alkaline comet assay as a potential tool in the assessment of DNA integrity in freshwater zooplankton affected by pollutants from water treatment facility. *Water, Air and Soil Pollution* 204(1-4):299-314.
- Thorp, J.H. & A.P. Covich (eds.). 2009. *Ecology and Classification of North American Freshwater Invertebrates* (Third edition). Academic Press. 950 pp. ISBN 9780123748553
- Tick, G.R. & E.A. Rincon. 2009. Effect of enhanced-solubilization agents on dissolution and mass flux from uniformly distributed immiscible liquid trichloroethene (TCE) in homogeneous porous media. *Water, Air and Soil Pollution* 204(1-4):315-332.
- Tranchida, M.C., M.V. Micieli, A. Maciá & J.J. García. 2009. Native Argentinean cyclopoids (Crustacea: Copepoda) as predators of *Aedes aegypti* and *Culex pipiens* (Diptera: Culicidae) mosquitoes. *Revista de Biología Tropical* 57(4):1059-1068.
- Tsuda, A., H. Saito, R.J. Machida & S. Shimode. 2009. Meso- and microzooplankton responses to an in situ iron fertilization experiment (SEEDS-II) in the northwest subarctic Pacific. In: Uematsu, M., M.L. Wells, A. Tsuda & H. Saito (eds.). SEEDS II: The Second Subarctic Pacific Iron Experiment for Ecosystem Dynamics Study. North Pacific Marine Science Organization (PICES) and International SOLAS. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(26):2767-2778.
- Uematsu, M., M.L. Wells, A. Tsuda & H. Saito. 2009. Introduction to Subarctic iron Enrichment for Ecosystem Dynamics Study II (SEEDS II). In: Uematsu, M., M.L. Wells, A. Tsuda & H. Saito (eds.). SEEDS II: The Second Subarctic Pacific Iron Experiment for Ecosystem Dynamics Study. North Pacific Marine Science Organization (PICES) and International SOLAS. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(26):2731-2732.
- Vadadi-Fülöp, Cs., D. Türei, Cs. Sipkay, Cs. Verasztó, Á. Drégelyi-Kiss & L. Hufnagel. 2009. Comparative

- assessment of climate change scenarios based on aquatic food web modeling. *Environmental Modeling and Assessment* 14(5):563-576.
- Vadadi-Fülöp, Cs., L. Hufnagel, G. Jablonszky & K. Zsuga. 2009. Crustacean plankton abundance in the Danube River and in its side arms in Hungary. *Biologia* 64(6):1184-1195.
- Vakatov, A.V., A.A. Smirnov & R.M. Sabirov. 2009. The importance of zooplankton in feeding of marketable fishes in Pritau area of Okhotsk Sea. *Uchenye Zapiski Kazanskogo Gosudarstvennogo Universiteta, Seriya Estestvenniye Nauki* 151(2):280-286. [In Russian; abstract in English.]
- van Beusekom, J.D.D., D. Mengedoht, C.B. Augustin, M. Schilling & M. Boersma. 2009. Phytoplankton, protozooplankton and nutrient dynamics in the Bornholm Basin (Baltic Sea) in 2002–2003 during the German GLOBEC Project. *International Journal of Earth Sciences* 98(2):251-260.
- Vanderploeg, H.A., S.A. Ludsin, J.F. Cavaletto, T.O. Höök, S.A. Pothoven, S.B. Brandt, J.R. Liebig & G.A. Lang. 2009. Hypoxic zones as habitat for zooplankton in Lake Erie: Refuges from predation or exclusion zones? *Journal of Experimental Marine Biology and Ecology* 381(Suppl. 1):S108-S120.
- Vanderploeg, H.A., S.A. Ludsin, S.A. Ruberg, T.O. Höök, S.A. Pothoven, S.B. Brandt, G.A. Lang, J.R. Liebig & J.F. Cavaletto. 2009. Hypoxia affects spatial distributions and overlap of pelagic fish, zooplankton, and phytoplankton in Lake Erie. *Journal of Experimental Marine Biology and Ecology* 381(Suppl. 1):S92-S107.
- Van Gaever, S., J. Galéron, M. Sibuet & A. Vanreusel. 2009. Deep-sea habitat heterogeneity influence on meiofaunal communities in the Gulf of Guinea. *Deep Sea Research Part II: Topical Studies in Oceanography* 56(23):2259-2269.
- Van Ruth, P.D. & T.M. Ward. 2009. Meso-zooplankton abundance, distribution and community composition in the eastern Great Australian Bight. *Transactions of the Royal Society of South Australia* 133(2):274-283.
- Venmathi Maran, B.A., L.T. Seng, S. Ohtsuka & K. Nagasawa. 2009. Records of *Caligus* (Crustacea: Copepoda: Caligidae) from marine fishes cultured in floating cages in Malaysia with a redescription of the male of *Caligus longipedis* Bassett-Smith, 1898. *Zoological Studies* 48(6):797-807.
- Ventura, M. & E. Jeppesen. 2009. Effects of fixation on freshwater invertebrate carbon and nitrogen isotope composition and its arithmetic correction. *Hydrobiologia* 632(1):297-308.
- Vezzulli, L., E. Pezzati, M. Moreno, M. Fabiano, L. Pane & C. Pruzzo; The VibrioSea Consortium. 2009. Benthic ecology of *Vibrio* spp. and pathogenic *Vibrio* species in a coastal Mediterranean environment (La Spezia Gulf, Italy). *Microbial Ecology* 58(4):808-818.
- Vidjak, O. & N. Bojanić. 2009. Species composition and distribution patterns of the family Corycaeidae Dana, 1852 (Copepoda: Cyclopoida) in the middle Adriatic Sea. *Marine Biology Research* 5(5):427-440.
- Vidjak, O., N. Bojanić, G. Kušpilić, B. Grbec, Ž. Ninčević Gladan, S. Matijević & I. Brautović. 2009. Population structure and abundance of zooplankton along the Krka river estuary in spring 2006. *Acta Adriatica* 50(1):45-58. [In English; abstract in Croatian.]
- Vieira, A.C.B., L.L. Ribeiro, D.P.N. Santos & M.C. Crispim. 2009. Correlation between the zooplanktonic community and environmental variables in a reservoir from the Northeastern semi-arid. *Correlação entre a comunidade zooplanctônica e variáveis ambientais em um reservatório do semi-árido nordestino*. *Acta Limnologica Brasiliensia* 21(3):349-358. [In English; abstract in Portuguese.]
- Viljanen, M., A.-L. Holopainen, M. Rahkola-Sorsa, V. Avinsky, M. Ruuska, S. Leppänen, J. Jurvelius, K. Rasmus & A. Voutilainen. 2009. Temporal and spatial distribution of pelagic plankton and fish in Lake Pyhäselkä, Finland. *Boreal Environment Research* 14(5):903-913.
- Watson, J.M., C. Sykes & T.H. Bonner. 2009. Foods of age-0 Rio Grande silvery minnows (*Hybognathus amarus*) reared in hatchery ponds. *The Southwestern Naturalist* 54(4):475-479.
- Winder, M., D.E. Schindler, T.E. Essington & A.H. Litt. 2009. Disrupted seasonal clockwork in the population dynamics of a freshwater copepod by climate warming. *Limnology and Oceanography* 54(6, part 2):2493-2505.
- Wolfe, D. 2009. *Superfoods: The Food and Medicine of the Future*. North Atlantic Books, Berkeley, California. 352 pp.
- Wong, R.L.C., K.W.H. Kwok, K.M.Y. Leung & C.K. Wong. 2009. Relative sensitivity distribution of freshwater planktonic crustaceans to trace metals. *Human and Ecological Risk Assessment* 15(6):1335-1345.
- World Health Organization and Special Programme for Research and Training in Tropical Diseases. 2009. *Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control*. New Edition. World Health Organization, Geneva. 147 pp. http://whqlibdoc.who.int/publications/2009/9789241547871_eng.pdf
- Wu, Q.L., A. Chatzinotas, J.J. Wang & J. Boenigk. 2009. Genetic diversity of eukaryotic plankton assemblages in eastern Tibetan lakes differing by their salinity and altitude. *Microbial Ecology* 58(3):569-581.
- Yagi, Y., I. Kinoshita, S. Fujita, H. Ueda & D. Aoyoma. 2009. Comparison of the early life histories of two *Cynoglossus* species in the inner estuary of Ariake Bay, Japan. *Ichthyological Research* 56(4):363-371.
- Yáñez, E., C. Silva, R. Vega, F. Espíndola, L. Álvarez, N. Silva, S. Palma, S. Salinas, E. Menschel, V. Häussermann, Daniela Soto & N. Ramírez. 2009.

- Seamounts in the southeastern Pacific Ocean and biodiversity on Juan Fernandez seamounts, Chile. Montes submarinos en el océano Pacífico suroriental y biodiversidad en el cordón de Juan Fernández, Chile. In: Arana, P., J.A.A. Perez & P.R. Pezzuto (eds.). Deep-sea Fisheries off Latin America. Latin American Journal of Aquatic Research 37(3): 555-570. [In English; abstract in Spanish.]
- Yebra, L., S. Hernández-León, C. Almeida & P. Bécognée. 2009. Metabolism and biomass vertical distribution of zooplankton in the Bransfield Strait during the austral summer of 2000. Polar Research 28(3):415-425.
- Yu, J., G.p. Yang & J.y. Tian. 2009. Effects of UV-B radiation on ingestion, fecundity, population dynamics and antioxidant enzyme activities of *Schmackeria inopinus* (Copepoda Calanoida). Journal of Experimental Marine Biology and Ecology 381(2):74-81.
- Zaixso, H.E., P. Stoyanoff & D.G. Gil. 2009. Detrimental effects of the isopod, *Edotia doellojuradoi*, on gill morphology and host condition of the mussel, *Mytilus edulis platensis*. Marine Biology, Berlin 156(11):2369-2378.
- Zaostrovseva, S.K. 2009. Analysis of fish parasitofauna in Vistula Lagoon (the Baltic Sea). Inland Water Biology 2(4):377-382.
- Zelmer, D.A. & C.M. Gross. 2009. "Active" passive sampling in two species of *Lepomis* from Par Pond, South Carolina, United States: a case study of infracommunity nestedness. Journal of Parasitology 95(5):1054-1061.
- Zervoudaki, S., T.G. Nielsen & J. Carstensen. 2009. Seasonal succession and composition of the zooplankton community along an eutrophication and salinity gradient exemplified by Danish waters. Journal of Plankton Research 31(12):1475-1492.
- Zhang, H.y., S.A. Ludsin, D.M. Mason, A.T. Adamack, S.B. Brandt, X.s. Zhang, D.G. Kimmel, M.R. Roman & W.C. Boicourt. 2009. Hypoxia-driven changes in the behavior and spatial distribution of pelagic fish and mesozooplankton in the northern Gulf of Mexico. Journal of Experimental Marine Biology and Ecology 381(Suppl. 1):S80-S91.
- Zhang, W., D. Tang, B. Yang, S. Gao, J. Sun, Z. Tao, S. Sun & X. Ning. 2009. Onshore-offshore variations of copepod community in northern South China Sea. Hydrobiologia 636:257-269.
- Zhang, Y.-h., Y.-g. Wang, R.-c. Lin, J.-r. Liang, W.-t. Niu & D.-y. Huang. 2009. Density and biomass of the meiofauna in the eastern sea of Xiamen and Anhai Bay. Journal of Oceanography in Taiwan Strait 28(3):391-397.
- Zheng, X.Y., L.Q. Wang, J.J. Gai, G.H. Ji, Z.F. Fan & R.L. Zhang. 2009. Dynamic and community structure of zooplankton in Dianshan Lake. Chinese Journal of Zoology 44(5):78-85. [In Chinese.]
- Zhou, S.-c., B.s. Jin, L. Guo, T.j. Chu & J.h. Wu. 2009. Spatial distribution of zooplankton in the intertidal marsh creeks of the Yangtze River Estuary, China. Estuarine, Coastal and Shelf Science 85(3):399-406.
- Zuo, J.I. 2009. Study of removal effect and mutagenicity on cyclops with oxidants. ICBBE 2009. 3rd International Conference on Bioinformatics and Biomedical Engineering, 11-13 June, 2009, Pp. 1-4.
- Zuo, J.I. 2009. Inactivation of cyclops by chemical oxidation in a drinking water plant. ESIAT, International Conference on Environmental Science and Information Application Technology, Wuhan, China, 4-5 July 2009, 3:783-786.

2010

- Aberle, N., T. Hansen, R. Boettger-Schnack, A. Burmeister, A.F. Post & U. Sommer. 2010. Differential routing of "new" nitrogen toward higher trophic levels within the marine food web of the Gulf of Aqaba, Northern Red Sea. Marine Biology (Berlin) 157(1):157-169.
- Alexander, M.L. & S. C. Hotchkiss. 2010. *Bosmina* remains in lake sediment as indicators of zooplankton community composition. Journal of Paleolimnology 43(1):51-59.
- Antacli, J.C., D. Hernández & M.E. Sabatini. 2010. Estimating copepods' abundance with paired nets: Implications of mesh size for population studies. Journal of Sea Research 63(1):71-77.
- Araújo, C.V.M., F.R. Diz, V. Tornero, L.M. Lubián, J. Blasco & I. Moreno-Garrido. 2010. Ranking sediment samples from three Spanish estuaries in relation to its toxicity for two benthic species: The microalga *Cylindrotheca closterium* and the copepod *Tisbe battagliai*. Environmental Toxicology and Chemistry 29(2):393-400.
- Arnold, W.R., J.S. Cotsifas, R.S. Ogle, S.G.S. DePalma & D.S. Smith. 2010. A comparison of the copper sensitivity of six invertebrate species in ambient salt water of varying dissolved organic matter concentrations. Environmental Toxicology and Chemistry 29(2):311-319.
- Bell, G. 2010. Fluctuating selection: the perpetual renewal of adaptation in variable environments. Philosophical Transactions of the Royal Society B, Biological Sciences 365(1537):87-97.
- Brander, K. 2010. Impacts of climate change on fisheries. In: Alheit, J., K.F. Drinkwater & R.I. Perry (eds.). Impact of climate variability on marine ecosystems: A comparative approach. Journal of Marine Systems 79(3-4):389-402.
- Carlotti, F., L. Eisenhauer & A. Calbet. 2010. Modelling the effect of constant and fluctuating food supply on egg production rates of *Acartia grani*. Ecological Modelling 221(3):495-502.
- Carrasco, N.K., R. Perissinotto & D. Pillay. 2010. Zooplankton of the St. Lucia Estuary during the current drought cycle: a comparison between open- and closed-

- mouth conditions. *Marine Ecology Progress Series* 399:157-171.
- Castellani, C. 2010. Review of: *Plankton: A Guide to their Ecology and Monitoring for Water Quality*. Edited by Ian M. Suthers and David Rissik, CSIRO Publishing (Australia). 272 pp. ISBN: 9780643090583. *Journal of Plankton Research* 32(2):261-262.
- Catalán, I.A., A. Folkvord, I. Palomera, G. Quílez-Badía, F. Kallianoti, A. Tselepides & A. Kallianotis. 2010. Growth and feeding patterns of European anchovy (*Engraulis encrasicolus*) early life stages in the Aegean Sea (NE Mediterranean). *Estuarine, Coastal and Shelf Science* 86(2):299-312.
- Cerrano, C., R. Danovaro, C. Gambi, A. Pusceddu, A. Riva & S. Schiaparelli. 2010. Gold coral (*Savalia savaglia*) and gorgonian forests enhance benthic biodiversity and ecosystem functioning in the mesophotic zone. *Biodiversity and Conservation* 19(1):153-167.
- Chubb, J.C., M.A. Ball & G.A. Parker. 2010. Living in intermediate hosts: evolutionary adaptations in larval helminths. *Trends in Parasitology* 26(2):93-102.
- Cisewski, B., V.H. Strass, M. Rhein & S. Krägersky. 2010. Seasonal variation of diel vertical migration of zooplankton from ADCP backscatter time series data in the Lazarev Sea, Antarctica. *Deep Sea Research Part I: Oceanographic Research Papers* 57(1):78-94.
- Cyrus, D.P., L. Vivier & H.L. Jerling. 2010. Effect of hypersaline and low lake conditions on ecological functioning of St Lucia estuarine system, South Africa: An overview 2002–2008. *Estuarine, Coastal and Shelf Science* 86(4):535-542.
- Czerniawski, R. & J. Domagała. 2010. Similarities in zooplankton community between River Drawa and its two tributaries (Polish part of River Odra). *Hydrobiologia* 638(1):137-149.
- Damare, V. & S. Raghukumar. 2010. Association of the stramenopilan protists, the aplanochytrids, with zooplankton of the equatorial Indian Ocean. *Marine Ecology Progress Series* 399:53-68.
- Davis, J.M., A.D. Rosemond, S.L. Eggert, W.F. Cross & J.B. Wallace. 2010. Long-term nutrient enrichment decouples predator and prey production. *Proceedings of the National Academy of Sciences of the U.S.A.* 107(1):121-126.
- De Laender, F., D. Van Oevelen, K. Soetaert & J.J. Middelburg. 2010. Carbon transfer in herbivore- and microbial loop-dominated pelagic food webs in the southern Barents Sea during spring and summer. *Marine Ecology Progress Series* 398:93-107.
- Drinkwater, K.F., G. Beaugrand, M. Kaeriyama, S. Kim, G. Ottersen, R.I. Perry, H.-O. Pörtner, J.J. Polovina & A. Takasuka. 2010. On the processes linking climate to ecosystem changes. *Journal of Marine Systems* 79(3-4):374-388.
- Ellison, C.K. & R.S. Burton. 2010. Cytonuclear conflict in interpopulation hybrids: the role of RNA polymerase in mtDNA transcription and replication. *Journal of Evolutionary Biology* 23(3):528-538.
- Florin, A.-B. & G. Lavados. 2010. Feeding habits of juvenile flatfish in relation to habitat characteristics in the Baltic Sea. *Estuarine, Coastal and Shelf Science* 86(4):607-612.
- Fonseca, B.M. & C.E. de M. Bicudo. 2010. How important can the presence/absence of macrophytes be in determining phytoplankton strategies in two tropical shallow reservoirs with different trophic status? *Journal of Plankton Research* 32(1):31-46.
- Foster, S.E. & W.G. Sprules. 2010. Effects of *Bythotrephes* on the trophic position of native macroinvertebrates. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 67(1):58-69. [In English; abstract in French.]
- França, R.C.P., I.P.G. Amaral, W.M. Santana, L.P. Souza-Santos, L.B. Carvalho Jr. & R.S. Bezerra. 2010. Proteases from the harpacticoid copepod *Tisbe biminiensis*: Comparative study with enzymes from farmed aquatic animals. *Journal of Crustacean Biology* 30(1):122-128.
- Freeman, M.A. & K. Ogawa. 2010. Variation in the small subunit ribosomal DNA confirms that *Udonella* (Monogenea: Udonellidae) is a species-rich group. *International Journal for Parasitology* 40(2):255-264.
- Gheerardyn, H. & K.H. George. 2010. New representatives of the genus *Ancorabolina* George, 2006 (Copepoda, Harpacticoida, Ancorabolidae) including remarks on ancorabolid phylogeny. *Zoological Journal of the Linnean Society* 158(1):16-55.
- Gning, N., F. Le Loc'h, O.T. Thiaw, C. Aliaume & G. Vidy. 2010. Estuarine resources use by juvenile Flagfin mojarra (*Eucinostomus melanopterus*) in an inverse tropical estuary (Sine Saloum, Senegal). *Estuarine, Coastal and Shelf Science* 86(4):683-691.
- Gómez, S., G.B. Deets, J.E. Kalman & F.N. Morales-Serna. 2010. *Lophoura brevicollum* N. SP. (Copepoda: Siphonostomatoida: Sphyrriidae), a parasite of the smooth grenadier *Nezumia liolepis* (Gilbert, 1890) (Pisces: Macrouridae) from the eastern Pacific, and a new record and new host of *Lophoura unilobulata* Castro R. and Gonzalez. *Journal of Crustacean Biology* 30(1):129-140.
- Graham, E.S. & S.M. Bollens. 2010. Macrozooplankton community dynamics in relation to environmental variables in Willapa Bay, Washington, USA. *Estuaries and Coasts* 33(1):182-194.
- Gray, D.K. & H.J. MacIsaac. 2010. Diapausing zooplankton eggs remain viable despite exposure to open-ocean ballast water exchange: evidence from in situ exposure experiments. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 67(2):417-427. [In English; abstract in French.]
- Gutiérrez, María Florencia, J.C. Paggi & A.M. Gagneten. 2010. Fish kairomones alter life cycle and growth of a

- calanoid copepod. *Journal of Plankton Research* 32(1):47-55.
- Hamaidi, F., D. Defaye & R. Semroud. 2010. Copepoda of Algerian fresh waters: checklist, new records, and comments on their biodiversity. *Crustaceana* 83(1):101-126.
- Hansen, Benni Windig, G. Drillet, R.M. Kristensen, T.F. Sørensen & M.T. Tøttrup. 2010. Production, hatching success and surface ornamentation of eggs of calanoid copepods during a winter at 57°N. *Marine Biology* 157(1):59-68.
- Heidelberg, K.B., K.L. O'Neil, J.C. Bythell & K.P. Sebens. 2010. Vertical distribution and diel patterns of zooplankton abundance and biomass at Conch Reef, Florida Keys (USA). *Journal of Plankton Research* 32(1):75-91.
- Heino, J. 2010. Are indicator groups and cross-taxon congruence useful for predicting biodiversity in aquatic ecosystems? *Ecological Indicators* 10(2):112-117.
- Ho, J.-S., Y.-R. Cheng & C.-F. Dai. 2010. *Hastatus faviae* n. gen., n. sp., a xarifiid copepod parasitic in the honeycomb coral of Taiwan. *Crustaceana* 83(1):89-99.
- Jerling, H.L., L. Vivier & D.P. Cyrus. 2010. Response of the mesozooplankton community of the St Lucia estuary, South Africa, to a mouth-opening event during an extended drought. *Estuarine, Coastal and Shelf Science* 86(4):543-552.
- Kallasvuo, M., M. Salonen & A. Lappalainen. 2010. Does the zooplankton prey availability limits the larval habitats of pike in the Baltic Sea? *Estuarine, Coastal and Shelf Science* 86(1):148-156.
- Kelly, R.P. & S.R. Palumbi. 2010. Genetic structure among 50 species of the northeastern Pacific rocky intertidal community. *PLoS One* 5(1):e8594.
- Kerfoot, W.C. & A.S. McNaught. 2010. Two-step dialogue between the cladoceran *Bosmina* and invertebrate predators: Induction and natural selection. *Limnology and Oceanography* 55(1):403-419.
- Koski, M., J. Dutz, W. Klein Breteler, S. Rampen & A. Noordeloos. 2010. Seasonal changes in food quantity and quality of the common North Sea copepods *Temora longicornis* and *Pseudocalanus elongatus*: a bioassay approach. *Marine Ecology Progress Series* 399:141-155.
- Larsen, P.S. & H.U. Riisgård. 2010. Viscosity and not biological mechanisms often controls the effects of temperature on ciliary activity and swimming velocity of small aquatic organisms. *Journal of Experimental Marine Biology and Ecology* 381(2):67-73.
- Lawal-Are, A.O., I.C. Onyema & T.R. Akande. 2010. The water chemistry, crustacean zooplankton and some associated faunal species of a tropical tidal creek in Lagos, Nigeria. *Journal of American Science* 6(1):81-90.
- Leandro, L.F., G.J. Teegarden, P.B. Roth, Z.h. Wang & G.J. Doucette. 2010. The copepod *Calanus finmarchicus*: A potential vector for trophic transfer of the marine algal biotoxin, domoic acid. *Journal of Experimental Marine Biology and Ecology* 382(2):88-95.
- Lehman, P.W., S.J. Teh, G.L. Boyer, M.L. Nobriga, E. Bass & C. Hogle. 2010. Initial impacts of *Microcystis aeruginosa* blooms on the aquatic food web in the San Francisco Estuary. *Hydrobiologia* 637:229-248.
- Losso, C. & A. Volpi Ghirardini. 2010. Overview of ecotoxicological studies performed in the Venice Lagoon (Italy). *Environment International* 36(1):92-121.
- Mackas, D.L. & G. Beaugrand. 2010. Comparisons of zooplankton time series. In: Alheit, J., K.F. Drinkwater & R.I. Perry (eds.). Impact of climate variability on marine ecosystems: A comparative approach. *Journal of Marine Systems* 79(3-4):286-304.
- Makabe, R., H. Hattori, M. Sampei, Y. Ota, M. Fukuchi, L. Fortier & H. Sasaki. 2010. Regional and seasonal variability of zooplankton collected using sediment traps in the southeastern Beaufort Sea, Canadian Arctic. *Polar Biology* 33(2):257-270.
- Makino, W., M.A. Knox & I.C. Duggan. 2010. Invasion, genetic variation and species identity of the calanoid copepod *Sinodiaptomus valkanovi*. *Freshwater Biology* 55(2):375-386.
- Malzahn, A.M., F. Hantsche, K.L. Schoo, M. Boersma & N. Aberle. 2010. Differential effects of nutrient-limited primary production on primary, secondary or tertiary consumers. *Oecologia* 162(1):35-48.
- Manno, C., V. Tirelli, A. Accornero & S. Fonda Umani. 2010. Importance of the contribution of *Limacina helicina* faecal pellets to the carbon pump in Terra Nova Bay (Antarctica). *Journal of Plankton Research* 32(2):145-152.
- McCarthy, V. & K. Irvine. 2010. A test of stoichiometry across six Irish lakes of low-moderate nutrient status and contrasting hardness. *Journal of Plankton Research* 32(1):15-29.
- McDermott, M.J., A.L. Robertson, P.J. Shaw & A.M. Milner. 2010. The hyporheic assemblage of a recently formed stream following deglaciation in Glacier Bay, Alaska, USA. *Canadian Journal of Fisheries and Aquatic Sciences / Journal Canadien des Sciences Halieutiques et Aquatiques* 67(2):304-313. [In English; abstract in French.]
- Mirto, S., S. Bianchelli, C. Gambi, M. Krzelj, A. Pusceddu, M. Scopa, M. Holmer & R. Danovaro. 2010. Fish-farm impact on metazoan meiofauna in the Mediterranean Sea: Analysis of regional vs. habitat effects. *Marine Environmental Research* 69(1):38-47.
- Moore, S.M., E.T. Borer & P.R. Hosseini. 2010. Predators indirectly control vector-borne disease: linking predator-prey and host-pathogen models. *Journal of the Royal Society Interface* 7(42):161-176.
- Morales-Serna, F.N. & S. Gómez. 2010. A new bomolochid copepod parasitic on bullseye puffer *Sphoeroides annulatus* (Jenyns) from Mexico, with reassignment of

- some species of *Acantholochus* Cressey and *Hamaticolax* Ho & Lin. *Zootaxa* 2336:36-50.
- Morozov, A.Yu. & E.G. Arashkevich. 2010. Towards a correct description of zooplankton feeding in models: Taking into account food-mediated unsynchronized vertical migration. *Journal of Theoretical Biology* 262(2):346-360.
- Mountain, D.G. & J. Kane. 2010. Major changes in the Georges Bank ecosystem, 1980s to the 1990s. *Marine Ecology Progress Series* 398:81-91.
- Nielsen, D.L., H. Gigney & G. Watson. 2010. Riverine habitat heterogeneity: the role of slackwaters in providing hydrologic buffers for benthic microfauna. *Hydrobiologia* 638(1):181-191.
- Ning, N.S.P., D.L. Nielsen, T.J. Hillman & P.J. Suter. 2010. The influence of planktivorous fish on zooplankton communities in riverine slackwaters. *Freshwater Biology* 55(2):360-374.
- Northcote, T.G. & K.J. Hall. 2010. Salinity regulation of zooplanktonic abundance and vertical distribution in two saline meromictic lakes in south central British Columbia. *Hydrobiologia* 638(1):121-136.
- Olsen, E., S. Aanes, S. Mehl, J.C. Holst, A. Aglen & H. Gjøsæter. 2010. Cod, haddock, saithe, herring, and capelin in the Barents Sea and adjacent waters: a review of the biological value of the area. *ICES Journal of Marine Science / Journal du Conseil* 67(1):87-101.
- Ottersen, G., S. Kim, G. Huse, J.J. Polovina & N.C. Stenseth. 2010. Major pathways by which climate may force marine fish populations. *Journal of Marine Systems* 79(3-4):343-360.
- Pasquaud, S., M. Pillet, V. David, B. Sautour & P. Elie. 2010. Determination of fish trophic levels in an estuarine system. *Estuarine, Coastal and Shelf Science* 86(2):237-246.
- Persaud, A.D. & P.J. Dillon. 2010. Ontogenetic differences in isotopic signatures and crop contents of *Chaoborus*. *Journal of Plankton Research* 32(1):57-67.
- Ringelberg, J. 2010. Diel Vertical Migration of Zooplankton in Lakes and Oceans: Causal Explanations and Adaptive Significances. Springer Netherlands.
- Sajan, S., T.V. Joydas & R. Damodaran. 2010. Meiofauna of the western continental shelf of India, Arabian Sea. *Estuarine, Coastal and Shelf Science* 86(4):665-674.
- Scheihing, R., L. Cardenas, R.F. Nespolo, P. Krall, K. Walz, S. Kohshima & P. Labarca. 2010. Morphological and molecular analysis of centropagids from the high Andean plateau (Copepoda: Calanoidea). *Hydrobiologia* 637:45-52.
- Sinistro, R. 2010. Top-down and bottom-up regulation of planktonic communities in a warm temperate wetland. *Journal of Plankton Research* 32(2):209-220.
- Slanning, B.D. 2010. Global climate change and implications for disease emergence. *Veterinary Pathology* 47:28-33.
- Song, S.J., J. Ryu, J.S. Khim, W. Kim & S.G. Yun. 2010. Seasonal variability of community structure and breeding activity in marine phytoplanktonic copepods on *Ulva pertusa* from Pohang, east coast of Korea. *Journal of Sea Research* 63(1):1-10.
- Stock, C. & J. Dunne. 2010. Controls on the ratio of mesozooplankton production to primary production in marine ecosystems. *Deep Sea Research Part I: Oceanographic Research Papers* 57(1):95-112.
- Sullivan, J.M., M.A. McManus, O.M. Cheriton, K.J. Benoit-Bird, L. Goodman, Z.k. Wang, J.P. Ryan, M. Stacey, D.V. Holliday, C. Greenlaw, M.A. Moline & M. McFarland. 2010. Layered organization in the coastal ocean: An introduction to planktonic thin layers and the LOCO project. *Continental Shelf Research* 30(15):1-6.
- Sullivan, L.J. 2010. Gut evacuation of larval *Mnemiopsis leidyi* A. Agassiz (Ctenophora, Lobata). *Journal of Plankton Research* 32(1):69-74.
- Tarkan, A.S. 2010. Effects of streams on drinkable water reservoir: An assessment of water quality, physical habitat and some biological features of the streams. *Journal of Fisheries Sciences.com* 4(1):8-19.
- Timi, J.T., A.L. Lanfranchi & J.L. Luque. 2010. Similarity in parasite communities of the teleost fish *Pinguipes brasilianus* in the southwestern Atlantic: Infracommunities as a tool to detect geographical patterns. *International Journal for Parasitology* 40(2):243-254.
- Torres, P., L. Villalobos & S. Woelfl. 2010. Identification of a potential copepod intermediate host of *Camallanus corderoi* (Nematoda: Camallanidae) in southern Chile. *Comparative Parasitology* 77(1):108-113.
- Travers, M., K. Watermeyer, L.J. Shannon & Y.-J. Shin. 2010. Changes in food web structure under scenarios of overfishing in the southern Benguela: Comparison of the Ecosim and OSMOSE modelling approaches. *Journal of Marine Systems* 79(1-2):101-111.
- van Wijngaarden, R.P.A., G.H.P. Arts, J.D.M. Belgers, H. Boonstra, I. Roessink, A.F.W. Schroer & T.C.M. Brock. 2010. The species sensitivity distribution approach compared to a microcosm study: A case study with the fungicide fluazinam. *Ecotoxicology and Environmental Safety* 73(2):109-122.
- Wang, S., P. Xie & H. Geng. 2010. The relative importance of physicochemical factors and crustacean zooplankton as determinants of rotifer density and species distribution in lakes adjacent to the Yangtze River, China. *Limnologica - Ecology and Management of Inland Waters* 40(1):1-7.
- Yasue, N., R. Doiuchi, Y. Yoshimoto & T. Takeuchi. 2010. Diet of late larval Japanese anchovy *Engraulis japonicus* in the Kii Channel, Japan. *Fisheries Science* 76(1):63-73.

RECENT THESES and DISSERTATIONS

- Barker, Sarah E. 2009. Host - parasite interactions between *Lernaeocera branchialis* (Copepoda: Pennellidae) and its host *Gadus morhua* (Teleostei: Gadidae). Ph.D. Dissertation, University of Stirling, Stirling, Scotland, U.K.
- Bell, Jenifer. 2009. The interannual variability of zooplankton within Prince William Sound, Alaska: Assessment of the ZooImage system as a tool for optimizing juvenile pink salmon releases. M.S. Thesis, School of Fisheries & Ocean Sciences, University of Alaska Fairbanks, Fairbanks, Alaska, U.S.A.
- Bellay, Sybelle. 2009. Taxonomia e ecologia dos parasitos branquiais de *Serrasalmus marginatus* Valenciennes, 1837 (Characiformes: Serrasalminae) da planície de inundação do alto rio Paraná, PR/MS, Brasil. [Taxonomy and ecology of the gill parasites of *Serrasalmus marginatus* Valenciennes, 1837 (Characiformes: Serrasalminae) of the Upper Paraná River floodplain, PR/MS, Brazil.] Dissertação do Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. [In Portuguese.]
- Berge, Hans B. 2009. Effects of a temperature-oxygen squeeze on distribution, feeding, growth, and survival of Kokanee (*Oncorhynchus nerka*) in Lake Sammamish, Washington. M.Sc. Thesis, University of Washington, Seattle, Washington, U.S.A. 84 pp.
- Biancalana, Florencia. 2009. Dinámica del mesozooplankton y su regulación ambiental en las bahías Ushuaia y Golondrina (Canal Beagle). [Mesozooplankton dynamics and the environmental regulation in Ushuaia and Golondrina Bays (Beagle Channel).] Tesis Doctoral, Instituto Argentino de Oceanografía, Bahía Blanca, Buenos Aires Province, Argentina. [In Spanish.]
- Briggs, Allegra Laurel. 2009. Mitochondrial COI analysis of *Tortanus dextrilobatus*. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A. 36 pp.
- Bruno, Marcelo. 2009. Mesozooplâncton do extremo sul do Brasil com ênfase em copépodes Calanoida. [Mesozooplankton of the extreme south of Brazil with emphasis on Calanoida copepods.] Tese de Doutorado, Universidade Federal do Rio Grande, Rio Grande, Rio Grande do Sul, Brazil. [In Portuguese.]
- Burgess, D.E. 2008. Development of invertebrate assemblages on artificial reef cones off South Carolina: Comparison to an adjacent hard-bottom habitat. M.S. Thesis, College of Charleston, Charleston, South Carolina, U.S.A. 113 pp.
- Cassiano, Eric Jon. 2009. Evaluation of the calanoid copepod *Pseudodiaptomus pelagicus* as a first feed for Florida pompano, *Trachinotus carolinus*, larvae. M.Sc. Thesis, University of Florida, Gainesville, Florida, U.S.A. 108 pp.
- Ceschini, Tiago Lopes. 2008. Estudo taxonômico e ecológico de metazoários parasitos de *Steindachnerina brevipinna*, peixe characiforme, nos tributários Corvo e Guairacá do Rio Paranapanema, PR, Brasil. [Taxonomic and ecological study of the parasitic metazoans of the characiform fish *Steindachnerina brevipinna* in the Corvo and Guairacá tributaries of the Rio Paranapanema, PR, Brazil.] Dissertação do Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. [In Portuguese.]
- Chang, Chun-Yi. 2009. Development and application of an automatic image classification system for the mesozooplankton in the East China Sea. M.Sc. Thesis, National Taiwan Ocean University, Keelung, Taiwan, Republic of China. 60 pp. [In Chinese; abstract in English.]
- Chen, Gang. 2009. Cryptic diversity, ecological differentiation and population genetics of an estuarine copepod, *Acartia tonsa* Dana 1849 (Copepoda, Calanoida). Ph.D. Dissertation, University of Maryland-College Park, College Park, Maryland, U.S.A.
- Cunha, Daniela Rimoldi. 2009. Estudo comparativo dos copépodes *Temora stylifera* e *T. turbinata* na plataforma continental sudeste do Brasil no verão e inverno de 2002. [Comparative study of the copepods *Temora stylifera* and *T. turbinata* on the southeastern Brazilian continental shelf in summer and winter 2002.] Dissertação de Mestrado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. [In Portuguese; abstract in English.]
- Dobiáš, Jakub. 2009. Sukcese společenstev malých stojatých vod. (literární rešerše) Community succession in small lentic habitats. (literature review). Bachelors' Thesis, Univerzity Karlovy v Praze, Prague, Czech Republic. 36 pp. [In Czech; abstract in English.]
- Dur, Gaël. 2009. Approche multi-échelle pour l'étude de deux copepodes estuariens vivant dans deux environnements contrastés: de l'Éthologie à la Dynamique de population. [Multi-scale approach for the study of two estuarine copepods living in two contrasting environments: from the Behavior to the Dynamics of the population.] Doctoral Thesis, Université Lille 1, Sciences et Technologies, Lille, France. [In French.]
- Ernst, Bernhard. 2008. Investigations of the effect of toxic cyanobacteria on fish, as exemplified by the coregonids in Lake Ammersee. Dissertation zur Erlangung des Doktorgrades, Universität Konstanz, Constance, Germany. 176 pp. [In English; abstract in German.]
- Ferm, Nissa. 2009. Spatial and temporal composition of coastal zooplankton indicator species in relation to United States west coast domestic ballast water regulations. M.M.A. Thesis, University of Washington, Seattle, Washington, U.S.A.
- Fernández Severini, Melisa D. 2008. Distribución y toxicidad de algunos metales pesados en el zooplancton de la zona interior del estuario de Bahía Blanca.

- [Distribution and toxicity of some heavy metals in the zooplankton of the inner zone of the Bahía Blanca estuary.] Tesis Doctoral, Universidad Nacional del Sur, Bahía Blanca, Argentina. 226 pp. [In Spanish.]
- Figueroa, Diego F. 2010. Zooplankton of the Galapagos Islands. Ph.D. Thesis, Corvallis, Oregon State University, Corvallis, Oregon, U.S.A.
- Forlenza, Maria. 2009. Immune responses of carp: a molecular and cellular approach to infections. Doctoral Dissertation, University of Wageningen, Wageningen, The Netherlands.
- Frederich, Bruno. 2009. Etude de la diversité trophique des poissons demoiselles (Perciformes, Pomacentridae) par l'examen des variations du squelette céphalique à partir de leur vie récifale. [Study of the trophic diversity of demoiselles (Perciformes, Pomacentridae) through examination of variations in the cephalic skeleton based on their life on the reef.] Doctoral Thesis, Université de Liège, Liège, France. [In French.]
- Gagneten, Ana María. 2008. Respuestas del zooplancton a la contaminación por cromo en la cuenca del Río Salado Inferior (Santa Fe, Argentina). [Responses of the zooplankton to chromium contamination in the basin of the lower Río Salado (Santa Fe, Argentina.) Doctorado en Ciencias Biológicas, Universidad Nacional del Litoral, Santa Fe, Argentina. [In Spanish.]
- Gainullin, Askar A. 2008. Mouthparts morphology of key copepod species (the White Sea) in terms of species feeding ecology. M.Sc. Thesis, Kazan State University, Kazan, Tatarstan, Russia. [In Russian.]
- García-Comas Rubio, Carmen. 2009. Climate Change and copepod size distribution: Comparison of two coastal long-term series in the Western Mediterranean Sea. Ph.D. Thesis, Observatoire Océanologique de Villefranche-sur-Mer, France and Stazione Zoologica Anton Dohrn, Naples, Italy.
- Gould, Alison Lehne. 2009. Growth and fecundity of *Limnoithona tetraspina*: the success of an introduced copepod in upper San Francisco estuary. M.S. Thesis, San Francisco State University, San Francisco, California, U.S.A. 58 pp.
- Hill, Katie A.J. 2009. Changes in gene expression, lipid class and fatty acid composition associated with diapause in the marine copepod *Calanus finmarchicus* from Loch Etive, Scotland. Ph.D. Thesis, University of St. Andrews, St. Andrews, Scotland, U.K. 132 pp.
- Holste, Linda. 2009. The impact of key environmental factors on the vital rates of two Baltic Sea copepods. Ph.D. Thesis, Institute for Hydrobiology and Fisheries Science, Hamburg University, Hamburg, Germany.
- Hsu, Teng-Wei. 2008. Effects of different food types on population growth and fatty acid composition of Copepods. Master's Thesis, National Taiwan University, Taipei, Taiwan. [In Chinese; abstract in English.]
- Joensen, J. 2008. Comparative feeding ecology of the sympatric cod fishes *Arctogadus glacialis* and *Boreogadus saida* in north-east Greenland evaluated from diet and stable isotope analyses. Master's Thesis, University of Tromsø, Tromsø, Norway.
- Lamari, Nadia. 2009. Effects of polyunsaturated fatty acid metabolism on the eco-physiology of marine planktonic diatoms. Ph.D. Thesis, Università degli studi di Napoli Federico II, Naples, Italy.
- Lazăr, Mircea. 2009. Morphological basis of sweet water fish diseases from fish farms. Doctoral Thesis, University of Agricol Sciences and Veterinary Medicine, Iasi, Romania.
- Liu, Xiaoshou. 2009. Response of meiofauna with special reference to nematodes upon recovery from anthropogenic activities in subtropical waters of Hong Kong. Ph.D. Thesis, City University of Hong Kong, Hong Kong, China. 385 pp.
- Martin, Bettina. 2008. Der Einfluss von Seebergen auf Zooplanktongemeinschaften. [The impact of seamounts on zooplankton communities.] Doctoral Dissertation, University of Hamburg, Hamburg, Germany. [In German.]
- Mazzola, Valentina. 2008. Aspetti trofici di *Engraulis encrasicolus* L. 1758 e popolamento zooplanctonico in mar Ligure (Agosto 2008). Trophic ecology of *Engraulis encrasicolus* L. 1758 in relation to zooplankton population in the Ligurian Sea (2008, August). Tesi di Laurea, Università degli studi di Genova, Genoa, Italy. 36 pp. [In Italian.]
- Melo Júnior, Mauro de. 2009. Produção secundária e aspectos reprodutivos de copépodes pelágicos ao largo de Ubatuba (SP, Brasil). [Secondary production and reproductive aspects of pelagic copepods off Ubatuba (SP, Brazil).] Tese de Doutorado, Instituto Oceanográfico, Universidade de São Paulo, São Paulo, Brazil. [In Portuguese.]
- Menéndez, María C. 2009. Distribución del mesozooplancton y su relación con el ciclo de mareas en la zona interna del estuario de Bahía Blanca. [Distribution of the mesozooplancton and its relationship with the tidal cycle in the inner zone of the Bahía Blanca estuary.] Doctorado en Biología, Universidad Nacional del Sur, Bahía Blanca, Argentina. [In Spanish.]
- Mingazov, Nail D. 2008. Spring biology of *Calanus glacialis* (Jaschnov, 1955) in the White Sea and its annual dynamics in the Fram Strait with special implications on life cycle strategies. M.Sc. Thesis, Kazan State University, Kazan, Tatarstan, Russia. [In Russian.]
- Moison, Maude. 2009. Approche expérimentale et numérique du comportement individuel de *Temora longicornis*, copépoide typique de la Manche Orientale : réponses aux forçages biotiques et abiotiques. [Experimental and numerical approach to the individual behavior of *Temora longicornis*, a typical copepod of the eastern English Channel: responses to biotic and abiotic forcing factors.] Doctoral Thesis, Université de Lille 1, Sciences et Technologies, Lille, France. [In French.]

- Moncayo-Estrada, Rodrigo. 2009. Coexistence in a *Chirostoma* species flock: niche analysis and the role of water-level fluctuation on the structure and function of the zooplanktivorous guild. Ph.D. Dissertation, Baylor University, Waco, Texas, U.S.A.
- Näslund, Johanna. 2008. Hälsostatus hos abborre (*Perca fluviatilis*) i Gumpfjärden, Bottenhavet. [Health status of perch (*Perca fluviatilis*) in Gumpfjärden, Bothnia.] Examensarbete 2008:77, Faculty of Veterinary Medicine and Animal Science, Sveriges Lantbruksuniversitet, Uppsala, Sweden. 32 pp. [In Swedish; abstract in English.]
- Peralba, Aurea. 2008. Niche separation of *Clausocalanus* species in the Mediterranean Sea and in the Atlantic Ocean. Ph.D. Thesis, Open University, London, U.K.
- Pereira, Aldenice de Nazaré Silva. 2009. Metazoários parasitos de *Mullus argentinae* Hubbs e Marini, 1933 (Actinopterygii, Mullidae) do litoral de Florianópolis, Santa Catarina, Brasil. [Parasitic metazoans of *Mullus argentinae* Hubbs and Marini, 1933 (Actinopterygii, Mullidae) from the coast of Florianópolis, Santa Catarina, Brazil.] Trabalho de Conclusão de Curso (Undergraduate Thesis), Universidade Federal de Santa Catarina, Florianópolis, Santa Catarina, Brazil. [In Portuguese.]
- Rombouts, Isabelle. 2009. Variation géographique a grande échelle de la diversité des copépodes par rapport a la variabilité environnementale. [Large-scale geographical variation in the diversity of copepods according to environmental variability.] Doctoral Thesis, Université Paris 6, Paris, France. [In French.]
- Rossi, Liliana. 2008. Ecología trófica de peces de importancia económica del Río Paraná durante su ontogenia temprana. [Trophic ecology of fishes of economic importance of the Paraná River during their temporal ontogeny.] Doctor en Ciencias Naturales, Universidad Nacional de La Plata, La Plata, Argentina. [In Spanish.]
- Rothlisberger, John D. 2009. Human-mediated dispersal of aquatic nonindigenous species: Impacts and interventions. Ph.D. Dissertation, University of Notre Dame, Notre Dame, Indiana, U.S.A. 100 pp.
- Seegers, Bridget. 2009. Lake Superior zooplankton community grazing and its implications for the deep chlorophyll maximum. M.S. Thesis, University of Minnesota, Minneapolis, Minnesota, U.S.A.
- Smallman, Duncan Robert. 2009. The behavioural, chemical and host ecology of two species of copepods (Copepoda: Caligidae) parasitic on Atlantic salmon (*Salmo salar* L). Ph.D. Thesis, University of Aberdeen, Aberdeen, Scotland, U.K.
- Sohn, Dongwha. 2009. Ecology of Greenland halibut (*Reinhardtius hippoglossoides*) during the early life stages in the eastern Bering Sea and Aleutian Islands. M.Sc. Thesis, Oregon State University, Corvallis, Oregon, U.S.A. 68 pp.
- Sopanen, Sanna. 2009. Interactions between harmful algae and calanoid copepods in the Baltic Sea. Doctoral Dissertation, University of Helsinki and Tvärminne Zoological Station, Helsinki, Finland. Walter and André de Nottbeck Foundation Scientific Report No. 35. 58 pp. [In English; abstract in Finnish.]
- Stine, Cynthia Bee. 2008. Mycobacteriosis in Chesapeake Bay striped bass *Morone saxatilis*. Ph.D. Thesis, University of Maryland-College Park, College Park, Maryland, U.S.A. 243 pp.
- Temperoni, Brenda. 2008. Producción estacional de *Oithona nana* (Copepoda: Cyclopoida) en aguas costeras de Argentina. The seasonal production of *Oithona nana* (Copepoda: Cyclopoida) in the coastal waters off Argentina. Tesis de Grado, Licenciatura en Ciencias Biológicas, Universidad Nacional de Mar del Plata, Mar del Plata, Argentina. 73 pp. [In Spanish.]
- Veronesi, Rodolfo. 2009. Impiego di Ciclopoidi (Crustacea, Copepoda) come agenti di lotta biologica contro le zanzare (Diptera, Culicidae). [Use of Cyclopoids (Crustacea, Copepoda) as biological control agents against mosquitoes (Diptera, Culicidae).] Ph.D. Thesis, Università di Bologna, Bologna, Italy. 72 pp. [In Italian.]
- Walther, Marc. 2008. Krebstiere (Crustacea): Biologie, Vorkommen, Haltung und Erkrankungen, sowie ihre Bedeutung als Zootierobjekte und Lebensmittelressourcen; eine Literaturstudie. [Crustaceans (Crustacea): biology, occurrence, behavior and diseases, as well as their importance as zoo animals and food resources; a literature study.] Dr. Med. Vet. Dissertation, Justus-Liebig-Universität Gießen, VVB Laufersweiler Verlag, Giessen, Germany. 380 pp. [In German.]
- Witteveen, Briana Harmony. 2008. Using stable isotopes to assess population structure and feeding ecology of North Pacific humpback whales (*Megaptera novaeangliae*). Ph.D. Thesis, University of Central Florida, Orlando, Florida, U.S.A. 144 pp.
- Yamada, Fábio Hideki. 2008. Estudo comparativo e ecológico de ectoparasitos branquiais de *Cichla kelberi* Kullander & Ferreira, 2006 (Perciformes, Cichlidae) dos reservatórios de Itaipu-PR e Lajes-RJ, Brasil. [Comparative and ecological study of the gill ectoparasites of *Cichla kelberi* Kullander & Ferreira, 2006 (Perciformes, Cichlidae) of the Itaipu (PR) and Lajes (RJ) reservoirs, Brazil.] Dissertação do Mestrado, Universidade Estadual de Maringá, Maringá, Paraná, Brazil. [In Portuguese.]
- Zhao, Shuang. 2010. Modeling zooplankton diel vertical migration patterns based on curve fitting and feature correlation analysis. M.Sc. Thesis, University of Alberta, Edmonton, Alberta, Canada. 93 pp.